

**(Revised August 21, 2020)
ATTACHMENT B**

BIDDER’S UNIT PRICE FORM

*****NEW–BID PRICE FORM MUST BE SUBMITTED IN A SEPARATE SEALED ENVELOPE OR BIDDER WILL BE DEEMED NON-RESPONSIVE AND WILL NOT BE CONSIDERED FOR AWARD*****

TO: The Governing Authority of DeKalb County, Georgia

The undersigned, as Bidder, declares that he has carefully examined ITB No. 20-101220 Consent Decree -Proactive and Reactive Assessment and Cleaning for Gravity Sewer Lines (PRAC) [Multiyear with 1 Option to Renew], an annexed proposed form of Contract, the Specifications therein contained, and the Drawings therein referred to, and that he proposes and agrees that if his Bid is accepted, to provide the necessary machinery, tools, apparatus, and other means of construction, and will furnish all materials and labor specified in the Contract, or called for by the Drawings, or necessary to complete the Work in the manner therein specified within the time specified, as therein set forth for the unit prices on the form following this page.

NOTE TO SUPPLIER:

NOTE 1: Every line item must be completed to be considered for award. For example, if you are not charging for an item, enter “**no charge**” in the unit price and the extended price columns.

By signature herein, the Bidder’s authorized agent (“Agent”) certifies that all necessary corporate acts have been taken to authorize the Agent to sign this document and that all information provided in Bidder’s Unit Price Form is an accurate representation of the information the Bidder’s is providing.

Bidder’s Name: _____

Signature of Agent: _____

Printed Name: _____

Title: _____

Date: _____

ATTACHMENT B-1

BIDDER'S UNIT PRICE FORM

| ITEM NO. BY SPECIFICATION SECTION | DESCRIPTION | ESTIMATED QUANTITY | UNIT | UNIT PRICE | EXTENDED PRICE |
|--|---|--------------------|------|------------|----------------|
| PROACTIVE | | | | | |
| Division 1 - General Requirements | | | | | |
| GPS Data Collection | | | | | |
| 01056-1 | GPS Locate and Data Collection - Manhole (Level 1) | 170 | EA | \$ | \$ |
| 01056-2 | GPS Locate and Data Collection - Manhole (Level 2) | 670 | EA | \$ | \$ |
| Assessment and Data Delivery | | | | | |
| 01510-1 | CCTV Inspection ≤ 8" Diameter Pipe | 976,000 | LF | \$ | \$ |
| 01510-1.1 | CCTV PRE-Inspection ≤ 8" Diameter Pipe | 52,000 | LF | \$ | \$ |
| 01510-1.2 | CCTV POST-Inspection ≤ 8" Diameter Pipe | 52,000 | LF | \$ | \$ |
| 01510-2 | CCTV Inspection > 8" to 18" Diameter Pipe | 92,000 | LF | \$ | \$ |
| 01510-2.1 | CCTV PRE-Inspection > 8" to 18" Diameter Pipe | 6,000 | LF | \$ | \$ |
| 01510-2.2 | CCTV POST-Inspection > 8" to 18" Diameter Pipe | 6,000 | LF | \$ | \$ |
| 01510-3 | Sonar/TISCIT Survey > 18" to 36" Diameter Pipe | 17,000 | LF | \$ | \$ |
| 01510-4 | Sonar/TISCIT Survey > 36" Diameter Pipe | 14,400 | LF | \$ | \$ |
| 01530-1 | Manhole Condition Assessment (Level 1) | 13,400 | EA | \$ | \$ |
| 01530-2 | Manhole Condition Assessment (Level 2) | 3,300 | EA | \$ | \$ |
| 01535-1 | Assessment Sanitary Sewer Stream Encroachment | 414,000 | LF | \$ | \$ |
| 01550-1 | Smoke Testing, Sewer ≤ 15" Diameter Pipe | 2,638,000 | LF | \$ | \$ |
| 01555-1 | Acoustic Inspection, Sewer ≤ 12" Diameter Pipe | 2,638,000 | LF | \$ | \$ |
| 01560-1 | Dye Testing, Sewer | 50 | EA | \$ | \$ |
| 02956-1 | Remove Protruding Connection | 50 | EA | \$ | \$ |
| Sewer Flow Control | | | | | |
| 01520-1 | Bypass Pumping ≤ 18" Diameter Pipe with Flow > 25% and < 50 % | 15,000 | LF | \$ | \$ |
| 01520-2 | Bypass Pumping ≤ 18" Diameter Pipe with Flow ≥ 50 % | 6,000 | LF | \$ | \$ |
| 01520-3 | Bypass Pumping > 18" Diameter Pipe for All Flows | 1,000 | LF | \$ | \$ |
| 01520-4 | Bypass Pumping Maintenance and Operation | 240 | HR | \$ | \$ |
| Division 2 - Site Work | | | | | |
| Manhole Height Adjustment | | | | | |
| 02607-1 | Adjust Manhole Height ≤ 12" | 190 | EA | \$ | \$ |
| 02607-2 | Adjust Manhole Height > 12" | 60 | VF | \$ | \$ |
| 02607-3 | Locate and Expose Buried Manhole, Street | 170 | EA | \$ | \$ |
| 02607-4 | Locate and Expose Buried Manhole, Non-Street | 250 | EA | \$ | \$ |
| 02607-5 | Replace Manhole Covers (Standard, Waterproof) | 250 | EA | \$ | \$ |
| 02607-6 | Replace Manhole Frame and Cover (Standard, Waterproof) | 30 | EA | \$ | \$ |

20-101220 CD – Proactive and Reactive Assessment and Cleaning For Gravity Sewer Lines (PRAC)
 Addendum No. 4

| Sanitary Sewer Cleaning | | | | | |
|--|--|---------|----|----|----|
| 02956-4.1 | Heavy Cleaning ≤ 8" Diameter Pipe | 14,700 | LF | \$ | \$ |
| 02956-4.2 | Heavy Cleaning > 8" to 18" Diameter Pipe | 10,200 | LF | \$ | \$ |
| 02956-4.3 | Cleaning > 18" to 36" Diameter Pipe ≤ 15% Blockage | 1,800 | LF | \$ | \$ |
| 02956-4.4 | Cleaning > 18" to 36" Diameter Pipe from 15% to 25% Blockage | 300 | LF | \$ | \$ |
| 02956-4.5 | Cleaning > 18" to 36" Diameter Pipe > 25% Blockage | 300 | LF | \$ | \$ |
| 02956-4.6 | Cleaning > 36" Diameter Pipe ≤ 15% Blockage | 500 | LF | \$ | \$ |
| 02956-4.7 | Cleaning > 36" Diameter Pipe from 15% to 25% Blockage | 500 | LF | \$ | \$ |
| 02956-4.8 | Cleaning > 36" Diameter Pipe > 25% Blockage | 500 | LF | \$ | \$ |
| REACTIVE | | | | | |
| Division 1 - General Requirements | | | | | |
| GPS Data Collection | | | | | |
| 01056-3 | GPS Locate and Data Collection - Manhole (Level 1) | 20 | EA | \$ | \$ |
| 01056-4 | GPS Locate and Data Collection - Manhole (Level 2) | 100 | EA | \$ | \$ |
| Assessment and Data Delivery | | | | | |
| 01510-5 | CCTV Inspection ≤ 8" Diameter Pipe | 208,000 | LF | \$ | \$ |
| 01510-5.1 | CCTV PRE-Inspection ≤ 8" Diameter Pipe | 445,000 | LF | \$ | \$ |
| 01510-5.2 | CCTV POST-Inspection ≤ 8" Diameter Pipe | 445,000 | LF | \$ | \$ |
| 01510-6 | CCTV Inspection > 8" to 18" Diameter Pipe | 22,000 | LF | \$ | \$ |
| 01510-6.1 | CCTV PRE-Inspection > 8" to 18" Diameter Pipe | 47,000 | LF | \$ | \$ |
| 01510-6.2 | CCTV POST-Inspection > 8" to 18" Diameter Pipe | 47,000 | LF | \$ | \$ |
| 01510-7 | Sonar/TISCIT Survey > 18" to 36" Diameter Pipe | 4,600 | LF | \$ | \$ |
| 01510-8 | Sonar/TISCIT Survey > 36" Diameter Pipe | 3,800 | LF | \$ | \$ |
| 01530-3 | Manhole Condition Assessment (Level 1) | 3,600 | EA | \$ | \$ |
| 01530-4 | Manhole Condition Assessment (Level 2) | 900 | EA | \$ | \$ |
| 01510-9 | CCTV Cleaning Verification Inspection ≤ 8" Diameter Pipe | 437,400 | LF | \$ | \$ |
| 01510-10 | CCTV Cleaning Verification Inspection > 8" to 18" Diameter Pipe | 33,700 | LF | \$ | \$ |
| 01510-11 | Sonar/TISCIT Cleaning Verification Survey > 18" to 36" Diameter Pipe | 27,400 | LF | \$ | \$ |
| 01510-12 | Sonar/TISCIT Cleaning Verification Survey > 36" Diameter Pipe | 8,600 | LF | \$ | \$ |
| 01550-2 | Smoke Testing | 540,000 | LF | \$ | \$ |
| 01555-2 | Acoustic Inspection | 540,000 | LF | \$ | \$ |
| 01560-2 | Dye Testing, Sewer | 20 | EA | \$ | \$ |
| 02956-2 | Remove Protruding Connection | 100 | EA | \$ | \$ |
| Sewer Flow Control | | | | | |
| 01520-5 | Bypass Pumping ≤ 18" Diameter Pipe with Flow > 25% and < 50 % | 3,000 | LF | \$ | \$ |
| 01520-6 | Bypass Pumping ≤ 18" Diameter Pipe with Flow > 50 % | 1,500 | LF | \$ | \$ |
| 01520-7 | Bypass Pumping > 18" Diameter Pipe for all Flows | 500 | LF | \$ | \$ |
| 01520-8 | Bypass Pumping Maintenance and Operation | 600 | HR | \$ | \$ |
| Division 2 - Site Work | | | | | |

20-101220 CD – Proactive and Reactive Assessment and Cleaning For Gravity Sewer Lines (PRAC)
 Addendum No. 4

| Access Road and Easement Clearing | | | | | |
|---|---|-------|-----------|----|----|
| 02110-1 | 12' wide Construction Access Road, Install & Remove | 1,000 | LF | \$ | \$ |
| 02110-2 | Easement Clearing Light | 400 | SY | \$ | \$ |
| 02110-3 | Easement Clearing Medium | 1,000 | SY | \$ | \$ |
| 02110-4 | Easement Clearing Heavy | 300 | Cal. Inch | \$ | \$ |
| Site Restoration and Erosion Control | | | | | |
| 02273 | Riprap Type 2 (Installed) | 20 | SY | \$ | \$ |
| 02276-1 | Tree Protection Fence | 30 | LF | \$ | \$ |
| 02276-2 | Tree /Shrubbery Restoration 3 gal | 5 | EA | \$ | \$ |
| 02276-3 | Tree /Shrubbery Restoration 5 gal | 5 | EA | \$ | \$ |
| 02276-4 | Chain Link Fence (4'-8' Height) Removal and Replacement | 100 | LF | \$ | \$ |
| 02276-5 | Wood Fence (4'-8' Height) Removal and Replacement | 100 | LF | \$ | \$ |
| 02276-6 | Check Dam (Hay Bales) | 15 | EA | \$ | \$ |
| 02276-7 | Inlet Sediment Trap | 5 | EA | \$ | \$ |
| 02276-8 | Temporary Creek Crossing ≤ 18" Diameter Pipe Installed | 5 | EA | \$ | \$ |
| 02276-9 | Temporary Creek Crossing > 18" to 36" Diameter Pipe Installed | 5 | EA | \$ | \$ |
| 02485-1 | Sodding (Various Types) | 200 | SY | \$ | \$ |
| 02486-1 | Seeding Complete (Various Types, Including Hay and/or Straw) | 2,500 | SY | \$ | \$ |
| 02542-1 | Silt Fence - Single Row | 4,000 | LF | \$ | \$ |
| 02542-2 | Silt Fence - Double Row | 2,000 | LF | \$ | \$ |
| Manhole Height Adjustment | | | | | |
| 02607-7 | Adjust Manhole Height ≤ 12" | 50 | EA | \$ | \$ |
| 02607-8 | Adjust Manhole Height > 12" | 30 | VF | \$ | \$ |
| 02607-9 | Locate and Expose Buried Manhole, Street | 45 | EA | \$ | \$ |
| 02607-10 | Locate and Expose Buried Manhole, Non-Street | 68 | EA | \$ | \$ |
| 02607-11 | Replace Manhole Covers (Standard, Waterproof) | 45 | EA | \$ | \$ |
| 02607-12 | Replace Manhole Frame and Cover (Standard, Waterproof) | 5 | EA | \$ | \$ |
| Road Pavement | | | | | |
| 02700-1 | Road Pavement Patch | 400 | SY | \$ | \$ |
| Sanitary Sewer Cleaning | | | | | |
| 02956-5.1 | Heavy Cleaning ≤ 8" Diameter Pipe | 3,200 | LF | \$ | \$ |
| 02956-5.2 | Heavy Cleaning > 8" to 18" Diameter Pipe | 2,500 | LF | \$ | \$ |
| 02956-5.3 | Cleaning > 18" to 36" Diameter Pipe ≤ 15% Blockage | 330 | LF | \$ | \$ |
| 02956-5.4 | Cleaning > 18" to 36" Diameter Pipe from 15% to 25% Blockage | 330 | LF | \$ | \$ |
| 02956-5.5 | Cleaning > 18" to 36" Diameter Pipe > 25% Blockage | 330 | LF | \$ | \$ |
| 02956-5.6 | Cleaning > 36" Diameter Pipe ≤ 15% Blockage | 50 | LF | \$ | \$ |
| 02956-5.7 | Cleaning > 36" Diameter Pipe from 15% to 25% Blockage | 50 | LF | \$ | \$ |
| 02956-5.8 | Cleaning > 36" Diameter Pipe > 25% Blockage | 50 | LF | \$ | \$ |
| Sanitary Sewer Point Repair/Manhole Installation | | | | | |
| 02535-1 | Sewer External Point Repair 6"-18" DIP ≤ 4' Depth | 15 | EA | \$ | \$ |

20-101220 CD – Proactive and Reactive Assessment and Cleaning For Gravity Sewer Lines (PRAC)
 Addendum No. 4

| | | | | | |
|--------------------------------|--|----|----|----|-----------------|
| 02535-1.1 | Sewer External Point Repair 6"-18" DIP ≤ 4' Depth, Additional LF | 5 | LF | \$ | \$ |
| 02535-2 | Sewer External Point Repair 6"-18" DIP > 4' to 8' Depth | 40 | EA | \$ | \$ |
| 02535-2.1 | Sewer External Point Repair 6"-18" DIP > 4' to 8' Depth, Additional LF | 10 | LF | \$ | \$ |
| 02535-3 | Sewer External Point Repair 6"-18" DIP > 8' to 16' Depth | 15 | EA | \$ | \$ |
| 02535-3.1 | Sewer External Point Repair 6"-18" DIP > 8' to 16' Depth, Additional LF | 5 | LF | \$ | \$ |
| 02535-4 | Sewer External Point Repair 18"-36" DIP; 0 - 8 foot depth, | 5 | EA | \$ | \$ |
| 02535-4.1 | Sewer External Point Repair 18"-36" DIP; 8 - 16 foot depth, Additional LF fix spec | 10 | LF | \$ | \$ |
| 02641-1 | Sewer Manholes 48" Diameter 0 to 10 foot depth | 15 | EA | \$ | \$ |
| 02641-2 | Sewer Manholes 48" Diameter greater than 10 foot depth | 5 | VF | \$ | \$ |
| 02641-3 | Sewer Manholes 60" Diameter 0 to 10 foot depth | 5 | EA | \$ | \$ |
| 02641-4 | Sewer Manholes 60" Diameter greater than 10 foot depth | 5 | VF | \$ | \$ |
| 02324-1 | Select Backfill | 50 | TN | \$ | \$ |
| PROACTIVE WORK ONLY (A) | | | | | \$ |
| REACTIVE WORK ONLY (B) | | | | | \$ |
| ALLOWANCES | | | | | |
| 1020 | OWNERS ALLOWANCE (C) | | | | \$ 3,031,595.00 |

TOTAL BID (A + B + C)

_____ \$ _____
 (State in words on the line above) (In Figures)

These quantities are approximate and may be increased or decreased as to any and all units as necessary to complete the construction of said Project without entitling the Contractor to any claim for extra compensation because of any injury, damage or delay he may sustain on account of such increase or decrease. The Contractor shall be entitled to compensation on the foregoing unit prices only on the quantities of materials actually furnished and work actually done as determined and approved in writing by the County through an inspection of the work completed. In no event shall the County be liable for payment in excess of the total Bid without proper prior written authorization via Change Order from the County. The Total Bid includes and encompasses the cost of all labor, materials, equipment, tools, supervision, scheduling, safety program, coordination, engineering, testing, surveys, layout, cleanup, and other things and services required to complete the entire Project in strict conformity with the Drawings, Specifications, the Contract, and all addenda and authorized written clarifications issued prior to the Bid date. Without limitation, the Total Bid also includes all applicable sales and use taxes, fees, temporary lighting, security for the site, heating and cooling, temporary utilities, freight costs, handling costs, permit costs, field and main office costs, bond premiums, insurance premiums, direct and indirect administrative costs, overhead, and profit.

Bidder has examined the site of the proposed Work and all documents comprising the Contract and is satisfied as to the conditions to be encountered in performing the work and as to the requirements of the Contract.

This is a multi-year contract with 1 option to renew that the County anticipates awarding to multiple Contractors, dependent upon the number of bids received and accepted by the County. All quantities represented on each line item of the Bid Form are the estimated total quantities for the scope work to be done under each line item for the life of this Contract. The Bidders are being informed that the actual estimated quantities to be awarded in a contract to each successful bidder could vary dependent on the number of successful bidders. The County reserves the right to distribute the estimated quantities based on project needs to include or not limited to: by work order, priority of assessments, etc.

No Bid may be revoked or withdrawn until ninety (90) days after the time set for opening the Bids.