Public Hearing: YES ⊠ NO □ Department: Planning & Sustainability

SUBJECT:

COMMISSION DISTRICT(S): 5 & 7

Application of Power House, Inc. for a Special Land Use Permit (SLUP) to allow for a child caring institution in the R-85 (Residential-Medium Lot-85) District, at 4552 Dorset Circle.

PETITION NO: N19. SLUP-21-1244575 2021-2126

PROPOSED USE: Child Care Institution

LOCATION: 4552 Dorset Circle, Decatur, Ga.

PARCEL NO.: 15-130-08-074

INFO. CONTACT: Dustin Jackson, Sr. Planner

PHONE NUMBER: 404-371-2155

PURPOSE:

Application of Power House, Inc. for a Special Land Use Permit (SLUP) to allow for a child caring institution in the R-85 (Residential-Medium Lot-85) District. The property is located on east side of Dorsett Circle, at 4552 Dorsett Circle, Decatur. The property has approximately 95 feet of frontage on Dorsett Circle and contains 0.37 acre.

RECOMMENDATION:

COMMUNITY COUNCIL: Approval.

PLANNING COMMISSION: Defer to BOC.

PLANNING STAFF: Full Cycle Deferral.

STAFF ANALYSIS: Based on the impact analysis and land use analysis above, the Special Land Use Permit request is consistent with the intent of the 2035 Comprehensive Plan. The Special Land Use proposal does not include expansion of the existing single-family home. The Special Land Use request provides a residential service to the surrounding community. The request may generate limited negative impacts on current neighborhood and on the natural environment. Based on the information provided, the department of Planning and Sustainability recommends "Approval with Conditions".

PLANNING COMMISSION VOTE: Final Motion: Defer to BOC 8-0-1. J. West moved, A. Atkins seconded to Defer to the Board of Commissioners; G. McCoy abstained. **1st Motion:** E. Patton moved for denial; motion failed due to lack of a 2nd. **2nd Motion:** J. Johnson moved, V. Moore seconded for a two-cycle deferral; motion failed 4-4-1.

COMMUNITY COUNCIL VOTE/RECOMMENDATION: Approval 7-2-0.

SLUP-21-1244575 Recommended Conditions

- 1. The Special Land Use Permit shall be issued to Demetrius Battle, for operation of a group child caring institution for male children, which shall not be transferrable.
- 2. There shall be a maximum of six male children in the group child caring institution.
- 3. This Special Land Use Permit shall be subject to renewal by the Board of Commissioners eighteen (18) months from the date of approval by the Board of Commissioners. Failure to renew may result in revocation of the SLUP.
- 4. Employee, facility, and/or visitor parking shall be contained within the existing driveway. Onstreet parking is prohibited.

DeKalb County

DeKalb County Department of Planning & Sustainability

330 Ponce De Leon Avenue, Suite 500 Decatur, GA 30030

(404) 371-2155 / plandev@dekalbcountyga.gov

Michael Thurmond

Planning Commission Hearing Date: March 4, 2021 Poard of Commissioners Hearing Date: March 25 2021

niet Executive Officer	STAFF AN	Hearing Date: March 25,20 IALYSIS	021
Case No.:	SLUP-21-1244575 Agen	da #: N19	
Location/Address:	4552 Dorset Circle, Decat 30035	ur, GA Commission District: (05 Super District: 07
Parcel ID:	15-130-08-074		
Request:	·	Special Land Use Permit (SLUP) request to allow a group, child caring institution (CCI) for 4-6 male children between the ages of 12 and 17.	
Property Owner(s):	Harold Keeling		
Applicant/Agent:	Demetrius Battle	Demetrius Battle	
Acreage:	0.37 acres		
Existing Land Use:	Single Family Residential		
Surrounding Propertie		To the north, east, and south of the subject property is single family residential, to the west of the subject property is Dorset Circle and single family residential.	
Adjacent Zoning:	North: R-85 South: R-85	5 East: R-85 West: R-85	
Comprehensive Plan:	Suburban (SUB)	x Consistent	Inconsistent
Proposed Density: N/	A (Existing)	Existing Density: N/A (Existing	g)
Proposed Square Ft.: 1	N/A (Existing)	Existing Units/Square Feet: N	N/A (Existing)
Proposed Lot Coverag	N/A (existing) Existing Lot Coverage: N/A (Existing)		

Subject Property

The subject property is a 0.37 acre site located on the east side of Dorset Circle off of Dorset Drive within unincorporated Dekalb County. The property is currently a single-family home zoned R-85 (Residential Medium Lot). Bordering the property's eastern and southern property lines are existing single-family residential homes zoned R-85 (Residential Medium Lot). Bordering the northern property line are two vacant parcels and a single-family home zoned R-85 (Residential Medium Lot). Across Dorset Circle to the west of the subject property are existing single-family residential homes zoned R-85 (Residential Medium Lot). The land uses surrounding the subject property and its immediate neighbors are all single-family residential units zoned R-85 (Residential Medium Lot). The closest public schools are Canby Lane Elementary, Mary Mcleod Bethune Middle School, Miller Grove Middle School, and SW DeKalb High School. The closest natural waterway is Snapfinger Creek located about 100 feet northeast of the subject property.

Zoning History

Based on DeKalb County records, it appears that the R-85 (Residential Medium Lot) zoning of the property has not changed since adoption of the first zoning ordinance and map in 1956. However, the existing single-family home was built in 1973. The *DeKalb County 2035 Comprehensive Plan* designates the subject property's future land use as Suburban (SUB).

Project Analysis

Per the submitted Special Land Use Permit application, the applicant is requesting to establish a Child Caring Institution (CCI) with an allowance of no more than six male youth between the ages of 12 and 17 at 4552 Dorset Circle. The applicant plans to have three bedrooms with two male youth assigned to each room. The applicant plans to have 24 hour trained and certified staff at the home. There are no structural additions or demolitions planned for the site. The applicant plans to have one vehicle parked at the home which will serve as transport for the youth and staff on-site. The male youth will attend public school and will use the bus to get to and from. The home is currently in a residential neighborhood zoned R-85 (Residential Medium Lot) with a future land use of Suburban (SUB).

Impact Analysis

A. Adequacy of the size of the site for the use contemplated and whether or not adequate land area is available for the proposed use including provision of all required yards, open space, off-street parking, and all other applicable requirements of the zoning district in which the use is proposed to be located.

The proposed child caring institution has adequate land available for the use and meets all required yard, open space, and parking provisions from the DeKalb County code. As mentioned above, the applicant plans to have one vehicle parked at the home which will serve as transport for the youth and staff on-site.

B. Compatibility of the proposed use with adjacent properties and land uses and with other properties and land uses in the district.

The proposed child caring institutition (CCI) has a zoning designation that is consistent and compatible with adjacent properties. Adjacent properties are undeveloped or contain single-family, detached residences. The general purpose of CCIs is to provide homes for children. In its basic form, this arrangement may generate the

same level of activity as other residences in a typical neighborhood. However, the compatibility of each CCI may vary depending on how the facility is operated.

C. Adequacy of public services, public facilities, and utilities to serve the proposed use.

The proposed child caring institution may not generate any more demand on public services than other residences in the neighborhood. There has been no indication that there are inadequate public services and facilities to serve the facility at the proposed location.

D. Adequacy of the public street on which the use is proposed to be located and whether or not there is sufficient trafficcarrying capacity for the use proposed so as not to unduly increase traffic and create congestion in the area.

Ingress/egress to/from the facility is via a residential driveway located on Dorset Circle. Dorset Circle appears to have adequate carrying capacity for the trips that would be generated by the facility.

E. Whether existing land uses located along access routes to the site will be adversely affected by the character of the vehicles or the volume of traffic generated by the proposed use.

The applicant's proposal does not specifically address the character or number of vehicles associated with the proposed facility or the volume of traffic expected for the proposed facility.

F. Adequacy of ingress and egress to the subject property and to all proposed buildings, structures, and uses thereon, with particular reference to pedestrian and automotive safety and convenience, traffic flow and control, and access in the event of fire or other emergency.

The subject property has ingress and egress off of Dorset Circle. The existing home sits at a lower grade than the roadway and near a curve, sothe slope of the driveway may present a challenge for reverse egress onto Dorset Circle. Additionally, while the Dorset Circle right-of-way is 60 feet wide, the right-of-way appears to include about half of the existing driveway. Although, traffic volume is most likely low, parking in the travelway, near a curve, may increase the potential for vehicular accidents. Under normal conditions though, the facility can be accessed from Statler Drive or Dorset Drive, therefore, emergency access should not be a problem. Also, the neighborhood is not a high traffic pedestrian area, and therefore, has no sidewalks or pedestrian markings.

G. Whether the proposed use will create adverse impacts upon any adjoining land use by reason of noise, smoke, odor, dust, or vibration generated by the proposed use.

The proposed use will create no adverse environmental effects on the adjoining land uses. The proposed Child Caring Institution (CCI) should not create or emit smoke, odor, dust or abnormal noises or vibrations beyond the normal expected amount that's created or emitted by a single-family home or a CCI.

H. Whether the proposed use will create adverse impacts upon any adjoining land use by reason of the hours of operation of the proposed use.

The adjoining residential uses may not be impacted by the proposed hours of operation. As a residential facility, the child caring institution must operate 24 hours, seven days a week. The existing home will serve as a full-time home for the male youth who will reside there.

I. Whether the proposed use will create adverse impacts upon any adjoining land use by reason of the manner of operation of the proposed use.

The CCI will provide residential room and board for displaced male youth. The residential component of the proposed use is compatible with surrounding residential uses. The submitted application does not provide substantive details regarding the manner of operation.

J. Whether the proposed use is otherwise consistent with the requirements of the zoning district classification in which the use is proposed to be located.

Per the Dekalb County Code, group, child caring institutions of 4-6 children are permitted only with the approval of a Special Land Use Permit in the R-85 zoning district.

K. Whether the proposed use is consistent with the policies of the Comprehensive Plan.

Per the *Comprehensive Plan*, the future land use designation is SUB (Suburban). The proposed use is consistent with the *Dekalb County Comprehensive Plan* future land use objectives for districts designated as Suburban. Moreover, the proposal may present an opportunity to "utilize the zoning code to provide a variety of housing opportunities and choices to better accommodate the needs of residents" (Housing Policy #9—Housing Variety/Access).

L. Whether the proposed use provides for all required buffer zones and transitional buffer zones where required by the regulations of the zoning district in which the use is proposed to be located.

Transitional buffer zones are not required.

M. Whether there is adequate provision of refuse and service areas.

In response to this criterion, the applicant states "the proposed site (4552 Dorset circle) has no provision of refuse and service areas." The applicant has not provided any additional clarification.

N. Whether the length of time for which the special land use permit is granted should be limited in duration.

In consideration of unanticipated issues that may negatively impact adjacent properties, Staff recommends that, if conditionally approved, the Special Land Use Permit be subject to periodic renewal, at the discretion of the Board of Commissioners.

O. Whether the size, scale and massing of proposed buildings are appropriate in relation to the size of the subject property and in relation to the size, scale and massing of adjacent and nearby lots and buildings.

The proposed use is an existing single-family home and is consistent with nearby single-family homes. The applicant has no plans for expansions or additions that will cause inconsistency with adjacent lots and buildings.

P. Whether the proposed use will adversely affect historic buildings, sites, districts, or archaeological resources.

There are no known historic buildings, sites, districts or archaeological resources in the immediate area that will be adversely affected by the proposed use.

Q. Whether the proposed use satisfies the requirements contained within the supplemental regulations for such special land use permit.

The existing driveway should be able to accommodate four normal or compact size passenger vehicles. However, the applicant has not indicated how the transportation needs of the children will be met and how many vehicles will be on-site.

Although not required at this time, interior architectural plans are required prior to the issuance of a building permit or business license for the proposed use (Sec. 4.2.42 E1). Plans have not been provided thus far.

R. Whether the proposed use will create a negative shadow impact on any adjoining lot or building as a result of the proposed building height.

The proposed use will be in an existing 1-story home, thus, no adverse impacts from building height will be created.

S. Whether the proposed use would be consistent with the needs of the neighborhood or the community as a whole, be compatible with the neighborhood, and would not be in conflict with the overall objective of the comprehensive plan.

The proposed use shows consistency with the needs of the community. The use is a community based initative that seeks to assist displaced male youth and prepare them for future opportunities. The proposed use shows consistency with the comprehensive plan and meets the requirements of a Suburban (SUB) land use.

Staff Recommendation

Based on the impact analysis and land use analysis above, the Special Land Use Permit request is consistent with the intent of the 2035 Comprehensive Plan. The Special Land Use proposal does not include expansion of the existing single-family home. The Special Land Use request provides a residential service to the surrounding community. The request may generate limited negative impacts on current neighborhood and on the natural environment. Based on the information provided, the department of planning and sustainability recommends approval with conditions.

- 1. The Special Land Use Permit shall be issued to Demetrius Battle, for operation of a group child caring institution for male children, which shall not be transferrable.
- 2. There shall be a maximum of six male children in the group child caring institution.
- 3. This Special Land Use Permit shall be subject to renewal by the Board of Commissioners eighteen (18) months from the date of approval by the Board of Commissioners. Failure to renew may result in revocation of the SLUP.
- 4. Employee, facility, and/or visitor parking shall be contained within the existing driveway. On-street parking is prohibited.

Answered Concerns questions in regard to the Childcare institution at 4552 Dorset circle Lithonia GA.

Childcare Institutions:

This will be a childcare home for homeless boys ages to 12 to 17. The youth that we service will be base level kids meaning little to no behaviors.

Parking:

There will only be one staff car to transport youth and the staff personal car at any given time. All appointments for the youth will be off site. So, parking will not be an issue.

School:

Youth will attend public school settings and will catch the bus to and from school.

Childcare institute VS Personal Care Home:

It has been mentioned several times that this is a personal care home and that there are several in that location. However, it's not a personal care home because personal care homes are for adults. This will be childcare institution for boys. There aren't any in that area for boys. The closes one we have is for girls and its 6 miles away.

Previous Home:

There was a childcare institution at 4552 Dorset circle for 17 years for boys that closed 9/2020. After speaking to the owner, the childcare home was grandfathered in. He also provided several documents showing that he was an active business.

Neighbors:

We had a chance to speak to several of the neighbors and because there was a Childcare institute home always there and they never had any issues, they welcome another home being there. A lot of neighbors expressed that our youth needs help too and they thanked 1 PowerHouse for being that change in our youth's life.

Thanks so much.



404.371.2155 (o) 404.371.4556 (f) DeKalbCountyGa.gov Clark Harrison Building 330 W. Ponce de Leon Ave Decatur, GA 30030

DEPARTMENT OF PLANNING & SUSTAINABILITY

SPECIAL LAND USE PERMIT Are the filling date. Amendments will not be accepted after 5 working days after the filling date. Application No: Application No: Application No: Application No: Path Application No: Application Notary Public Dekalb County, GEORGIA Dekalb County, GEORGIA Dekalb County, GEORGIA Defall County, GEORGIA Dekalb County, GEORGIA	- USE DEDMIT APPLICATION
Date Received: 1.27-21 Application No:	SPECIAL LAND USE PERMIT APPLICATION Amendments will not be accepted after 5 working days after the filing date.
Daytime Phone #:	Date Received: 1-27-24 Application No.:
Daytime Phone #:	Donatalle Dalla
Mailing Address: Acelina E-mail: Ceodemichanel@gmail.com OWNER NAME: Harold Keelina more than one owner, attach contact information for each owner) Daytime Phone #: 404 630 1898 Fax #: Mailing Address: 1918 Green shrowke Close Stane Hour to in 64 2008 E-mail: Harold Keelina Mailing Address: 1918 Green shrowke Close Stane Hour to in 64 2008 E-mail: Harold Research of Applicant: Defalls County, 64, 30058 Defalls County, 64, 30058 District(s): 15th Land Lot(s): 130 Block(s): Parcel(s): 15 130 0 8 075 Acreage or Square Feet: 14,134 aft Commission District(s): Existing Zoning: R-85 Proposed Special Land Use (SLUP): I hereby authorize the staff of the Planning and Development Department to inspect the property that is the subject of this application. Owner: Agent: Signature of Applicant: Land Lote of Applicant Lote of Ap	APPLICANT NAME:
Mailing Address: Acelina E-mail: Ceodemichanel@gmail.com OWNER NAME: Harold Keelina more than one owner, attach contact information for each owner) Daytime Phone #: 404 630 1898 Fax #: Mailing Address: 1918 Green shrowke Close Stane Hour to in 64 2008 E-mail: Harold Keelina Mailing Address: 1918 Green shrowke Close Stane Hour to in 64 2008 E-mail: Harold Research of Applicant: Defalls County, 64, 30058 Defalls County, 64, 30058 District(s): 15th Land Lot(s): 130 Block(s): Parcel(s): 15 130 0 8 075 Acreage or Square Feet: 14,134 aft Commission District(s): Existing Zoning: R-85 Proposed Special Land Use (SLUP): I hereby authorize the staff of the Planning and Development Department to inspect the property that is the subject of this application. Owner: Agent: Signature of Applicant: Land Lote of Applicant Lote of Ap	Daytime Phone #: 10866 3130 340N M + 30087
OWNER NAME: Harold Keeling more than one owner, attach contact information for each owner) Daytime Phone #: 404 630 1898 Fax #: Mailing Address: 1918 Greensbrowke Close Stane Hour fain GA 20088 E-mail: Staff & rowleysein dence, org SUBJECT PROPERTY ADDRESS OR LOCATION: 4552 Done to croke Decate w. DeKalb County, GA, 30058 District(s): 15th Land Lot(s): 130 Block(s): C Parcel(s): 15 130 08 075 Acreage or Square Feet: 14,124 94 Commission District(s): 5 Existing Zoning: R-85 Proposed Special Land Use (SLUP): I hereby authorize the staff of the Planning and Development Department to inspect the property that is the subject of this application. Owner: Agent: Signature of Applicant: Land Lock Check One) Printed Name of Applicant: Land Lock Saling Signature and Seal: Travies Mims NOTARY PUBLIC NOTARY PUBLIC NOTARY PUBLIC	Mailing Address: 250 Missystook are Ceodemichanel egmail. com
Daytime Phone #: 404 630 1898 Fax#: Mailing Address: 1918 Green shrow ke Close Stone Hountain 64 30088 E-mail: Staff & row larger: dence org SUBJECT PROPERTY ADDRESS OR LOCATION: 4552 Dorset Circle Decader Deca	(lf
Daytime Phone #: 404 630 1898 Fax#: Mailing Address: 1918 Green shrow ke Close Stone Hountain 64 30088 E-mail: Staff & row larger: dence org SUBJECT PROPERTY ADDRESS OR LOCATION: 4552 Dorset Circle Decader Deca	owner name: Harold Keeling more than one owner, attach contact information for each owner)
SUBJECT PROPERTY ADDRESS OR LOCATION: 4552 Dorset Circle Decate	Postime Phone #: 404 (30) 1898 Fax #:
SUBJECT PROPERTY ADDRESS OR LOCATION: 4552 Dorset Circle Decate	
SUBJECT PROPERTY ADDRESS OR LOCATION: 4552 Dorset Circle Decate	Mailing Address: 17 Green sproble Green Strope Green Gre
District(s):	E-mail:)-14
District(s):	SUBJECT PROPERTY ADDRESS OR LOCATION: 4552 100756 C. CO.
District(s):	Dekalb County, GA,
Acreage or Square Feet: Ivital Commission District(s): Existing Zoning:	THE Parcel(s): 130 08 075
Proposed Special Land Use (SLUP): I hereby authorize the staff of the Planning and Development Department to inspect the property that is the subject of this application. Owner: Agent: Signature of Applicant: Dattle- odle Printed Name of Applicant: Dattle- odle Notary Signature and Seal: Travies Mims NOTARY PUBLIC	District(s): 15 Land Lot(s): 150 Block(s).
I hereby authorize the staff of the Planning and Development Department to inspect the property that is the subject of this application. Owner:Agent:Signature of Applicant:Check One) Printed Name of Applicant:Check One Notary Signature and Seal: Travies Mims NOTARY PUBLIC	Acreage or Square Feet: 14,134 9ff Commission District(s): Existing Zoning
I hereby authorize the staff of the Planning and Development Department to inspect the property that is the subject of this application. Owner:Agent:Signature of Applicant:Check One) Printed Name of Applicant:Check One Notary Signature and Seal: Travies Mims NOTARY PUBLIC	Proposed Special Land Use (SLUP):
Owner: Agent: Signature of Applicant: Lutture Signature of Applicant: Lutture Signature of Applicant: Lutture Signature of Applicant: Lutture Lutture Lutture Signature Code Notary Signature and Seal: Travies Mims NOTARY PUBLIC NOTARY PUBLIC	the staff of the Planning and Development Department to inspect the property that is the
Printed Name of Applicant: Demetrally Battle-ocle Notary Signature and Seal: Travies Mims NOTARY PUBLIC NOTARY PUBLIC	subject of this application.
Printed Name of Applicant: Demetrally Battle-ocle Notary Signature and Seal: Travies Mims NOTARY PUBLIC NOTARY PUBLIC	Signature of Applicant: \ loute Datte - Od
Notary Signature and Seal: Travies Mims NOTARY PUBLIC NOTARY PUBLIC	
Notary Signature and Seal:	Divided Name of Applicant: Demetring Battle-oche
Travies Mims NOTARY PUBLIC	
NOTARY PUBLIC	Notary Signature and Seal:
NOTARY PUBLIC	
NOTARY PUBLIC	Travies Mims
	L/ DIKIU
Commission Expires values	
	Commission Expires ouros.



404.371.2155 (o) 404.371.4556 (f) DeKalbCountyGa.gov Clark Harrison Building 330 W. Ponce de Leon Ave Decatur, GA 30030

DEPARTMENT OF PLANNING & SUSTAINABILITY

SPECIAL LAND USE PERMIT APPLICATION AUTHORIZATION

The property owner should complete this form or a similar, signed and notarized form if the individual who will file the application with the County is not the property owner.

	Date: _/-27-21			
	TO WHOM IT MAY CONCERN:			
	(1) (WE), Harold Keeling	(2/2)		
	Na	me of Owner(s)		
	being (owner) (owners) of the subject property described below or attached hereby delegate authority			
	Name of Applicant or Agent			
	/	/		
	to file an application on (my) (our) behalf.			
/		Milkely		
	Notary Public	Owner		
	Travies Mims	,		
	NOTARY PUBLIC			
	Notary Public DeKalb County, GEORGIA My Commission Expires 08/09/2024	Owner		
	Notary Public	Owner		
	Notary Public	Owner		

CRITERIA B 4552 DORSET CIRCLE LITHONIA GA 30058

A. Adequacy of the size of the site for use contemplated and whether or not adequate land area is available for the

proposed use including provision of all required yards, open space, off-street parking, and all other applicable requirements

of the zoning district in which the use is proposed to be located;

Response: The approximately 0.37-acre site at 4552 Dorset circle is adequate for a proposed use.

B. Compatibility of the proposed use with adjacent properties and land uses and with other properties and land uses in the district;

Response: The proposed use for site at 4552 Dorset circle is compatible with adjacent properties and land uses.

C. Adequacy of public services, public facilities, and utilities to serve the use contemplated;

Response: It appears that there are adequate public services, public facilities and utilities to serve the proposed group home off Dorset circle.

D. Adequacy of the public street on which the use is proposed to be located and whether or not there is sufficient traffic-

carrying capacity for the use proposed so as not to unduly increase traffic and create congestion in the area;

Response: Given that 4552 Dorset circle is in a single-family community, Planning Staff anticipates no impact on public streets or traffic in the area.

E. Whether or not existing land uses located along access routes to the site will be adversely affected by the character of

the vehicles or the volume of traffic generated by the proposed use;

Response: Given that 4552 Dorset circle is in a single-family home neighborhood, existing land uses along access routes would not be adversely impacted by traffic generated by group home.

F. Ingress and egress to the subject property and to all proposed buildings, structures, and uses thereon, with particular

references to pedestrian and automotive safety and convenience, traffic flow and control, and access in the event of fire or other emergency;

Response: The proposed site (4552 Dorset circle) will have adequate ingress and egress to the subject site. Statler dr. intersects with Dorset circle. Dorset circle intersects with Dorset drive which provides adequate circulation in the event of fire or other emergencies.

G. Whether or not the proposed use will create adverse impacts upon any adjoining land use by reason of noise, smoke,

odor, dust, or vibration generated by the proposed use;

Response: The proposed site (4552 Dorset circle) should not create adverse impacts upon any adjoining land use by reason of noise, smoke, odor, dust or vibration.

H. Whether or not the proposed use will create adverse impacts upon any adjoining land use by reason of the hours of operation of the proposed use;

Response: The hours of operation should not create adverse impacts upon adjoining land uses

I. Whether or not the proposed use will create adverse impacts upon any adjoining land use by reason of the manner of operation of the proposed use;

Response: The proposed site (4552 Dorset circle) use will not create adverse impact on the adjoining land use by reason of manner of use.

J. Whether or not the proposed plan is consistent with all of the requirements of the zoning district classification in which the use is proposed to be located;

Response: Proposed use is a permitted use District with a SLUP.

K. Whether or not the proposed use is consistent with the policies of the Comprehensive Plan;

Response: The site (4552 Dorset circle is consistent with the policies of the comprehensive plan.

L. Whether or not the proposed plan provides for all required buffer zones and transitional buffer zones where required by the regulations of the district in which the use is proposed to be located;

Response: The proposed plan provides for all required buffer zones and transitional buffer zone when required by the regulations of the district in which the use is proposed to be located.

M. Whether or not there is adequate provision of refuse and service areas;

Response: The proposed site (4552 Dorset circle) has no provision of refuse and service areas.

N. Whether the length of time for which the special land use permit is granted should be limited in duration;

Response: The proposed use is a permanent use and should not be limited to any length of time on the subject site.

O. Whether or not the size, scale and massing of proposed buildings are appropriate in relation to the size of the subject property and in relation to the size, scale and massing of the adjacent and nearby lots and buildings;

Response: The size, scale and massing of proposed buildings are appropriate in relation to the size of the subject property and nearby lots and buildings.

P. Whether the proposed plan will adversely affect historic buildings, sites, districts, or archaeological resources;

Response: The proposed SLUP will not adversely affect historic buildings, sites, districts, or archaeological resources.

Q. Whether the proposed use satisfies the requirements contained within the Supplemental Regulations for such special land use permit.

Response: The proposed SLUP complies with all of the supplemental regulations

R. Whether or not the proposed building as a result of its proposed height will create a negative shadow impact on any adjoining lot or building.

Response: The proposed SLUP request does not create a negative shadow impact on any adjoining lot or building.


S. Whether the proposed use would result in a disproportional proliferation of that or similar uses in the subject character area.


Response: The proposed use may be consistent with the needs of the neighborhood or the community.

T. Whether the proposed use would be consistent with the needs of the neighborhood or of the community as a whole, be compatible with the neighborhood, and would not be in conflict with the overall objectives of the comprehensive plan.

Response: The proposed site (4552 Dorset circle) would be consistent with the needs of the neighborhood or the community as a whole, be compatible with the neighborhood, and would not be in conflict with the overall objectives of the comprehensive plan.

.

















Zoom 5:55 PM To: ceodemichanel@gmail.c... >

jeff Ezzard has joined your meeting - Demi Chanel **Oche's Zoom Meeting**

zoom

Hi Demi Chanel Oche.

jeff Ezzard has joined your meeting:

Topic Demi Chanel Oche's Zoom Meeting

Meeting ID 794 8858 9779

Time Jan 22, 2021 06:00 PM Eastern Time (US and Canada)

Start Meeting

Thank you for choosing Zoom.

-The Zoom Team







Copyright ©2020 Zoom Video Communications, Inc. All rights reserved.









5:58		••• LTE
Cancel	Meeting Details	Edit
Topic Dem	i Chanel Oche's Z	Zoom Me
When	Today a	it 6:00 PM
Meeting ID	794 8	858 9779
Duration		30 mins
Passcode		1MWxmz
Start		
	Add invitees	
	Delete	

Zoom Meeting

Zoom Audio - 22:27









DEKALB COUNTY GOVERNMENT PLANNING DEPARTMENT DISTRIBUTION FORM

The following areas below may warrant comments from the Development Division. Please respond accordingly as the issues relate to the proposed request and the site plan enclosed as it relates to Chapter 14. You may address applicable disciplines.

DEVELOPMENT ANALYSIS:

Transportation/Access/Row

Consult the Georgia DOT as well as the DeKalb County Transportation Department prior to land development permit. Verify widths from the centerline of the roadways to the property line for possible right-of-way dedication. Improvements within the right-of-way may be required as a condition for land development application review approval. Safe vehicular circulation is required. Paved off-street parking is required.

• Storm Water Management

Compliance with the Georgia Stormwater Management Manual, DeKalb County Code of Ordinances 14-40 for Stormwater Management and 14-42 for Storm Water Quality Control, to include Runoff Reduction Volume where applicable is required as a condition of land development permit approval. Use Volume Three of the G.S.M.M. for best maintenance practices. Use the NOAA Atlas 14 Point Precipitation Data set specific to the site. Recommend Low Impact Development features/ Green Infrastructure be included in the proposed site design to protect as much as practicable the statewaters and special flood hazard areas.

• Flood Hazard Area/Wetlands

The presence of FEMA Flood Hazard Area was indicated in the County G.I.S. mapping records for the site; and should be noted in the plans at the time of any land development permit application. Encroachment of flood hazard areas require compliance with Article IV of Chapter 14 and FEMA floodplain regulations.

• Landscaping/Tree Preservation

Landscaping and tree preservation plans for any building, or parking lot must comply with DeKalb County Code of Ordinances 14-39 as well as Chapter 27 Article 5 and are subject to approval from the County Arborist.

• Tributary Buffer

State water buffer was not reflected in the G.I.S. records for the site. Typical state waters buffer have a 75' undisturbed stream buffer and land development within the undisturbed creek buffer is prohibited without a variance per DeKalb County Code of Ordinances 14-44.1.

Fire Safety

<u>Plans for land development permit must comply with Chapter 12 DeKalb County Code for fire protection and prevention.</u>



DEKALB COUNTY GOVERNMENT PLANNING DEPARTMENT DISTRIBUTION FORM

NOTE: PLEASE RETURN ALL COMMENTS VIA EMAIL OR FAX TO EXPEDITE THE PROCESS TO MICHELLE M ALEXANDER mmalexander@dekalbcountyga.gov OR JOHN REID | REID@DEKALBCOUNTYGA.GOV

COMMENTS FORM: PUBLIC WORKS WATER AND SEWER

Case No.:SLUP-21-1244574
Parcel I.D. #: <u>18-103-05-022</u>
Address: 1923 Clairmont Road
Decatur, Georgia
WATER:
Size of existing water main: 8" CI and 30" CI Water Main adequate inadequate) Distance from property to nearest main: Adjacent to Property
Size of line required, if inadequate: N/A
SEWER:
Outfall Servicing Project: South Fork Peachtree Creek Basin
Is sewer adjacent to property: Yes (X) No () If no, distance to nearest line:
Water Treatment Facility: R. M. Clayton WTF () adequate () inadequate
Sewage Capacity; * (MGPD) Current Flow: 127 (MGPD)
COMMENTS:
* Please note that the sewer capacity has not been reviewed or approved for this project. A Sewer Capacity Request (SCR) must be completed and submitted for review. This can be a lengthy process and should be addressed early in the process.
Capacity Rostriclas Leed
5.5
Signature:





DEKALB COUNTY GOVERNMENT PLANNING DEPARTMENT DISTRIBUTION FORM

NOTE: PLEASE RETURN ALL COMMENTS VIA EMAIL OR FAX TO EXPEDITE THE PROCESS TO MICHELLE ALEXANDER MMALEXANDER@DEKALBCOUNTYGA.GOV OR JOHN REID JREID@DEKALBCOUNTYGA.GOV

COMMENTS FORM: PUBLIC WORKS TRAFFIC ENGINEERING

Case No.: 5247-21-1244575	Parcel I.D. #: /	5-130-08-074	
Address: 4552			
DECATUR, GA 30035			
DECRIVE, (W 1005S			
	Adjacent Ro	padway (s):	
(classific	ation)	(classificat	ion)
Capacity (TPD)		Capacity (TPD)	
Latest Count (TPD) Hourly Capacity (VI	PH)	Latest Count (TPD) Hourly Capacity (VPH)	
Peak Hour. Volume	(VPH)	Peak Hour. Volume (VPH)
	raffic lanes	Existing number of traffic Existing right of way widt	lanesh
Proposed number of	traffic lanes	Proposed number of traffi	c lanes
	ry width	Proposed right of way wid	
Please provide additional information relatin	g to the following stat	ement.	
According to studies conducted by the Institute generate an average of fifteen (15) vehicle trip factor. Based on the above formula, the with approximatelypeak hour vehicle tri	end (VTE) per 1, 000	0 square feet of floor area, with a	in eight (8%) percent peak hour
Single Family residence, on the other hand, w peak hour factor. Based on the above referer a maximum ofunits per acres, and the g vehicle trip end, andpeak hour vehicle tr	nced formula, the iven fact that the proj	(Single Family Residential) D ect site is approximatelya	istrict designation which allows res in land area,daily
COMMENTS:			
Reviewed, xothere Tottle Flow.	found "	this would	dulup
		0±.	
		· · · · · · · · · · · · · · · · · · ·	
		(A)	
		Signature:	DAVI & M Ross

N1. No Comment

N2 & N3. Coordinate and provide the required right of way for the GDOT Managed Lanes I-285 East Project prior to permitting. GDOT PM: Tim Matthews at TMatthews@dot.ga.gov. Rockbridge Road is classified as a minor arterial. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 40 from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required: 10- foot landscape strip, 6-foot sidewalk, bike lanes, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for 35 mph and presented (signed and sealed by a professional engineer) with the land development permit documents.

N4 & N5. Covington Hwy is a state route. Review and approval by GDOT District 7 (Justin Hatch at Juhatch@dot.ga.gov) required prior to issuance land development permit. Covington Hwy is classified as a major arterial. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 50 from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required at a minimum (GDOT may have additional requirements): 10- foot landscape strip, 6-foot sidewalk, bike lanes or multiuse path, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer) with the land development permit documents.

N6 & N7. Pine Mountain Road is classified as a local residential. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 27.5 feet from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required: 6- foot landscape strip, 5-foot sidewalk, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer) with the land development permit documents.

Please note that we received complaints about truck traffic on this street and it is posted no trucks. Consideration should be given to how to handle truck access and traffic. Limit all truck access to SR 124 Turner Hill Road. No truck access on Pine Mountain Rd.

N8. No Comment

N9. This development requires a traffic study (337 units) be presented to identify required improvements prior to zoning. I recommend deferral until a traffic study is submitted so that we can incorporate the result of the traffic study into the zoning conditions. Traffic study should address requirements for left turning lanes and right turn lane on North Druid Hills at the Mont Moriah Road and the need for a potential traffic signal. Please confirm the existing right of way on Mount Moriah Road. The county records show a 60 foot right of way and it appears that the development is encroaching on the right of way. The study should also address the lanes needed to accommodate the traffic exiting Mount Moriah Rd at the intersection. Direct pedestrian access is to be provided from the public sidewalks to the proposed development. North Druid Hills Road is classified as a major arterial. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 50 from centerline or such that all public infrastructure

(sidewalks/streetlights) are within right of way, whichever greater. Required at a minimum: 10- foot landscape strip, 6-foot sidewalk, bike lanes or multiuse path, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer) with the land development permit documents. Mount Moriah Road is classified as a local road. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 27.5 feet from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required at a minimum: 6- foot landscape strip, 5-foot sidewalk, streetlights. Mount Moriah Road must be brought up to minimum county standards to include at least 22 feet of pavement along entire property frontage. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer) with the land development permit documents.

N10 & N11. Pine Mountain Road is classified as a local. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 27.5 feet from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required: 6- foot landscape strip, 5-foot sidewalk, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer) with the land development permit documents.

N12. Requesting a traffic study be completed prior to zoning to determine the impacts of the development on the intersection of Rockbridge Road at Mountain Park Trail and the proposed driveway on Rockbridge Road. Only one access point of Mountain Park Trail. The access point on Mountain Park Trail must be shifted to the rear property line away from Rockbridge Road. Please note the minimum driveway/street separation required in Section 14-200 (6). Remove acceleration lane from Rockbridge Road frontage. Provide direct pedestrian access from public right of way to the proposed destinations. Rockbridge Road is classified as a minor arterial. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 40 from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required: 10- foot landscape strip, 6-foot sidewalk, bike lanes, streetlights. Mountain Park Trail is classified as a local. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 27.5 feet from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required: 6- foot landscape strip, 5-foot sidewalk, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for 35 mph and presented (signed and sealed by a professional engineer) with the land development permit documents.

N13. Northern Ave is classified as a collector road. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 35 from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required: 10- foot landscape strip, 6-foot sidewalk, bike lanes or multiuse path, streetlights. All access points must meet minimum intersection and stopping sight

distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer) with the land development permit documents.

N14. No comment.

N15, N16 and N17. Panola Road is classified as a major arterial. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 50 feet from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required at a minimum: 10- foot landscape strip, 6-foot sidewalk, bike lanes or multiuse path, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer) with the land development permit documents. Young Road is classified as a collector road. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 35 feet from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required: 10- foot landscape strip, 6-foot sidewalk, bike lanes, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for 35 mph and presented (signed and sealed by a professional engineer) with the land development permit documents. Please note the minimum driveway/street separation required in Section 14-200 (6). Applies to driveways on the opposite side of the road also. Access point on Young Road needs to be relocated away from the traffic signal. The developer is required to upgrade the pedestrian features of the traffic signal at Panola Road at Young Road, as needed, as identified by the Transportation Division of Public Works. A pedestrian connection must be provided from the public sidewalk to the building entrances.

N18. Clairmont Road is a state route. Review and approval by GDOT District 7 required prior to issuance land development permit. Clairmont Road is classified as a major arterial. Only one access point allowed on Clairmont Road located away from the intersection with N Williamsburg Dr. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 50 from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required at a minimum (GDOT may have additional requirements): 10- foot landscape strip, 6-foot sidewalk, bike lanes or multiuse path, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer) with the land development permit documents. N. Williamsburg Drive is classified as a local road. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 27.5 feet from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required at a minimum: 6- foot landscape strip, 5-foot sidewalk, streetlights. Only one access point allowed on N Williamsburg Road located away from the intersection on Clairmont Road. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer) with the land development permit documents.

N19. No Comment

N20. Clifton Springs Road is classified as a minor arterial. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 40 feet from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required at a minimum: 10- foot landscape strip, 6-foot sidewalk, bike lanes or multiuse path, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer) with the land development permit documents. If interior roads are to public. They will need to meet the requirements for a local road. Please note the infrastructure requirements in Chapter 5 of the Zoning Code and Chapter 14-190 of the Land Development Code. A right of way dedication of 27.5 feet from centerline or such that all public infrastructure (sidewalks/streetlights) are within right of way, whichever greater. Required: 6- foot landscape strip, 5-foot sidewalk, streetlights. All access points must meet minimum intersection and stopping sight distance requirements per AASHTO Greenbook for the posted speed limit and presented (signed and sealed by a professional engineer) with the land development permit documents.

DEKALB COUNTY

Board of Health

02/15/2021

To: Mr. John Reid, Senior Planner

From: Ryan Cira, Environmental Health Manager Cc: Alan Gaines, Technical Services Manager

Re: Rezone Application Review

General Comments:

DeKalb County Health Regulations prohibit use of on-site sewage disposal systems for:

- multiple dwellings
- · food service establishments
- · hotels and motels
- commercial laundries
- funeral homes
- schools
- nursing care facilities
- personal care homes with more than six (6) clients
- child or adult day care facilities with more than six (6) clients
- residential facilities containing food service establishments

If proposal will use on-site sewage disposal, please contact the Land Use Section (404) 508-7900.

Any proposal, which will alter wastewater flow to an on-site sewage disposal system, must be reviewed by this office prior to construction.

This office must approve any proposed food service operation or swimming pool prior to starting construction.

Public health recommends the inclusion of sidewalks to continue a preexisting sidewalk network or begin a new sidewalk network. Sidewalks can provide safe and convenient pedestrian access to a community-oriented facility and access to adjacent facilities and neighborhoods.

For a public transportation route, there shall be a 5ft. sidewalk with a buffer between the sidewalk and the road. There shall be enough space next to sidewalk for bus shelter's concrete pad installation. Recommendation: Provide trash can with liner at each bus stop with bench and monitor for proper removal of waste.

Since DeKalb County is classified as a Zone 1 radon county, this office recommends the use of radon resistant construction.

Board of Health

N.1	TA-21-1244539	2021-2108
	County-Wide (All I	District)
	36	

N.2 LP-21-12439332021-2109/18-011-06-001,18-011-06-004,18-011-06-005,18-011-06-006,18-

011-06-007

District 04 Super District 06

3581 Rockbridge Road, Stone Mountain, GA 30083

3605 Rockbridge Road, Stone Mountain, GA 30083

3611 Rockbridge Road, Stone Mountain, GA 30083

3599 Rockbridge Road, Stone Mountain, GA 30083 3593 Rockbridge Road, Stone Mountain, GA 30083

3581 Rockbridge Road, Stone Mountain, GA 30083

- Please review general comments
- Septic system installed on September 23, 1960 for property 3605
- Septic system installed on September 23, 1960 for property 3611

Total acres 4.8

$Z-21-1243934 \quad 2021-2110 \ / \ 18-011-06-001, \ 18-011-06-004, 18-011-06-005, 18-011-06-006, 18-010-06-006, 18-010-06-006, 18-010-06-006, 18-010-06-006, 18-010-06-006, 18-010-06-006, 18-010-06-006, 18-010-06-006, 1$ N.3

011-06-007

District 04 Super District 06

3581 Rockbridge Road, Stone Mountain, GA 30083

3605 Rockbridge Road, Stone Mountain, GA 30083

3611 Rockbridge Road, Stone Mountain, GA 30083

3599 Rockbridge Road, Stone Mountain, GA 30083

3593 Rockbridge Road, Stone Mountain, GA 30083

3581 Rockbridge Road, Stone Mountain, GA 30083

- Please review general comments
- Septic system installed on September 23, 1960 for property 3605
- Septic system installed on September 23, 1960 for property 3611

Total acres 4.8

N.4 LP-21-1244555 2021-2111 / 15-162-04-008

District 05 Super District 07

5011 Covington Highway, Decatur, GA 30035

Please review general comments

Total acres 0.61

N.5 Z-21-1244408 202102112 / 15-162-04-008

District 05 Super District 07

5011 Covington Highway, Decatur, GA 30045

Please review general comments

Total acres 0.61

LP-21-1244580 2021-2113 / 16-168-01-008 N.6

District 05 Super District 07

2346 Pine Mountain Street, Lithonia, GA 30058

Please review general comments

Total acres 1.2

DeKalb County Board of Health

445 Winn Way - Box 987 Decatur, GA 30031

404.294.3700 • www.dekalbhealth.net

Board of Health

N.7 **Z-21-1244581 2021-2114 / 16-168-01-008** District 05 Super District 07

2346 Pine Mountain Street, Lithonia, GA 30058

- Please review general comments

Total acres 1.2

N.8 **TA-21-1244599 2021-2115**

District 02 Super District 06

North Druid Hills Briarcliff Node, Atlanta, GA 30329

- Please review general comments

Total acres (not stated)

N.9 **Z-21-1244535 2021-2116 / 18-152-01-005, 18-152-01-006, 18-152-01-054**

District 02 Super District 06

2490 North Druid Hills Road, Atlanta, GA 30329

- Please review general comments
- Several surrounding properties with septic system installed Total acres 5.6
- N.10 **LP-21-1244541 2021-2117 / 16-167-08-010** District 05 Super District 07 2328 Pine Mountain Street, Lithonia, GA 30058
 - Please review general comments
 - Several surrounding properties with septic system installed Total acres 0.79
- N.11 **Z-21-1244542 2021-2118 / 16-167-08-010** District 05 Super District 07

2328 Pine Mountain Street, Lithonia, GA 30058

- Please review general comments
- Several surrounding properties with septic system installed

Total acres 0.79

NEXT STEPS

Following an approval of this zoning action, one or several of the following may be required:

Land Disturbance Permit (Required for of new building construction on non-residential properties, or land disturbance/improvement such as storm water detention, paving, digging, or landscaping.)

Building Permit (New construction or renovation of a building (interior or exterior) may require full plan submittal or other documentation. zoning, site development, watershed and health department standards will be checked for compliance.)

Certificate of Occupancy (Required prior to occupation of a commercial space and for use of property for any business type. The issuance follows the review of submitted plans if required based on the type occupancy.)

Plat Approval (Required if any parcel is being subdivided, re-parceled, or combined. Issued "administratively"; no public hearing required.)

Sketch Plat Approval (Required for the subdivision of property into three lots or more. Requires a public hearing by the Planning Commission.)

Overlay Review (Required review of development and building plans for all new construction or exterior modification of building(s) located within a designated overlay district.)

Historic Preservation (Certificate of Appropriateness required for any proposed changes to building exteriors or improvements to land when located within the Druid Hills or the Soapstone Geological Historic Districts. Historic Preservation Committee public hearing may be required.)

Variance or Special Exception (Required seeking relief from any development standards of the Zoning Ordinance. A public hearing and action by the Board of Appeals are required for most variances.)

Minor Modification (Required if there are any proposed minor changes to zoning conditions that were approved by the Board of Commissioners. The review is administrative if the changes are determined to be minor as described by Zoning Code.)

Major Modification (Required submittal of a complete zoning application for a public hearing if there are any proposed changes to zoning conditions approved by the Board of Commissioner on a prior rezoning.)

Business License (Required for any business or non-residential enterprise operating in Unincorporated DeKalb County, including in-home occupations).

Alcohol License (Required permit to sell alcohol for consumption on-site or packaged for off-site consumption. Signed and sealed distance survey is required. Background checks will be performed.)

<u>Each of the approvals and permits listed above require submittal of application, fees and supporting documents.</u> Please consult with the appropriate department/division.