

Public Hearing: YES  NO

Department: Planning & Sustainability

**SUBJECT:**

**COMMISSION DISTRICT(S):** Commission District 04 Super District 06

**Application of Shalom Restorations, LLC to rezone property from R-75 (Residential Medium Lot-75) zoning district to RSM (Small Lot Residential Mix) zoning district to allow single-family detached homes, at 695 Jordan Lane.**

**PETITION NO: D5-2022-1976 Z-22-1245935**

**PROPOSED USE: Single-family, detached homes.**

**LOCATION:** 695 Jordan Lane, Decatur, Georgia 30033

**PARCEL NO. :** 18-063-09-077

**INFO. CONTACT:** John Reid, Sr. Planner

**PHONE NUMBER:** 404-371-2155

**PURPOSE:**

Application of Shalom Restorations, LLC to rezone property from R-75 (Residential Medium Lot-75) zoning district to RSM (Small Lot Residential Mix) zoning district to allow single-family detached homes. The property is located on the east side of Jordan Lane, the south side of Reverend DL Edwards Drive and Cemetery Drive, at 695 Jordan Lane in Decatur, Georgia. The property has approximately 155 feet of frontage along Jordan Lane, 105 feet of frontage along Reverend DL Edwards Drive, and 103 feet of frontage along Cemetery Drive and contains 0.67 acre.

**RECOMMENDATION:**

**COMMUNITY COUNCIL:** (December 2022) Deferral. (October 2022) Deferral. (August 2022) Full Cycle Deferral.

**PLANNING COMMISSION:** (January 5, 2023) Denial. (November 1, 2022) Full Cycle Deferral. (September 1, 2022) Denial.

**PLANNING STAFF:** Denial.

**STAFF ANALYSIS:** Since the November 17, 2022 Board of Commissioners meeting, the applicant has revised the site plan from three single-family, detached lots to eight single-family, detached cottages (see attached). The purpose and intent of the RSM district is to provide for the creation of residential neighborhoods that allow a mix of single-family, attached and detached housing options and to allow flexibility in design and product on the interior of new development while protecting surrounding neighborhoods. Therefore, the focus of the RSM zoning district appears to be on larger properties that allow for adequate land area to create neighborhoods with a mix of housing types instead of piece-meal single-use projects on smaller infill properties. The proposed request for eight single-family detached cottage homes on a small infill lot is not consistent with these goals. Additionally, the proposed density of 12 units per acre (8 cottage units divided by .67 acres) exceeds the maximum density of 8 units per acre allowed in the RSM zoning district and the Suburban Character Area. There is no abutting RSM or higher intensity residential zoning district that necessitates a transitional zoning district on the subject property. While there are RSM zoned parcels nearby, they do not contribute significantly to the consideration of this application. Since the request is not consistent with the purpose and intent of RSM zoning and does not indicate compliance with RSM zoning requirements, the zoning request is not compatible with adjacent and nearby properties (Sec 7.4.6.B). Therefore, it appears that the proposed rezoning request is not consistent with the policies

and strategies of the Suburban Character Area to protect stable neighborhoods from incompatible development that could alter established single-family residential development patterns (Sec 7.4.6.A, Suburban Policy #1). Staff respectfully recommends “Denial”.

**PLANNING COMMISSION VOTE: (January 5, 2023) Denial 9-0-0.** LaSonya Osler moved, Jana Johnson seconded for Denial, per Staff recommendation. **(November 1, 2022) Full Cycle Deferral 7-0-0.** LaSonya Osler moved, Jana Johnson seconded for a full cycle deferral to the January 2023 zoning agenda, per Staff recommendation. **(September 1, 2022) Denial 8-0-0.** Jana Johnson moved, LaSonya Osler seconded for denial, per Staff recommendation.

**COMMUNITY COUNCIL VOTE/RECOMMENDATION: (Dec. 13, 2022) Deferral 9-0-0. (October 18, 2022) Deferral 9-0-0. (August 16, 2022) Full Cycle Deferral 7-0-0.**




# DeKalb County Department of Planning & Sustainability

178 Sams Street

Decatur, GA 30030

(404) 371-2155 / plandev@dekalbcountyga.gov



Michael Thurmond  
Chief Executive Officer

**Planning Commission Hearing Date: January 5, 2023**

**Board of Commissioners Hearing Date: January 26 2023**

## STAFF ANALYSIS

**Case No.:** Z-22-1245935 **Agenda #:** D5

**Location/Address:** The east side of Jordan Lane, and the south side of Reverend DL Edwards Drive and Cemetery Drive at 695 Jordan Lane in Decatur, Georgia. **Commission District: 4 Super District: 6**

**Parcel ID:** 18 063 09 077

**Request:** To rezone properties from R-75 (Residential-Medium Lot-75) to RSM (Small Lot Residential Mix) District to construct single-family detached cottages.

**Property Owner:** Shalom Restorations

**Applicant/Agent:** Shalom Restorations

**Acreage:** .67

**Existing Land Use:** Vacant Single-Family home.

**Surrounding Properties:** Apartments to the west, a cemetery (Washington Memorial Gardens) to the east; Single-family detached residential to the south, and a place of worship to the north (Greater Friendship Baptist Church).

**Adjacent Zoning:** **North:** R-75 **South:** R-75 **East:** R-75 **West:** MR-2

**Comprehensive Plan:** SUB (Suburban) **Consistent**  **Inconsistent**

**Proposed Density:** 12 units per acre **Existing Density:** NA

**Proposed Units/Square Ft.:** 8 single-family detached cottages. **Existing Units/Square Feet:** Vacant Single-Family home and accessory building

**Proposed Lot Coverage:** NA **Existing Lot Coverage:** NA

**Staff Recommendation: DENIAL**

Since the November 17, 2022 Board of Commissioners meeting, the applicant has revised the site plan from three single-family, detached lots to eight single-family, detached cottages (see attached). The purpose and intent of the RSM district is to provide for the creation of residential neighborhoods that allow a mix of single-family, attached and detached housing options and to allow flexibility in design and product on the interior of new development while protecting surrounding neighborhoods. Therefore, the focus of the RSM zoning district appears to be on larger properties that allow for adequate land area to create neighborhoods with a mix of housing types instead of piece-meal single-use projects on smaller infill properties. The proposed request for eight single-family detached cottage homes on a small infill lot is not consistent with these goals. Additionally, the proposed density of 12 units per acre (8 cottage units divided by .67 acres) exceeds the maximum density of 8 units per acre allowed in the RSM zoning district and the Suburban Character Area. There is no abutting RSM or higher intensity residential zoning district that necessitates a transitional zoning district on the subject property. While there are RSM zoned parcels nearby, they do not contribute significantly to the consideration of this application.

Since the request is not consistent with the purpose and intent of RSM zoning and does not indicate compliance with RSM zoning requirements, the zoning request is not compatible with adjacent and nearby properties (Sec 7.4.6.B). Therefore, it appears that the proposed rezoning request is not consistent with the policies and strategies of the Suburban Character Area to protect stable neighborhoods from incompatible development that could alter established single-family residential development patterns (Sec 7.4.6.A, Suburban Policy #1). Staff recommends *denial* of the request.



NO DETERMINATION OF FLOOD HAZARD HAS BEEN MADE FOR THIS PROPERTY BY THIS SURVEYOR.



### LEGEND

AKA	ALSO KNOWN AS	POB	POINT OF BEGINNING
APD	AS PER DEED	R/W	RIGHT-OF-WAY
APP	AS PER PLAT	RBF	REBAR FOUND
BSL	BUILDING (SETBACK) LINE	RBS	REBAR SET
CP	COMPUTED POINT	-X-	FENCE LINE
CTP	CRIMP TOP PIPE FOUND	RCP	REINFORCED CONCRETE PIPE
DB	DEED BOOK	CMP	CORRUGATED METAL PIPE
FFE	FINISH FLOOR ELEVATION		WATER VALVE
FKA	FORMERLY KNOWN AS		WATER METER
IPF	IRON PIN FOUND		TELECOM MANHOLE
LL	LAND LOT		SANITARY SEWER MANHOLE
LLL	LAND LOT LINE		CLEAN OUT
N/F	NOW OR FORMERLY		JUNCTION BOX
PB	PLAT BOOK		DROP INLET
	UTILITY POLE		GAS VALVE
	LAMP POST		GAS METER
	FIRE HYDRANT		WALL
	PINE TREE		HARDWOOD

~ THIS MAP/PLAT HAS BEEN FIELD RUN WITH ASSUMED ELEVATIONS, THEN ADJUSTED TO NAVD 88 BASED ON MULTIPLE OBSERVATIONS FROM GOOGLE EARTH SATELLITE IMAGERY OR OTHER ONLINE SOURCES. THE ELEVATIONS SHOWN HEREON ARE +/- 1' (± ONE FOOT). TREE SYMBOLS ARE NOT TO SCALE. TREE SYMBOLS REPRESENT POSITION OF TREE & ARE NOT THE CRITICAL ROOT ZONE (NOT DRIPLINE).

N/F  
Memorial  
Properties Inc

EXAMPLE HOME FOOTPRINT




THIS BOX RESERVED FOR THE CLERK OF THE SUPERIOR COURTS

LINE	DIST.	BEARING
L1	24.13'	N 28°55'49"E
L2	42.65'	N 80°52'37"E


CURVE	RADIUS	LENGTH	CHORD	CH.BEARING
C1	290.00'	127.21'	126.20'	N 06°00'28"W
C2	131.44'	49.15'	48.87'	N 70°09'51"E

N/F  
Peacock, Joyce W

CONCEPT PLAN 10-17-2022



AREA = 29496 SQ. FT  
OR  
0.6771 ACRES



MAGNETIC



260 PEACHTREE STREET NW  
SUITE 2200  
ATLANTA, GA 30303  
(678) 323-4712  
info@deltasurveyorsinc.com  
LSF # 001370

COTTAGE CONCEPT PLAN  
PREPARED FOR:


**Keith  
Hallman**

PROPERTY ADDRESS:  
695 Jordan Ln  
Decatur, GA 30033

PARCEL ID: 18 063 09 077

LAND LOT 63	18th DISTRICT	DB:6572 PG:236	BY:
DeKALB COUNTY, GEORGIA		FIELD DATE: 2-18-2022	TH
LOCATED IN UNINCORP		DRAWN DATE: 2-24-2022	TW

THE FIELD DATA UPON WHICH THIS PLAT IS BASED HAS A CLOSURE OF 1 FOOT IN 30,000+ FEET, AN ANGULAR ERROR OF 05 SECONDS PER ANGLE POINT AND WAS ADJUSTED USING THE LEAST SQUARES METHOD. THIS PLAT HAS BEEN CALCULATED FOR CLOSURE AND FOUND TO BE ACCURATE TO 1 FOOT IN 77,620 FEET. AN ELECTRONIC TOTAL STATION WAS USED IN THE PREPARATION OF THIS PLAT. ALL MATTERS OF TITLE ARE EXCEPTED. THIS PLAT IS SUBJECT TO ALL LEGAL EASEMENTS AND RIGHTS-OF-WAY PUBLIC OR PRIVATE.



RPLS: LS003030



**DEKALB COUNTY GOVERNMENT  
PLANNING DEPARTMENT  
DISTRIBUTION FORM**

**NOTE: PLEASE RETURN ALL COMMENTS VIA EMAIL OR FAX TO EXPEDITE THE PROCESS TO  
MICHELLE ALEXANDER [mmalexander@dekalbcountyga.gov](mailto:mmalexander@dekalbcountyga.gov) AND/OR LASONDRA HILL  
[lahill@dekalbcountyga.gov](mailto:lahill@dekalbcountyga.gov)**

**COMMENTS FORM:  
PUBLIC WORKS WATER AND SEWER**

Case No.: \_\_\_\_\_

Parcel I.D. #: 18-063-09-077

Address: 695 Jordan Lane

Decatur GA 30033

**WATER:**

Size of existing water main: 6" AC possibly inadequate (adequate/inadequate)

Distance from property to nearest main: adjacent

Size of line required, if inadequate: Unknown

**SEWER:**

Outfall Servicing Project: City of Atlanta

Is sewer adjacent to property: Yes () No () If no, distance to nearest line: 8" adjacent

Water Treatment Facility: CM Clayton ( adequate ( inadequate)

Sewage Capacity: 36.3 (MGPD) Current Flow: 40 (MGPD)

**COMMENTS:**

Will need sewer capacity approval

Signature: \_\_\_\_\_

8/15/2022

To: Ms. Andrea Folgherait, Planning and Ms. LaShonda Hill  
From: Ryan Cira, Director  
Cc: Alan Gaines, Environmental Health Deputy Director  
Re: Rezone Application Review

General Comments:

DeKalb County Health Regulations prohibit use of on-site sewage disposal systems for

- multiple dwellings
- food service establishments
- hotels and motels
- commercial laundries
- funeral homes
- schools
- nursing care facilities
- personal care homes with more than six (6) clients
- child or adult day care facilities with more than six (6) clients
- residential facilities containing food service establishments

If proposal will use on-site sewage disposal, please contact the Land Use Section (404) 508-7900.

Any proposal, which will alter wastewater flow to an on-site sewage disposal system, must be reviewed by this office prior to construction.

This office must approve any proposed food service operation or swimming pool prior to starting construction.

Public health recommends the inclusion of sidewalks to continue a preexisting sidewalk network or begin a new sidewalk network. Sidewalks can provide safe and convenient pedestrian access to a community-oriented facility and access to adjacent facilities and neighborhoods.

For a public transportation route, there shall be a 5ft. sidewalk with a buffer between the sidewalk and the road. There shall be enough space next to sidewalk for bus shelter's concrete pad installation.

Since DeKalb County is classified as a Zone 1 radon county, this office recommends the use of radon resistant construction.

**DeKalb County Board of Health**

404.508.7900 • [www.dekalbhealth.net](http://www.dekalbhealth.net)

8/15/2022

N.5 2022-1910 SLUP-22-1245924 18-233-07-002

2345 Shallowford Road, Atlanta, GA 30345

Amendment

- Please review general comments.

N.6 2022-1911 SLUP-22-1245925 15-156-14-003

3771 Elkridge Drive, Decatur, GA 30032

Amendment

- Please review general comments.

N.7 2022-1912 Z-22-1245928 18-091-03-006, 18-091-03-048

883 Mountain View Drive, Stone Mountain, GA 30083

Amendment

- Please review general comments.
- Septic system installed on this property on 02/15/1961.

N.8 2022-1976 Z-22-1245935 18-063-09-077

695 Jordon Lane, Decatur, GA 30033

Amendment

- Please review general comments.

## Zoning Comments - September 2022

**N2. SLUP-22-1245880** - Briarcliff Road is SR 42. GDOT review and approval needed prior to Land Development Permit. ([MWilson@dot.ga.gov](mailto:MWilson@dot.ga.gov)). The property is within the Druid Hills Historic District. Please see the planner assigned to this district for infrastructure requirements- as the Overlay Districts trump the Zoning Code which trumps the Land Development Code. **Briarcliff Road** is classified as a minor arterial. Where silent the following minimum infrastructure requirements must be met: Right of way dedication of 40 feet from centerline OR such that all public infrastructure is within county right of way, whichever greater, a 6 foot sidewalk (Zoning Code) with a 4 foot bike lane (Land Development Code) OR a 10 foot shared multiuse path (preferred) located 5 feet from back of curb, Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: [hefowler@dekalbcountyga.gov](mailto:hefowler@dekalbcountyga.gov)), 11 foot travel lanes with curb and gutter. University Drive is classified as a local residential road. Where silent the following minimum infrastructure requirements must be met: Right of way dedication of 27.5 feet from centerline OR such that all public infrastructure is within county right of way, whichever greater, a 12 foot travel lane from centerline, curb and gutter, a 5 foot sidewalk (Zoning Code) located 5 feet from back of curb, Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: [hefowler@dekalbcountyga.gov](mailto:hefowler@dekalbcountyga.gov)). Concerned about the entrance and the interior intersection being too close and impacting Briarcliff Road. Traffic Study required to include a traffic signal warrant study at main entrance. Traffic operations at access point on University Drive will also need to be considered- as this will be a non-traditional intersection. Interior streets to be private. At time of permitting, verify sight distance at intersection of access points and Briarcliff Road and University Drive.

**N3 & N4. Z-22-1245923 & SLUP-22-1245924** - North Decatur Road is classified as a minor arterial. The following minimum infrastructure requirements must be met: Right of way dedication of 40 feet from centerline OR such that all public infrastructure is within county right of way, whichever greater, a 6 foot sidewalk (Zoning Code) with 11 foot travel lane with curb and gutter, a 4 foot bike lane (Land Development Code) OR a 10 foot shared multiuse path (preferred) located 5 feet from back of curb, Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: [hefowler@dekalbcountyga.gov](mailto:hefowler@dekalbcountyga.gov)). Please see Land Development Code Section 14-200 (5) for the number of access points required by code for 200 units. Please see separation of access points Land Development Code Section 14-200 (6) which applies to both sides of the street. If you are seeking a variance for anything is Code Section 14-200 from the Board of Commissioners, I suggest you do it as part of your zoning.

**N5. SLUP-22-1245924** - Shallowford and Briarcliff Roads are classified as a minor arterials. The following minimum infrastructure requirements must be met: Right of way dedication of 40 feet from centerline OR such that all public infrastructure is within county right of way, whichever greater, an 11 foot travel lane from centerline with curb and gutter, a 6 foot sidewalk (Zoning Code) with a 4 foot bike lane (Land Development Code) OR a 10 foot shared multiuse path (preferred) located 5 feet from back of curb, Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: [hefowler@dekalbcountyga.gov](mailto:hefowler@dekalbcountyga.gov)). Dedicate necessary right of way for the extension of the right turn lane from Briarcliff Road onto Shallowford Road.

**N6. SLUP-22-1245925** - No Comment

**N7. Z-22-1245928** - Mountain View Drive is classified as a collector street. The following minimum infrastructure requirements must be met: Right of way dedication of 35 feet from centerline OR such that

all public infrastructure is within county right of way, whichever greater, an 11 foot travel lane with curb and gutter, a 6 foot sidewalk (Zoning Code) with a 4 foot bike lane (Land Development Code) OR a 10 foot shared multiuse path (preferred) located 5 feet from back of curb, Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: [hefowler@dekalbcountyga.gov](mailto:hefowler@dekalbcountyga.gov)). New local public streets have the following minimum requirements: Right of way dedication of 55 feet, 24 feet of pavement with curb and gutter, a 5 foot sidewalk (Zoning Code) located 6 feet from back of curb, Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: [hefowler@dekalbcountyga.gov](mailto:hefowler@dekalbcountyga.gov)). Please see separation of access points Land Development Code Section 14-200 (6) which applies to both sides of the street. If you are seeking a variance for anything is Code Section 14-200 from the Board of Commissioners, I suggest you do it as part of your zoning.

**N8. Z-22-1245935** - Jordan Lane & Reverend D.L. Edwards Drive are classified as local streets have the following minimum requirements: Right of way dedication of 27.5 feet from centerline, 12 foot travel lane from Centerline with curb & gutter, a five foot planting strip and a 5 foot sidewalk (Zoning Code), Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: [hefowler@dekalbcountyga.gov](mailto:hefowler@dekalbcountyga.gov)). Developer required to pay to relocate traffic calming speed table away from proposed driveways. Driveways need to be at least 33 feet apart (edge of drive to edge of drive) from each other to fit the relocated speed table. May need to flip driveway location on corner lot to accommodate.

**N9 & N10. Z-22-1245856 & SLUP-22-1245857** - No comment.

**N11. Z-22-1245874** - Clairmont Road is SR 155. GDOT review and approval needed prior to Land Development Permit. ([MWilson@dot.ga.gov](mailto:MWilson@dot.ga.gov)). Donate right of way necessary for GDOT's project at Clairmont Road project. Briarcliff Road is classified as a minor arterial. Where silent the following minimum infrastructure requirements must be met: Right of way dedication of 40 feet from centerline OR such that all public infrastructure is within county right of way, whichever greater, a 6 foot sidewalk (Zoning Code) with a 4 foot bike lane (Land Development Code) OR a 10 foot shared multiuse path (preferred) located 5 feet from back of curb, Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: [hefowler@dekalbcountyga.gov](mailto:hefowler@dekalbcountyga.gov)), 11 foot travel lanes with curb and gutter. Additional comments may be warranted after receipt of traffic study.

**N12. & N13. LP-22-1245937 & Z-22-1245875** - No comments.

**N14. Z-22-1245876** - 1893, 1901 and 1909 are within the I-20 Overlay District, Tier 2. Please see the planner assigned to this district for infrastructure requirements- as the Overlay Districts trump the Zoning Code which trumps the Land Development Code. East Field Street, Glenvalley Dr & Northview Ave are classified as local streets. Improvements required on all frontages. Where the overlay district is silent the following minimum infrastructure requirements must be met: Right of way dedication of 27.5 feet from centerline, 12 foot travel lane from Centerline with curb & gutter, a five foot planting strip and a 5 foot sidewalk (Zoning Code), Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: [hefowler@dekalbcountyga.gov](mailto:hefowler@dekalbcountyga.gov)). Please note that the required right of way dedication may have significant impacts to your site plans. Please review.

**N15. SLUP-22-1245885** - Chamblee Tucker Road is classified a minor arterial. The following minimum infrastructure requirements must be met: Right of way dedication of 40 feet from centerline OR such that all public infrastructure is within county right of way, whichever greater, a 6 foot sidewalk (Zoning Code)

with a 4 foot bike lane (Land Development Code) OR a 10 foot shared multiuse path (preferred) located 5 feet from back of curb, Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: [hefowler@dekalbcountyga.gov](mailto:hefowler@dekalbcountyga.gov)), 11 foot travel lanes with curb and gutter. If you are seeking a variance for the bike facility requirements, I would do so during zoning. Bolissa Drive is classified as a local road with the following minimum requirements: Right of way dedication of 27.5 feet from centerline, 12 foot travel lane from Centerline with curb & gutter, a five foot planting strip and a 5 foot sidewalk (Zoning Code), Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: [hefowler@dekalbcountyga.gov](mailto:hefowler@dekalbcountyga.gov)).

**N16. & N17. LP-22-1245892 & Z-22-1245922** - Properties are located in the Covington Overlay District. Please see the planner assigned to this district for infrastructure requirements- as the Overlay Districts trump the Zoning Code which trumps the Land Development Code. Redan Road and Longshore Drive are classified as local roads. Where silent the following minimum infrastructure requirements must be met: Right of way dedication of 27.5 feet from centerline, 12 foot travel lane from Centerline with curb & gutter, a five foot planting strip and a 5 foot sidewalk (Zoning Code), Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: [hefowler@dekalbcountyga.gov](mailto:hefowler@dekalbcountyga.gov)). Interior streets to be private.

**N18. CZ-22-1245934** - Lawrenceville Hwy is a State Route. GDOT review and approval needed prior to Land Development Permit. ([MWilson@dot.ga.gov](mailto:MWilson@dot.ga.gov)). Lawrenceville Hwy is classified as a major arterial. The following minimum infrastructure requirements must be met: Right of way dedication of 50 feet from centerline OR such that all public infrastructure is within county right of way, whichever greater, a 6 foot sidewalk (Zoning Code) with a 4 foot bike lane (Land Development Code) OR a 10 foot shared multiuse path (preferred) located 5 feet from back of curb, Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: [hefowler@dekalbcountyga.gov](mailto:hefowler@dekalbcountyga.gov)), 11 foot travel lanes with curb and gutter. Jordan Lane is classified as a local road. The following minimum requirements must be met: Right of way dedication of 27.5 feet from centerline, 12 foot travel lane from centerline with curb & gutter, a five foot planting strip and a 5 foot sidewalk (Zoning Code), Pedestrian Scale Street lighting required (Contact Street Light Engineer, Herman Fowler: [hefowler@dekalbcountyga.gov](mailto:hefowler@dekalbcountyga.gov)). Add pedestrian crossing and ADA ramps to the intersection of Jordan Lane at Lawrenceville Hwy.







## DEKALB COUNTY GOVERNMENT PLANNING DEPARTMENT DISTRIBUTION FORM

The following areas below may warrant comments from the Development Division. Please respond accordingly as the issues relate to the proposed request and the site plan enclosed as it relates to Chapter 14. You may address applicable disciplines.

### DEVELOPMENT ANALYSIS:

- **Storm Water Management**

Compliance with the Georgia Stormwater Management Manual, DeKalb County Code of Ordinances 14-40 for Stormwater Management and 14-42 for Storm Water Quality Control **(sections have been amended recently; please request the amended chapter)**, to include Runoff Reduction Volume where applicable is required as a condition of land development permit approval. Use Volume Three of the G.S.M.M. for best maintenance practices. Use the NOAA Atlas 14 Point Precipitation Data set specific to the site. Recommend Low Impact Development features/ Green Infrastructure be included in the proposed site design to protect as much as practicable the statewaters and special flood hazard areas.

**Conceptual plan doesn't indicate the location of the stormwater management facility. Documents provided show that water quality is being provided for each lot individually, however this development is considered as a subdivision and must comply with all the requirements of the stormwater management, not only water quality. Per sec.5.6.2 of the County codes, the detention facility must be on its own lot.**

**Additional consideration must be given to the 10% downstream analysis.**

**Runoff Reduction Volume shall be provided, unless technical justification is provided in regard to the unfeasibility. Strongly recommend investigating the site and identify location where RRv can be provided and re-design/revise the layout to comply with the RRv requirement.**

**I recommend the rezoning be denied until a conceptual plan showing or explaining how all the requirements of stormwater managements are to be met; and how compliance with sec.5.6.2 is addressed.**

- **Flood Hazard Area/Wetlands**

The presence of FEMA Flood Hazard Area **was not** indicated in the County G.I.S. mapping records for the site; and should be noted in the plans at the time of any land development

permit application. Encroachment of flood hazard areas require compliance with Article IV of Chapter 14 and FEMA floodplain regulations

- **Landscaping/Tree Preservation**

Landscaping and tree preservation plans for any building, or parking lot must comply with DeKalb County Code of Ordinances 14-39 as well as Chapter 27 Article 5 and are subject to approval from the County Arborist.

- **Tributary Buffer**

State water buffer **was not** reflected in the G.I.S. records for the site. Typical state waters buffer have a 75' undisturbed stream buffer and land development within the undisturbed creek buffer is prohibited without a variance per DeKalb County Code of Ordinances 14-44.1.



N-8

DEKALB COUNTY GOVERNMENT  
PLANNING DEPARTMENT  
DISTRIBUTION FORM

NOTE: PLEASE RETURN ALL COMMENTS VIA EMAIL OR FAX TO EXPEDITE THE PROCESS TO  
MICHELLE ALEXANDER [mmalexander@dekalbcountyga.gov](mailto:mmalexander@dekalbcountyga.gov) AND/OR LASONDRA HILL  
[lahill@dekalbcountyga.gov](mailto:lahill@dekalbcountyga.gov)

COMMENTS FORM:  
PUBLIC WORKS TRAFFIC ENGINEERING

Case No.: N 202-1245935 Parcel I.D. #: 18-063 09-077  
Address: 695 Jordan Lane  
Decatur, Ga. 30033

Adjacent Roadway (s):

\_\_\_\_\_  
\_\_\_\_\_  
(classification) (classification)

Capacity (TPD) _____	Capacity (TPD) _____
Latest Count (TPD) _____	Latest Count (TPD) _____
Hourly Capacity (VPH) _____	Hourly Capacity (VPH) _____
Peak Hour. Volume (VPH) _____	Peak Hour. Volume (VPH) _____
Existing number of traffic lanes _____	Existing number of traffic lanes _____
Existing right of way width _____	Existing right of way width _____
Proposed number of traffic lanes _____	Proposed number of traffic lanes _____
Proposed right of way width _____	Proposed right of way width _____

Please provide additional information relating to the following statement.


According to studies conducted by the Institute of Traffic Engineers (ITE) 6/7<sup>TH</sup> Edition (whichever is applicable), churches generate an average of fifteen (15) vehicle trip end (VTE) per 1,000 square feet of floor area, with an eight (8%) percent peak hour factor. Based on the above formula, the \_\_\_\_\_ square foot place of worship building would generate \_\_\_\_\_ vehicle trip ends, with approximately \_\_\_\_\_ peak hour vehicle trip ends.

Single Family residence, on the other hand, would generate ten (10) VTE's per day per dwelling unit, with a ten (10%) percent peak hour factor. Based on the above referenced formula, the \_\_\_\_\_ (Single Family Residential) District designation which allows a maximum of \_\_\_\_\_ units per acres, and the given fact that the project site is approximately \_\_\_\_\_ acres in land area, \_\_\_\_\_ daily vehicle trip end, and \_\_\_\_\_ peak hour vehicle trip end would be generated with residential development of the parcel.


COMMENTS:

Did not see any traffic engineering concerns at this time.

Signature: [Handwritten Signature]



# DeKalb County Zoning Map



Date Printed: 8/4/2022




### DeKalb County GIS Disclaimer

The maps and data, contained on DeKalb County's Geographic Information System (GIS) are subject to constant change. While DeKalb County strives to provide accurate and up-to-date information, the information is provided "as is" without warranty, representation or guarantee of any kind as to the content, sequence, accuracy, timeliness or completeness of any of the database information provided herein. DeKalb County explicitly disclaims all representations and warranties, including, without limitation, the implied warranties of merchantability and fitness for a particular purpose. In no event shall DeKalb County be liable for any special, indirect, or consequential damages whatsoever resulting from loss of use, data, or profits, whether in an action of contract, negligence, or other actions, arising out of or in connection with the use of the maps and/or data herein provided. The maps and data are for illustration purposes only and should not be relied upon for any reason. The maps and data are not suitable for site-specific decision-making nor should it be construed or used as a legal description. The areas depicted by maps and data are approximate, and are not necessarily accurate to surveying or engineering standards.





# DeKalb County Land Use Map



Date Printed: 8/4/2022




### DeKalb County GIS Disclaimer

The maps and data, contained on DeKalb County's Geographic Information System (GIS) are subject to constant change. While DeKalb County strives to provide accurate and up-to-date information, the information is provided "as is" without warranty, representation or guarantee of any kind as to the content, sequence, accuracy, timeliness or completeness of any of the database information provided herein. DeKalb County explicitly disclaims all representations and warranties, including, without limitation, the implied warranties of merchantability and fitness for a particular purpose. In no event shall DeKalb County be liable for any special, indirect, or consequential damages whatsoever resulting from loss of use, data, or profits, whether in an action of contract, negligence, or other actions, arising out of or in connection with the use of the maps and/or data herein provided. The maps and data are for illustration purposes only and should not be relied upon for any reason. The maps and data are not suitable for site-specific decision-making nor should it be construed or used as a legal description. The areas depicted by maps and data are approximate, and are not necessarily accurate to surveying or engineering standards.





# DeKalb County Aerial Map



Date Printed: 8/4/2022



**DeKalb County GIS Disclaimer**  
The maps and data, contained on DeKalb County's Geographic Information System (GIS) are subject to constant change. While DeKalb County strives to provide accurate and up-to-date information, the information is provided "as is" without warranty, representation or guarantee of any kind as to the content, sequence, accuracy, timeliness or completeness of any of the database information provided herein. DeKalb County explicitly disclaims all representations and warranties, including, without limitation, the implied warranties of merchantability and fitness for a particular purpose. In no event shall DeKalb County be liable for any special, indirect, or consequential damages whatsoever resulting from loss of use, data, or profits, whether in an action of contract, negligence, or other actions, arising out of or in connection with the use of the maps and/or data herein provided. The maps and data are for illustration purposes only and should not be relied upon for any reason. The maps and data are not suitable for site-specific decision-making nor should it be construed or used as a legal description. The areas depicted by maps and data are approximate, and are not necessarily accurate to surveying or engineering standards.





DEPARTMENT OF PLANNING & SUSTAINABILITY

**Rezoning Application to Amend the Official Zoning Map of DeKalb County, Georgia**

Date Received: \_\_\_\_\_ Application No: \_\_\_\_\_

Applicant Name: Shalom Restorations LLC

Applicant E-Mail Address: Shalom.Restorations@gmail.com

Applicant Mailing Address: 695 Jordan Ln, Decatur, GA 30033

Applicant Daytime Phone: 770-906-7092 Fax: \_\_\_\_\_

Owner Name: Shalom Restorations LLC

If more than one owner, attach list of owners.

Owner Mailing Address: P O Box 767011 Roswell GA 30076

Owner Daytime Phone: 770-906-7092

Address of Subject Property: 695 Jordan Ln, Decatur, GA 30033

Parcel ID#: 1806309077

Acreage: 0.6771 (after encroachments) Commission District: 4

Present Zoning District(s): Dist 4 / Super Dist 6

Proposed Zoning District: Dist 4 / Super Dist 6

Present Land Use Designation: R 75 - Residential

Proposed Land Use Designation (if applicable): RSM - Residential

Shalom Restorations LLC  
C/O Mr Keith Hallman  
695 Jordan Ln  
Decatur GA 30033

Tuesday May 31<sup>st</sup> 2022

## 2<sup>nd</sup> Community Meeting

Greetings Neighbors and welcome!

This letter serves as an official and formal invitation to attend the second community meeting hosted at the Greater Friendship Baptist Church located at 2761 Jordan Ln Decatur, GA 30033. The meeting will start at 7:30pm on June 16<sup>th</sup> 2022 and continue until 8:45 pm

The purpose of this meeting is to discuss with the community the upcoming developments that are taking shape for the property located at 695 Jordan Ln for 2022-2023 development completion year. During this time we will share with you these exciting changes in the community and provide a platform for your input, questions, and support.

We look forward to meeting with you again very soon!

Until then,

Stay blessed



Mr. Keith Hallman



Shalom Restorations LLC  
C/O Mr Keith Hallman  
695 Jordan Ln  
Decatur GA 30033

Monday June 27th<sup>st</sup> 2022

**LETTER OF APPLICATION AND IMPACT ANALYSIS**

Re: Rezone of  
695 Jordan Lane  
Decatur GA, 30033

Greetings!

This letter serves as an official and formal letter of application....

The proposed rezone classification is RSM. The property located at 695 Jordan lane Decature 30033 is currently zoned R75 approx. 0.74 acreage with one single family dwelling located on it currently (Demolished under Permit # 3105111).

The land/acreage was reduced involuntary and lawfully by Dekalb County under DOT Right Away encroachment and construction easement... An additional acreage was reduced by an unlawful encroachment from the adjacent cemetery where over 2000 sft was removed and 15-20 people are currently laid to rest..

We shared the problem and our intent with the community that in rezoning the property we will bring three new families to the community by constructing three new homes. All the homes being 4 beds 3 baths with 2500-2900 sf.

Due to the lawful and unlawful reduction in acreage we are not able to bring the families into the community under the R75 guidelines. We propose to rezone to RSM that would allow for the reduction in acreage requirement and allow for the new construction of the three homes under RSM lot guidelines to proceed... The RSM zoning is not new to the community it is currently assigned to the properties located within 500ft of the subject property @ 2776, 2774, 2780 Arborcrest Drive GA 30033.

We look forward to meeting with you very soon to discuss these exciting changes in the community!

Until then,

Stay blessed



Mr. Keith Hallman  
770-906-7092

## IMPACT ANALYST QUESTIONNAIRE

A. Whether the zoning proposal is in conformity with the policy and intent of the Comprehensive Plan. – **Yes its in conformity, as we are not altering the residential purpose of the lot**

B. Whether the zoning proposal will permit a use that is suitable in view of the use and development of adjacent and nearby properties. **Yes -The zoning is not new to the community the RSM zoning is established in the community 2766, 2774,2780 Arborcrest Dr**

C. Whether the property to be affected by the zoning proposal has a reasonable economic use as currently zoned. **The house being a teardown has been abandon for decades where squatters find shelter and promote danger to the community. The lot is three times larger than most lots in the community and is greatly undervalued for tax revenues.**

D. Whether the zoning proposal will adversely affect the existing use of usability of adjacent or nearby properties. **No. The RSM zoning exist in the community already and the lot average is the same...**

E. Whether there are other existing or changing conditions affecting the use and development of the property which give supporting grounds for either approval or disapproval of the zoning proposal. **At the present there are no conditions we are aware of that will cause a disapproval.**

F. Whether the zoning proposal will adversely affect historic building, sites, districts, or Archaeological resources. **No. This is not applicable to the property in question...**

G. Whether the zoning proposal will result in a use which will or could cause excessive or burdensome use of existing streets, transportation facilities, utilities, or schools. **The property improvements will not cause a burden to the streets, transportation facilities, utilities or schools.**

H. Whether the zoning proposal adversely impacts the environment or surrounding natural resources. **There are no threat to the environment or natural resources**

DEPARTMENT OF PLANNING & SUSTAINABILITY

**DISCLOSURE OF CAMPAIGN CONTRIBUTION**

In accordance with the Conflict of Interest in Zoning Act, OCGA Chapter 36-67A, the following questions must be answered.

Have you, the applicant, made \$250.00 or more in campaign contribution to a local government official within two years immediately preceding the filing of this application?

Yes \_\_\_\_\_ No  \*

If the answer is yes, you must file a disclosure report with the governing authority of DeKalb County showing:

1. The name and official position of the local government official to whom the campaign contribution was made.
2. The dollar amount and description of each campaign contribution made during the two years immediately preceding the filing of this application and the date of each such contribution.

The disclosure must be filed within 10 days after the application is first filed and must be submitted to the C.E.O. and to the Board of Commissioners of DeKalb County, 1300 Commerce Drive, Decatur, GA 30030.

  
\_\_\_\_\_  
Notary

SHALIM RESTORATIONS  
  
\_\_\_\_\_  
Signature of Applicant /Date


Check one: Owner  Agent \_\_\_\_\_

913124  
\_\_\_\_\_  
Expiration Date/ Seal

**ALEX C BAUR**  
NOTARY PUBLIC  
Cherokee County  
State of Georgia  
My Comm. Expires Sept. 3, 2024

\*Notary seal not needed if answer is "no".

NO DETERMINATION OF FLOOD HAZARD HAS BEEN MADE FOR THIS PROPERTY BY THIS SURVEYOR



THIS BOX RESERVED FOR THE CLEAN OF THE SUPERIOR COURTS

LINE	DIST.	BEARING
L1	24.13'	N 28° 55' 49" E
L2	42.65'	N 80° 52' 37" E

CURVE	RADIUS	LENGTH	CHORD	CH BEARING
C1	290.00'	127.21'	126.20'	N 06° 00' 28" W
C2	131.44'	49.15'	48.87'	N 70° 09' 51" E

889° 43' 34" W 194.55'

NE  
Percocet, Joyce W

500° 29' 34" W 117.50'

NE  
Merrifield  
Properties Inc

**LEGEND**

- AKA ALSO KNOWN AS
- APD AS PER DEED
- APP AS PER PLAT
- BBL BUILDING SETBACK LINE
- CP COMPUTED POINT
- DE DEED BOOK
- FE FENCED OR ELEVATION
- FR FENCE FOUND
- IR IRON PIN FOUND
- LL LAND LOT
- LL LAND LOT LINE
- N/OB NOW OR FORMERLY
- PLAT BOOK
- UTILITY POLE
- LAMP POST
- FIRE HYDRANT
- PINE TREE
- PCB POINT OF BEGINNING
- R/W RIGHT-OF-WAY
- REAR FOUND
- REBAR SET
- PC FENCE LINE
- RENFORCED CONCRETE PIPE
- CONULATED METAL PIPE
- WATER VALVE
- WATER MAIN
- TELECOM MANHOLE
- SANITARY SEWER MANHOLE
- CLEAN OUT
- JUNCTION BOX
- DROP NLET
- GAS VALVE
- GAS METER
- WALL
- HARDWOOD

- THIS MAP/PLAT HAS BEEN FIELD RUN WITH ASSUMED ELEVATIONS, THEN ADJUSTED TO NAD 83 BASED ON MULTIPLE OBSERVATIONS FROM GOOGLE EARTH SATELLITE IMAGERY OR OTHER ONLINE SOURCES.  
THE ELEVATIONS SHOWN HEREON ARE +/- 1/4 ONE FOOT, TREE SYMBOLS ARE NOT TO SCALE, TREE SYMBOLS REPRESENT POSITION OF TREE & ARE NOT THE CRITICAL ROOT ZONE (INDOOR DRIPLINE).

**SURVEYOR'S CERTIFICATION**  
THIS PLAT IS A RETRACEMENT OF AN EXISTING PARCEL, OR PARCELS OF LAND AND DOES NOT SUBDIVIDE OR CREATE A NEW PARCEL, OR MAKE ANY CHANGES TO ANY REAL PROPERTY BOUNDARIES. THE RECORDING INFORMATION OF THE DOCUMENTS, MAPS, PLATS, OR OTHER INSTRUMENTS WHICH CREATED THE PARCEL OR PARCELS ARE STATED HEREIN. RECONSIDERATION OF THIS PLAT DOES NOT IMPLY APPROVAL OF ANY LOCAL JURISDICTION, AVAILABILITY OF PERMITS, COMPLIANCE WITH LOCAL REGULATIONS OR REQUIREMENTS, OR SUITABILITY FOR ANY USE OR PURPOSE OF THE LAND. FURTHERMORE, THE UNDERGROUND LAND SURVEYOR CERTIFIES THAT THIS PLAT COMPLES WITH THE MINIMUM TECHNICAL STANDARDS FOR PROPERTY SURVEYS IN GEORGIA AS SET FORTH IN THE RULES AND REGULATIONS OF THE GEORGIA BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS AND AS SET FORTH IN O.C.G.A. SECTION 13-6-67.

By: Charles W. Lovelless, Professional Land Surveyor #003030 Date: 2/22/22  
**CHARLES W. LOVELLESS**

0 40  
SCALE: 1" = 40'  
AREA = 29496 SQ. FT.  
OR  
0.6771 ACRES

**DeLa**  
SURVEYORS INC.  
260 PEACHTREE STREET NW  
SUITE 2200  
ATLANTA, GA 30303  
(678) 323-4712  
Info@delasurveys.com  
LSF # 001570



ASBUILT PREPARED FOR:  
**Keith Hallman**  
PROPERTY ADDRESS:  
695 Jordan Ln  
Decatur, GA 30033

PARCEL ID: 18 063 09 077	DB: 6572 PG: 236	BY:
LAND LOT 63 18th DISTRICT	FIELD DATE: 2-18-2022	TH
DEKALB COUNTY, GEORGIA	DRAWN DATE: 2-24-2022	TW
LOCATED IN UNINCORP		

THE FIELD DATA UPON WHICH THIS PLAT IS BASED HAS A CLOSURE OF 1 FOOT IN 30,000+ FEET, AN ANGULAR ERROR OF 05 SECONDS PER ANGLE POINT AND WAS ADJUSTED USING THE LEAST SQUARES METHOD. THIS PLAT HAS BEEN CALCULATED FOR CLOSURE AND FOUND TO BE ACCURATE TO 1 FOOT IN 77,620 FEET. ANY ELECTRONIC TOTAL STATION WAS USED IN THE PREPARATION OF THIS PLAT. ALL MATTERS OF TITLE ARE EXCEPTED. THIS PLAT IS SUBJECT TO ALL LEGAL EASEMENTS AND RIGHTS-OF-WAY PUBLIC OR PRIVATE.



RPLS: LS003030

**LEGAL DESCRIPTION**

**2022028364 DEED BOOK 30106 Pg 3**  
**Filed and Recorded: 2/7/2022 11:38:00 AM**  
**Recording Fee: \$25.00**  
**Real Estate Transfer Tax: \$300.00**  
**Prepared By:**  
**2013744227**  
**7067927936**

Prepared by and Return to:  
The Hudson Law Firm, LLC  
3525 Piedmont Rd NE, Bldg 8, Suite 305  
Atlanta, GA 30305  
File No. 21-12007

**STATE OF GEORGIA**  
**COUNTY OF DEKALB**

**LIMITED WARRANTY DEED**

THIS INDENTURE, made between **GREATER FRIENDSHIP MISSIONARY BAPTIST CHURCH, INC.**, a Georgia nonprofit corporation, hereinafter collectively called Grantor, and **Shalom Restorations, LLC**, a Georgia Limited Liability Company and **P&L536WPB, LLC**, a Florida Limited Liability Company, hereinafter called Grantees (the words "Grantor" and "Grantees" to include their respective heirs, successors and assigns where the context requires or permits).

WITNESSETH that Grantor, for and in consideration of the sum of Ten Dollars (\$10.00), in hand paid at and before the sealing and delivery of these presents and other good and valuable consideration, the receipt whereof is hereby acknowledged, by these presents do grant, bargain, sell, align, convey and consign unto the Grantees, the following described real estate:

**ALL that tract or parcel of land lying and being in Land Lot 63 of the 18th District of DeKalb County, Georgia and being more particularly described as follows:**

**BEGINNING at the southeast corner of Washington Drive and Scottdale Road and running thence southerly along the easterly side of Scottdale Road 150.0 feet; thence east 200.0 feet; thence north 102.06 feet to Cemetery Drive; thence northwesterly along the southwesterly side of Cemetery Drive 103.0 feet to a point; thence westerly along the southerly side of formerly Washington Drive (now Booker Street) 124.08 feet to Scottdale Road and the POINT OF BEGINNING being improved property and presently known as 695 Scottdale Road, DeKalb County, Georgia, less and except that Right-of-way Deed conveyed to DeKalb County as reflected in Deed Book 5558 at Page 243 in the Clerk's Office of DeKalb County Superior Court confirm Willie Pearl Walker to DeKalb County filed on August 19, 1986 and such other right-of-way acquired by prescription or otherwise.**

**Tax ID#: 18-063-09-077**

**Subject to any Easements or Restrictions of Record**

TOGETHER WITH any and all the rights, privileges, easements, improvements and appurtenances to the same belonging.





NO DETERMINATION OF FLOOD HAZARD HAS BEEN MADE FOR THIS PROPERTY BY THIS SURVEYOR.  
 BLUE SIGNIFIES PROPOSED CHANGES


ZONING SHOWN: RSM

**LEGEND**


AKA	ALSO KNOWN AS	POB	POINT OF BEGINNING
APD	AS PER DEED	R/W	RIGHT-OF-WAY
APP	AS PER PLAY	REF	REBAR FOUND
B5L	BUILDING (SETBACK) LINE	RBS	REBAR SET
CP	COMPUTED POINT	-X-	FENCE LINE
CTP	CRIMP TOP PIPE FOUND	RCP	REINFORCED CONCRETE PIPE
DB	DEED BOOK	CMP	CORRUGATED METAL PIPE
FEE	FINISH FLOOR ELEVATION		WATER VALVE
FKA	FORMERLY KNOWN AS		WATER METER
IPF	IRON PIN FOUND		TELECOM MANHOLE
LL	LAND LOT		SANITARY SEWER MANHOLE
LLL	LAND LOT LINE		CLEAN OUT
N/F	NOW OR FORMERLY		JUNCTION BOX
PB	PLAT BOOK		DROP INLET
	UTILITY POLE		GAS VALVE
	LAMP POST		GAS METER
	FIRE HYDRANT		WALL
	PINE TREE		HARDWOOD

TRACT 1	TRACT 2	TRACT 3
PROPOSED IMPERVIOUS AREA: DRIVEWAY:1156 SF PORCH:327 SF HOUSE:1950 SF DECK:130 SF STEPS:7 SF PROP= 3570 SF=39.8% MAX=50%	PROPOSED IMPERVIOUS AREA: DRIVEWAY:608 SF HOUSE:2033 PORCH:141 SF DECK:146 SF PROP= 2928 SF=32.5% MAX=50%	PROPOSED IMPERVIOUS AREA: DRIVEWAY:2519 SF HOUSE:2033 PORCH:141 SF DECK:146 SF PROP= 4839 SF=42.1% MAX=50%

VICINITY MAP (NOT TO SCALE)



LINE	DIST.	BEARING	CURVE	RADIUS	LENGTH	CHORD	CH.BEARING
L1	24.13'	N 28°55'49"E	C1	290.00'	70.00'	70.33'	N 00°18'24"W
L2	36.80'	N 80°52'37"E	C2	290.00'	57.21'	57.12'	N 12°55'22"W
L3	5.85'	N 80°52'37"E	C3	131.44'	49.15'	48.87'	N 70°09'51"E



6-15-2022



AREA = 29496 SQ. FT  
 OR  
 0.6771 ACRES



260 PEACHTREE STREET NW  
 SUITE 2200  
 ATLANTA, GA 30303  
 (678) 323-4712  
 info@deltasurveyorsinc.com  
 LSF # 001370

PROPOSED SUBDIVISION PREPARED FOR:

**Keith**

**Hallman**

PROPERTY ADDRESS:  
 695 Jordan Ln  
 Decatur, GA 30033

PARCEL ID: 18 063 09 077

LAND LOT 63	18th DISTRICT	DB:6572 PG:236	BY:
DEKALB COUNTY, GEORGIA		FIELD DATE: 2-18-2022	TH
LOCATED IN UNINCORP		DRAWN DATE: 2-24-2022	TW




THE FIELD DATA UPON WHICH THIS PLAT IS BASED HAS A CLOSURE OF 1 FOOT IN 30,000+ FEET, AN ANGULAR ERROR OF 05 SECONDS PER ANGLE POINT AND WAS ADJUSTED USING THE LEAST SQUARES METHOD. THIS PLAT HAS BEEN CALCULATED FOR CLOSURE AND FOUND TO BE ACCURATE TO 1 FOOT IN 77,620 FEET. AN ELECTRONIC TOTAL STATION WAS USED IN THE PREPARATION OF THIS PLAT. ALL MATTERS OF TITLE ARE EXCEPTED. THIS PLAT IS SUBJECT TO ALL LEGAL EASEMENTS AND RIGHTS-OF-WAY PUBLIC OR PRIVATE.



RPLS: LS003030




The installation of erosion and sedimentation control measures and practices shall occur prior to or concurrent with land disturbing activities. Erosion and sedimentation control measures will be maintained at all times. If full implementation of the approved plan does not provide for effective erosion and sediment control additional erosion and sediment control measures shall be implemented to control or treat the sediment source. Additional erosion controls shall be installed as deemed necessary by the on-site inspector. All lots/sites with 2' of fill or greater will require a compaction certificate by a professional registered engineer prior to a building permit and/or prior to footers being poured. Locate and field stake all utilities, easements, pipes flood limits, stream buffers, and tree save areas prior to any land disturbing activities. All tree protection areas to be protected from sedimentation. All tree protection devices to be installed prior to land disturbance and maintained until final landscaping. All tree protection fencing to be inspected daily and repaired or replaced as needed. A final as-built lot survey required prior to issuance of Certificate of Occupancy. A final as-built water quality certificate required prior to Certificate of Occupancy. Dumpsters and/or temporary sanitary facilities shall not be located in street or tree protection area or right-of-way. Water quality BMP(s) to be installed at the time of final landscaping. All collected water shall be directed to the water quality BMP(s). No water quality BMP(s) allowed in undisturbed stream buffers or tree save/critical root zone. Work hours and construction deliveries are: Monday-Friday 7:00am-7:00pm Saturday 8:00am-5:00pm I Charles W. Loveless certify under penalty of law that this plan was prepared after a site visit to the locations described herein by myself or my authorized agent, under my direct supervision.




**WQ - WATER QUALITY VOLUME - DRY PIT**

<b>LOT 1 JORDAN LANE</b>	
IMPERVIOUS (HOUSE, DW, SW, ETC.)	3,570.0 sq.ft.
<b>TOTAL IMPERVIOUS FOR WQ DESIGN</b>	<b>3,570.0 sq.ft.</b>
<b>RAINFALL TO BE TREATED</b>	<b>1.2 in.</b>
<b>VOLUME CALCULATED</b>	<b>357.0 cu.ft.</b>
<b>LENGTH OF DRY PIT</b>	<b>37 ft.</b>
<b>WIDTH OF DRY PIT</b>	<b>8 ft.</b>
<b>DEPTH OF DRY PIT</b>	<b>3 ft.</b>
<b>VOLUME IN PIT -FLO-WELL -OBSV.WELL @ 40% VOID</b>	<b>350.1 cu.ft.</b>
<b>ADDITIONAL VOLUME FROM OBSERVATION WELL</b>	<b>0.59 cu.ft.</b>
<b>NUMBER OF FLO-WELL(S) IN PIT</b>	<b>1 ea.</b>
<b>ADDITIONAL VOLUME FROM FLO-WELL(S)</b>	<b>6.3 cu.ft.</b>
<b>VOLUME REQUIRED</b>	<b>357.0 cu.ft.</b>
<b>VOLUME PROVIDED</b>	<b>362.1 cu.ft.</b>



**FLOOD HAZARD STATEMENT**  
I HAVE THIS DATE, EXAMINED THE "FIA FLOOD HAZARD MAP" AND FOUND IN MY OPINION REFERENCED PARCEL IS NOT IN AN AREA HAVING SPECIAL FLOOD HAZARDS.  
PANEL - 13089C0067K EFFECTIVE DATE: - 08/15/2019  
ZONE "X"



TRACT 1 PROPOSED IMPERVIOUS AREA:  
DRIVEWAY: 1156 SF  
PORCH: 327 SF  
HOUSE: 1950 SF  
DECK: 130 SF  
STEPS: 7 SF  
PROP= 3570 SF=39.89%  
MAX=50%  
ZONING: RSM

NO TREES REMOVED  
PROTECT ALL TREES

NO PROPOSED GRADING EXCEEDING TWO (2)'.  
CONTOURS SHOWN ARE EXISTING.  
MAX 3H:1V SLOPES

THERE ARE NO KNOWN TREES OF SIGNIFICANCE PRESENT ON THIS SITE

**EROSION CONTROL LEGEND**  
APPLY TO ALL DISTURBED AREAS

Ds1	A. TEMPORARY COVER OF PLANT RESIDUES APPLIED TO THE SOIL SURFACE FOR A PERIOD OF (6) MONTHS OR LESS WHEN SEEDING IS NOT PRACTICAL.
Ds2	ESTABLISHING A TEMPORARY NEGATIVE COVER WITH FAST GROWING SEEDING ON DISTURBED AREAS. SEE EROSION CONTROL NOTES.
Ds3	ESTABLISHING PERMANENT VEGETATIVE COVER SUCH AS TREES, SHRUBS, VINES, GRASSES OR LEGUMES ON DISTURBED AREAS. SEE ENLARGED PLANS.
Ds4	DISTURBED AREA STABILIZATION (WITH SODDING)
Du	CONTROLLING SURFACE AND AIR MOVEMENT OF DUST ON LAND DISTURBING ACTIVITIES

<b>CURVE</b>	<b>RADIUS</b>	<b>LENGTH</b>	<b>CHORD</b>	<b>CH.BEARING</b>
C1	290.00'	57.21'	57.12'	N 12°55'22"W
<b>LINE</b>	<b>DIST.</b>	<b>BEARING</b>		
L1	24.13'	N 28°55'49"E		
L2	36.80'	N 80°52'37"E		

6 - 24 - 2022

0 30  
SCALE: 1" = 30'

AREA = 8974 SQ. FT OR 0.206 ACRES

**Delta SURVEYORS INC.**  
260 PEACHTREE STREET NW SUITE 2200 ATLANTA, GA 30303 (678) 323-4712 info@deltasurveyorsinc.com LSF # 001370

**MAGNETIC**

SITE PLAN PREPARED FOR:

**Keith Hallman**




PROPERTY ADDRESS:  
695 Jordan Ln  
Decatur, GA 30033

TRACT 1 695 JORDAN LANE SUBDIVISION			
LAND LOT 63	18th DISTRICT	DB:6572 PG:236	BY:
DeKALB COUNTY, GEORGIA	FIELD DATE:	2-18-2022	TH
LOCATED IN UNINCORP	DRAWN DATE:	2-24-2022	TW
THE FIELD DATA UPON WHICH THIS PLAT IS BASED HAS A CLOSURE OF 1 FOOT IN 30,000+ FEET, AN ANGULAR ERROR OF 05 SECONDS PER ANGLE POINT AND WAS ADJUSTED USING THE LEAST SQUARES METHOD. THIS PLAT HAS BEEN CALCULATED FOR CLOSURE AND FOUND TO BE ACCURATE TO 1 FOOT IN 77,620 FEET. AN ELECTRONIC TOTAL STATION WAS USED IN THE PREPARATION OF THIS PLAT. ALL MATTERS OF TITLE ARE EXCEPTED. THIS PLAT IS SUBJECT TO ALL LEGAL EASEMENTS AND RIGHTS-OF-WAY PUBLIC OR PRIVATE.			

**GEORGIA PROFESSIONAL LAND SURVEYOR**  
Charles W. Loveless No. 3030  
**CHARLES W. LOVELESS**  
RPLS: LS003030




The installation of erosion and sedimentation control measures and practices shall occur prior to or concurrent with land disturbing activities. Erosion and sedimentation control measures will be maintained at all times. If full implementation of the approved plan does not provide for effective erosion and sediment control additional erosion and sediment control measures shall be implemented to control or treat the sediment source. Additional erosion controls shall be installed as deemed necessary by the on-site inspector. All lots/sites with 2' of fill or greater will require a compaction certificate by a professional registered engineer prior to a building permit and/or prior to footers being poured. Locate and field stake all utilities, easements, pipes flood limits, stream buffers, and tree save areas prior to any land disturbing activities. All tree protection areas to be protected from sedimentation. All tree protection devices to be installed prior to land disturbance and maintained until final landscaping. All tree protection fencing to be inspected daily and repaired or replaced as needed. A final as-built lot survey required prior to issuance of Certificate of Occupancy. A final as-built water quality certificate required prior to Certificate of Occupancy. Dumpsters and/or temporary sanitary facilities shall not be located in street or tree protection area or right-of-way. Water quality BMP(s) to be installed at the time of final landscaping. All collected water shall be directed to the water quality BMP(s). No water quality BMP(s) allowed in undisturbed stream buffers or tree save/critical root zone. Work hours and construction deliveries are: o Monday-Friday 7:00am-7:00pm o Saturday 8:00am-5:00pm I Charles W. Loveless certify under penalty of law that this plan was prepared after a site visit to the locations described herein by myself or my authorized agent, under my direct supervision.



**WQ - WATER QUALITY VOLUME - DRY PIT**


<b>LOT 2 JORDAN LANE</b>	
IMPERVIOUS (HOUSE, DW, SW, ETC.)	2,928.0 sq.ft.
<b>TOTAL IMPERVIOUS FOR WQ DESIGN</b>	<b>2,928.0 sq.ft.</b>
<b>RAINFALL TO BE TREATED</b>	<b>1.2 in.</b>
<b>VOLUME CALCULATED</b>	<b>292.8 cu.ft.</b>
<b>LENGTH OF DRY PIT</b>	<b>33 ft.</b>
<b>WIDTH OF DRY PIT</b>	<b>8 ft.</b>
<b>DEPTH OF DRY PIT</b>	<b>3 ft.</b>
<b>VOLUME IN PIT - FLO-WELL - OBSV.WELL @ 40% VOID</b>	<b>285.9 cu.ft.</b>
<b>ADDITIONAL VOLUME FROM OBSERVATION WELL</b>	<b>0.59 cu.ft.</b>
<b>NUMBER OF FLO-WELL(S) IN PIT</b>	<b>1 ea.</b>
<b>ADDITIONAL VOLUME FROM FLO-WELL(S)</b>	<b>6.3 cu.ft.</b>
<b>VOLUME REQUIRED</b>	<b>292.8 cu.ft.</b>
<b>VOLUME PROVIDED</b>	<b>323.7 cu.ft.</b>



**FLOOD HAZARD STATEMENT**  
 I HAVE THIS DATE, EXAMINED THE "FIA FLOOD HAZARD MAP" AND FOUND IN MY OPINION REFERENCED PARCEL IS NOT IN AN AREA HAVING SPECIAL FLOOD HAZARDS.

PANEL - 13089C0067K EFFECTIVE DATE: - 08/15/2019

ZONE "X"



0 30  
 SCALE: 1" = 30'

AREA = 9015 SQ. FT OR 0.207 ACRES

**Delta SURVEYORS INC.**  
 260 PEACHTREE STREET NW SUITE 2200 ATLANTA, GA 30303 (678) 323-4712 info@deltasurveyorsinc.com LSF # 001370

**MAGNETIC**

SITE PLAN PREPARED FOR:

**Keith Hallman**

PROPERTY ADDRESS:  
 695 Jordan Ln  
 Decatur, GA 30033

TRACT 2 695 JORDAN LANE SUBDIVISION

LAND LOT 63 18th DISTRICT	DB:6572 PG:236	BY:
DeKALB COUNTY, GEORGIA	FIELD DATE: 2-18-2022	TH
LOCATED IN UNINCORP	DRAWN DATE: 2-24-2022	TW

THE FIELD DATA UPON WHICH THIS PLAT IS BASED HAS A CLOSURE OF 1 FOOT IN 30,000+ FEET, AN ANGULAR ERROR OF 05 SECONDS PER ANGLE POINT AND WAS ADJUSTED USING THE LEAST SQUARES METHOD. THIS PLAT HAS BEEN CALCULATED FOR CLOSURE AND FOUND TO BE ACCURATE TO 1 FOOT IN 77,620 FEET. AN ELECTRONIC TOTAL STATION WAS USED IN THE PREPARATION OF THIS PLAT. ALL MATTERS OF TITLE ARE EXCEPTED. THIS PLAT IS SUBJECT TO ALL LEGAL EASEMENTS AND RIGHTS-OF-WAY PUBLIC OR PRIVATE.

TRACT 2 PROPOSED IMPERVIOUS AREA: DRIVEWAY:608 SF HOUSE:2033 PORCH:141 SF DECK:146 SF PROP= 2928 SF=32.5% MAX=50%

ZONING:RSM

NO PROPOSED GRADING EXCEEDING TWO (2)'. CONTOURS SHOWN ARE EXISTING. MAX 3H:1V SLOPES

THERE ARE NO KNOWN TREES OF SIGNIFICANCE PRESENT ON THIS SITE

**GEORGIA PROFESSIONAL LAND SURVEYOR**  
 Charles W. Loveless No. 30330  
**CHARLES W. LOVELESS**  
 RPLS: LS003030















**REAR ELEVATION**

SCALE: 1/4" = 1'-0"



**FRONT ELEVATION**

SCALE: 1/4" = 1'-0"



PRELIM	6-9-22
FINAL	6-21-22
REVISION	

Tamiku Thompson



advancedhouseplans  
www.advancedhouseplans.com | 844.875.9838

ADVANCED HOUSE PLANS IS A PROFESSIONAL RESIDENTIAL DESIGN FIRM LOCATED IN OHIO. WE BECAUSE SITE CONDITIONS VARY, AHP CANNOT GUARANTEE THAT THESE PLANS SHOULD NOT BE UNDERTAKEN WITHOUT THE CONSULTATION OF A PROFESSIONAL ENGINEER. MATERIALS, FINISHES, SIZES, AND DIMENSIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL DIMENSIONS, MATERIALS, FINISHES, SIZES, AND DIMENSIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL DIMENSIONS, MATERIALS, FINISHES, SIZES, AND DIMENSIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.


© 2022  
**19275**

SHEET  
**2**  
OF  
**1**

The purchaser of these plans is given the limited license to reproduce these plans for construction purposes only and further distribution is illegal. Do not scale prints - see dimensions.








**FOUNDATION PLAN**

SCALE: 1/4" = 1'-0"

- GENERAL NOTES:**
1. FOUNDATION WALLS ARE 8" TO BELOW FROST LINE UNLESS NOTED OTHERWISE.
  2. ALL ANGLED WALLS ARE # 45 DEG. UNLESS NOTED OTHERWISE.
  3. CRAWLSPACE ENTRANCE DETERMINED PER CONTRACTOR
  4. MECH. LOCATION DETERMINED PER CONTRACTOR

OPENING SCHEDULE				
OPENING ID	TYPE	PRODUCT CODE	SIZE	COUNT
5	WINDOW	108X12 DOUBLE HUNG 3	9'-0" x 6'-0"	1
6	WINDOW	36X72 DOUBLE HUNG 1	3'-0" x 6'-0"	8
8	WINDOW	60X42 DOUBLE HUNG 2	5'-0" x 3'-6"	4
A	DOOR	36X80 FRENCH A 1	3'-0" x 6'-8"	2
B	GARAGE	192X86 STABLE 4 PANEL SMALL WINDOWS	16'-0" x 8'-0"	1
C	SLIDING DOOR	72X80 SLIDING COLONIAL 2	6'-0" x 8'-8"	1
D	DOOR	32X80 1	2'-8" x 6'-8"	2
G	DOOR	28X80 1	2'-4" x 6'-8"	3




**MAIN LEVEL FLOOR PLAN**

SCALE: 1/4" = 1'-0"

MAIN LEVEL	1281 sq. ft.
SECOND LEVEL	1641 sq. ft.
TOTAL	2924 sq. ft.
GARAGE	640 sq. ft.
COVERED PORCH	302 sq. ft.
DECK	133 sq. ft.

- GENERAL NOTES:**
1. ALL MAIN LEVEL WALLS ARE 10" 1/8" HIGH UNLESS NOTED OTHERWISE
  2. ALL ANGLED WALLS ARE # 45 DEG. UNLESS NOTED OTHERWISE
  3. ALL EXTERIOR WALLS ARE 4" (3 1/2" STUD/1/2" SHEATHING) 2x4s FIRE RATING PER CONTRACTOR
  4. ALL INTERIOR WALLS ARE 3 1/2" UNLESS NOTED OTHERWISE



Tamiku Thompson



advancedhouseplans.com | 844.675.9838


ADVANCED HOUSE PLANS IS A PROFESSIONAL RESIDENTIAL DESIGN FIRM...  
 LOCATION, CLIMATE, BECAUSE SITE CONDITIONS VARY, AND CANNOT BE GUARANTEED...  
 CONSTRUCTION FROM THESE PLANS SHOULD NOT BE UNDERTAKEN WITHOUT THE...  
 "AS SHOWN" REVIEWS & VERIFY ALL DIMENSIONS, MATERIALS, STRUCTURAL...  
 CODE & SITE REQUIREMENTS PRIOR TO CONSTRUCTION...  
 THAT MAY OCCUR DURING OR AFTER THE BUILDING PROCESS.

© 2022  
**19275**  
 SHEET  
**4**  
 OF  
 1

The purchaser of these plans is given the limited license to reproduce these plans for construction purposes only and further distribution is illegal. Do not scale prints - see dimensions.



ELECTRICAL	COUNT	SYMBOL
ceiling fan 3 blades 04	7	
can light 6inch	5	
ceiling recess	1	
pendant globe	2	
EXTERIOR CAN LIGHT	4	
exterior light 04	2	
GARAGE DOOR OUTLET	1	
ceiling tv outlet	3	
light	4	
outlet	15	
outlet 220v	1	
outlet gfi	14	
outlet up	5	
smoke detector	3	
switch	5	
switch 3 way	5	
CAN LIGHT WATERPROOF 6INCH	1	
Fan	1	
wall mounted 03 3 lights	1	
exterior light 02	2	
switch 4 way	3	
GARAGE DISPOSAL	1	
PLINGER SWITCH	1	
SWITCH MOTION	1	




MAIN LEVEL ELECTRICAL PLAN

SCALE: 3/8" = 1'-0"


OPENING ID	TYPE	PRODUCT CODE	SIZE	COUNT
I	WINDOW	60X60 DOUBLE HUNG 2	9'-0" x 5'-0"	6
12	WINDOW	36X30 DOUBLE HUNG 1	3'-0" x 2'-6"	8
14	WINDOW	TX18 TRANSOM 1	6'-0" x 1'-6"	1
D	DOOR	32X80 1	2'-8" x 6'-8"	5
G	DOOR	28X80 1	2'-4" x 6'-8"	8
J	DOOR	28X36 GLASS	2'-4" x 8'-0"	1
K	POCKET	32X80 POCKET 1	2'-8" x 6'-8"	2
L	DOOR	36X80 GLASS 2	3'-0" x 6'-8"	2

ELECTRICAL	COUNT	SYMBOL
ceiling fan 3 blades 04	3	
can light waterproof 6inch	2	
can light 6inch	18	
ceiling tv outlet	4	
fan	3	
light	2	
outlet	4	
outlet 220v	1	
outlet gfi	1	
smoke detector	6	
switch	18	
switch 3 way	11	
wall mounted 03 3 lights	2	
switch 4 way	3	
wall mounted 03 4 lights	1	



SECOND LEVEL ELECTRICAL PLAN

SCALE: 3/8" = 1'-0"



SECOND LEVEL FLOOR PLAN

SCALE: 1/4" = 1'-0"

- GENERAL NOTES:
1. ALL SECOND LEVEL WALLS ARE 5'-11/2" HIGH UNLESS NOTED OTHERWISE
  2. ALL ANGLED WALLS ARE 45 DEG. UNLESS NOTED OTHERWISE
  3. ALL EXTERIOR WALLS ARE 4" (3 1/2" STUD/2" SHEATHING)
  4. ALL INTERIOR WALLS ARE 3 1/2" UNLESS NOTED OTHERWISE

PRELIM 6-8-22  
FINAL 6-21-22  
REVISION

Tamiku Thompson

IF THIS IS NOT RED DO NOT COPY

advancedhouseplans.com | 844.675.9838

ADVANCED HOUSE PLANS IS A PROFESSIONAL RESIDENTIAL DESIGN FIRM. LOCATION, CLIMATE, BECAUSE SITE CONDITIONS VARY, AND CANOPY CONSTRUCTION FROM THESE PLANS SHOULD NOT BE UNDERTAKEN WITHOUT THE ASSISTANCE OF A LICENSED ARCHITECT. MATERIALS, FINISHES, SCHEDULES, AND CODES ARE SUBJECT TO CHANGE WITHOUT NOTICE. THE BUYER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND REGULATORY REQUIREMENTS PRIOR TO CONSTRUCTION. THE BUYER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND REGULATORY REQUIREMENTS PRIOR TO CONSTRUCTION. THE BUYER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND REGULATORY REQUIREMENTS PRIOR TO CONSTRUCTION.

© 2022


19275

SHEET 5

GENERATED: 6/23/2022


20% SCALE = 24"X36"

The purchaser of these plans is given the limited license to reproduce these plans for construction purposes only and further distribution is illegal. Do not scale prints - see dimensions.




**ATTIC HATCH**

SCALE: 1/4"=0"




**EAVE VENT**

SCALE: 1/4"=0"




**ROOF OVERFRAMING**

SCALE: 1/4"=0"



**RIDGE VENT**

SCALE: 1/4"=0"



**ROOF PLAN**

SCALE: 1/4" = 1'-0"



PRELIM	6-9-22
FINAL	6-21-22
REVISION	

Tamiku Thompson



advancedhouseplans  
 www.advancedhouseplans.com | 844.875.9838


ADVANCED HOUSE PLANS IS A PROFESSIONAL RESIDENTIAL DESIGN FIRM. LOCATION, CLIMATE, AND BECAUSE SITE CONDITIONS VARY, AHP CANNOT GUARANTEE THE ACCURACY OF THESE PLANS. YOU SHOULD NOT BE UNDERTAKEN WITHOUT THE ASSISTANCE OF A PROFESSIONAL ENGINEER OR ARCHITECT. ALWAYS CONSULT LOCAL BUILDING CODES AND SITE REQUIREMENTS PRIOR TO CONSTRUCTION. THAT MAY OCCUR DURING OR AFTER THE BUILDING PROCESS.

© 2022  
**19275**


SHEET  
 6  
 OF  
 1

The purchaser of these plans is given the limited license to reproduce these plans for construction purposes only and further distribution is illegal. Do not scale prints - see dimensions.






**DETAIL 1**



**DETAIL 2**


**CABINET ELEVATIONS**

SCALE: 3/8" = 1'-0"




**TYP. GABLE END SECTION**

SCALE: 1/4" = 1'-0"




**CRAWL SPACE WALL SECTION**

SCALE: 1/4" = 1'-0"




**CRAWLSPACE CMU PIER DETAIL**

SCALE: 1/4" = 1'-0"




**TYP. GARAGE WALL**

SCALE: 1/4" = 1'-0"




**DECK FOOTING DETAIL**

SCALE: 1/4" = 1'-0"



**DECK CANTILEVER DETAIL**

SCALE: 1/2" = 1'-0"



**DECK LEDGER DETAIL**

SCALE: 1/2" = 1'-0"

DECK LEDGER BOLTING SCHEDULE					
JOIST SPAN	6'	8'	10'	12'	14' 16'
BOLT SIZE	1/2"	1/2"	1/2"	1/2"	5/8"
BOLT SPACING	24"	18"	16"	12"	12"



PRELIM	6-8-22
FINAL	6-21-22
REVISION	

Tamiku Thompson



advancedhouseplans  
www.advancedhouseplans.com | 844.675.9838

ADVANCED HOUSE PLANS IS A PROFESSIONAL RESIDENTIAL DESIGN FIRM LOCATION, CLIMATE, NEARBY SITE CONDITIONS VARY, AND CANNOT GUARANTEE THAT THESE PLANS SHOULD NOT BE UNDERTAKEN WITHOUT THE CONSULTATION OF A PROFESSIONAL ENGINEER, ARCHITECT, OR OTHER QUALIFIED PERSONNEL. ADVANCED HOUSE PLANS IS NOT RESPONSIBLE FOR ANY CONSTRUCTION DEFECTS OR OTHER DAMAGES THAT MAY OCCUR DURING OR AFTER THE BUILDING PROCESS.

© 2022

19275

SHEET  
1 OF 1

The purchaser of these plans is given the limited license to reproduce these plans for construction purposes only and further distribution is illegal. Do not scale prints - see dimensions.

CON SCALE = 24" = 36"

# Sign IN Sheet

Fri May 6th 22

7:00 pm

Name ~~Jane Whitlock~~ ~~Pauk~~ <sup>66</sup>

Ray Crabtree 2801a botcrest@gmail.com

Tiffany ~~W~~ Doh tgiufefn@gmail.com

Virginia Kevorkian

Julia Fabb-Jordan jfabb@hotmail.com

Danielle Wiggins - d.stiner@hotmail.com

Robin & Anthony Morris 668 JORDAN LANE  
CAMORRIS23@AOL.COM

Meagan Low MeaganLow@gmail.com

~~Simon Kinross~~

~~Andrew Samuel~~  
~~Andrew Samuel~~

~~Leonard~~

Micky O'Leary micky0@bellsouth.net

Kern Maxwell maxwellhousebbb@gmail.com

~~Edward~~

~~Lee Armstrong~~



Sign in sheet

Annie Whitlock  
2415 S Eiffel Ct  
Dec Me 50032  
404 488-3172

6/16/22 7:30pm

sign in sheet

DEE GEORGE ROBINSON

Kimberly Key

Ginny Kevoorkian

SERENA MILLER

Micky O'LEARY

Ray Crabbe

Kevin Maxwell

Anthony & Robin Morris

LEE ARMSTRONG

Magnolia Creamer

~~June Sp~~

Diana Ransford

Annie Whitlock

Chief Executive Officer  
Michael Thurmond

**DEPARTMENT OF PLANNING & SUSTAINABILITY**

Director  
Andrew A. Baker, AICP

**PRE-APPLICATION FORM**  
**REZONE, SPECIAL LAND USE PERMIT, MODIFICATION, AND LAND USE**  
**(Required prior to filing application: signed copy of this form must be submitted at filing)**

Applicant Name: Shalom Restorations LLC Phone: 770-906-7092 Email: shalom.restorations@gmail.com

Property Address: 695 Jordan Lane, Decatur, GA 30033

Tax Parcel ID: 1806309077 Comm. District(s): 4 Acreage: 0.6771

Existing Use: Residential Proposed Use Residential

Supplemental Regs: Unknown Overlay District: N/A DRI: \_\_\_\_\_

**Rezoning:** Yes  No \_\_\_\_\_

Existing Zoning: R-75 Proposed Zoning: RSM Square Footage/Number of Units: 2500-2900 / 3 Units

Rezoning Request: Rezone from R-75 to RSM, subdividing to three lots to allow for three single family residences.

**Land Use Plan Amendment:** Yes \_\_\_\_\_ No

Existing Land Use: Residential Proposed Land Use: Residential Consistent  Inconsistent \_\_\_\_\_

**Special Land Use Permit:** Yes \_\_\_\_\_ No  Article Number(s) 27- \_\_\_\_\_

Special Land Use Request(s) N/A

**Major Modification:**

Existing Case Number(s): N/A

Condition(s) to be modified:



**DEPARTMENT OF PLANNING & SUSTAINABILITY**

**WHAT TO KNOW BEFORE YOU FILE YOUR APPLICATION**

Pre-submittal Community Meeting: \_\_\_\_\_ Review Calendar Dates: \_\_\_\_\_ PC: \_\_\_\_\_ BOC: \_\_\_\_\_  
 Letter of Intent: \_\_\_\_\_ Impact Analysis: \_\_\_\_\_ Owner Authorization(s): \_\_\_\_\_ Campaign Disclosure: \_\_\_\_\_  
 Zoning Conditions: \_\_\_\_\_ Community Council Meeting: \_\_\_\_\_ Public Notice, Signs: \_\_\_\_\_  
 Tree Survey, Conservation: \_\_\_\_\_ Land Disturbance Permit (LDP): \_\_\_\_\_ Sketch Plat: \_\_\_\_\_  
 Bldg. Permits: \_\_\_\_\_ Fire Inspection: \_\_\_\_\_ Business License: \_\_\_\_\_ State License: \_\_\_\_\_  
 Lighting Plan: \_\_\_\_\_ Tent Permit: \_\_\_\_\_ Submittal Format: NO STAPLES, NO BINDERS PLEASE

**Review of Site Plan**

Density: \_\_\_\_\_ Density Bonuses: \_\_\_\_\_ Mix of Uses: \_\_\_\_\_ Open Space: \_\_\_\_\_ Enhanced  
 Open Space: \_\_\_\_\_ Setbacks: front \_\_\_\_\_ sides \_\_\_\_\_ side corner \_\_\_\_\_ rear \_\_\_\_\_ Lot Size:  
 \_\_\_\_\_ Frontage: \_\_\_\_\_ Street Widths: \_\_\_\_\_ Landscape Strips: \_\_\_\_\_ Buffers: \_\_\_\_\_  
 Parking Lot Landscaping: \_\_\_\_\_ Parking - Auto: \_\_\_\_\_ Parking - Bicycle: \_\_\_\_\_ Screening:  
 \_\_\_\_\_ Streetscapes: \_\_\_\_\_ Sidewalks: \_\_\_\_\_ Fencing/Walls: \_\_\_\_\_ Bldg. Height: \_\_\_\_\_ Bldg.  
 Orientation: \_\_\_\_\_ Bldg. Separation: \_\_\_\_\_ Bldg. Materials: \_\_\_\_\_ Roofs: \_\_\_\_\_ Fenestration: \_\_\_\_\_  
 Façade Design: \_\_\_\_\_ Garages: \_\_\_\_\_ Pedestrian Plan: \_\_\_\_\_ Perimeter Landscape Strip: \_\_\_\_\_  
 Possible Variances: \_\_\_\_\_

Comments:

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Planner: Dustin Jackson Date 7/19/21

Filing Fees

<b>REZONING:</b>	RE, RLG, R-100, R-85, R-75, R-60, MHP, RSM, MR-1	\$500.00
	RNC, MR-2, HR-1, HR-2, HR-3, MU-1, MU-2, MU-3, MU-4, MU-5	\$750.00
	OI, OD, OIT, NS, C1, C2, M, M2	\$750.00

**LAND USE MAP AMENDMENT** \$500.00

**SPECIAL LAND USE PERMIT** \$400.00