

PROPOSED RIGHT ELEVATION SCALE: 1/8"=1'




PROPOSED REAR ELEVATION SCALE: 1/8"=1'

LVL FLOOR LOAD TABLE (PLF)

| | | | | | З | <u>1</u> ″ | | | | | |
|--------|-------|--------------|--------|--------------|---------------|------------|-----|-----|-----|---------------|-----|
| SPAN | LOAD | 7 <u>1</u> ″ | 9 1/4" | 9 <u>1</u> ″ | 11 <u>1</u> ″ | 11 🚪 | 14″ | 16″ | 18″ | 18 <u>3</u> ″ | 20″ |
| 6′ | TL/LF | | | | | | | | | | |
| 8′ | TL/LF | 686 | | | | | | | | | |
| 9'-6" | TL/LF | 349 | 1077 | 1162 | | | | | | | |
| 10' | TL/LF | 285 | 931 | 1004 | | | | | | | |
| 12′ | TL/LF | 136 | 549 | 593 | 965 | 1125 | | | | | |
| 14′ | TL/LF | 71 | 348 | 376 | 618 | 723 | | | | | |
| 16′-6″ | TL/LF | 33 | 212 | 229 | 380 | 446 | 721 | | | | |
| 18′-6″ | TL/LF | 19 | 148 | 161 | 269 | 316 | 515 | 760 | | | |
| 20′ | TL/LF | 12 | 116 | 126 | 212 | 249 | 408 | 605 | 851 | | |
| 24′ | TL/LF | | 64 | 69 | 119 | 141 | 234 | 350 | 498 | 561 | 678 |
| 28′ | TL/LF | | 37 | 40 | 71 | 85 | 144 | 217 | 311 | 352 | 482 |
| | | | | | | | | | | | |

SIZE DF 5-5X6 MILH DV SPACER IN 3-2X6 WITH T SPACERS IN 2-2X8 WITH D SPACER IN 3-2X8 WITH T SPACERS IN 2-2X10 WITH D SPACER IN 3-2X10 WITH T SPACERS IN 2-2X12 WITH D SPACER IN 3-2X12 WITH 1

SPACERS



PROPOSED FRONT ELEVATION SCALE: 1/8"=1'


| MIN. SPAN | S AND WOOD HE | ADER SCHEDULE | | | |
|--|---------------|---------------|--------------|------------------|--|
| HEADER | LOAD BEARING | LOAD BEARING | LOAD BEARING | NON LOAD BEARING | |
| | WALL | WALL | WALL | WALL | |
| | SUPPORTING | ONE STORY | TWO STORY | | |
| | ROOF ONLY | AB□∨E | AB□∨E | | |
| JNE PLYWOOD | 6 | 4 | _ | _ | |
| ſ₩ġ́₽LYWOOD N 2X6 WALL | 6 | 4 | _ | _ | |
| JNE PLYWOOD I 2X4 WALL | 8 | 6 | 4 | 8 | |
| ſ₩ <mark>⊉</mark> ″PLYWOOD N 2X6 WALL | 8 | 6 | 4 | 8 | |
| INEZ" PLYWOOD I 2X4 WALL | 10 | 8 | 6 | 10 | |
| ſ₩ĊŹ PLYWOOD N 2X6 WALL | 10 | 8 | 6 | 10 | |
| ONEZ" PLYWOOD N 2X4 WALL | 12 | 10 | 8 | 12 | |
| IN 2X6 WALL | 12 | 10 | 8 | 12 | |
| | | | | | |
| | | | | | |


LEFT ELEVATION SCALE: 1/8"=1'

APPLICABLE CODES: INT. RESIDENTIAL CODE 2018 EDITION WITH GA. AMENDMENTS 2020 INT. FIRE CODE 2018 EDITION WITH GA. AMEDMENTS 2020 INT. PLUMBING CODE 2018 EDITION: WITH GA. AMENDMENTS 2014, 2020 INT. MECHANICAL CODE 2018 EDITION: INT. MECHANICAL CODE 2018 EDITION: WITH GA. AMENDMENTS 2014, 2020 INT. FUEL GAS CODE 2018 EDITION: WITH GA. AMENDMENTS 2014, 2020 NATIONAL ELECTRICAL CODE 2018 EDITION: WITH NO GA. AMENDMENTS INT, ENERGY CODE 2018 EDITION: WITH GA, AMEDMENTS 2020 NAPA 101 LIFE SAFETY CODE 2018 WITH STATE AMENDMENTS 2020 INT, SWIMMING POOL & SPA CODE 2018 WITH GA. AMENDMENTS 2020 GEORGIA ACCESSIBILITY CODE

RELEASED FOR CONSTRUCTION

| DATE | REVISIONS | ΒY |
|-----------|-----------|------|
| 10/5/2022 | A | A.K. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |





A6R

OF:



