

**ZONING BOARD OF APPEALS APPLICATION FOR PUBLIC HEARING
(VARIANCES, SPECIAL EXCEPTIONS, APPEALS OF ADMINISTRATIVE DECISIONS)**

BOA No. _____

Applicant and/or
Authorized Representative Davis Engineering & Surveying - C/O Nick Pesola

Mailing Address: 24 Dawson Village Way

City/State/Zip Code: Dawsonville, GA 30534

Email: npesola@davisengineer.com

Telephone Home: 706-265-1234 Business: _____ Fax No.: _____

OWNER OF RECORD OF SUBJECT PROPERTY

Owner: CHR Homes, LLC.

Address (Mailing): 2487 CEDARCREST ROAD, SUITE 72,

City/State/Zip Code: ACWORTH, GA 30101

Email: antoinefregeolle@gmail.com

Telephone Home: N/a Business: 770-733-3691 Fax No.: _____

ADDRESS/LOCATION OF SUBJECT PROPERTY

Address: 2424 Nancy Lane City: Atlanta State: GA Zip: 30345

District(s): 18 Land Lot(s): 233 Block: _____ Parcel: 18-233-06-033

District(s): _____ Land Lot(s): _____ Block: _____ Parcel: _____

District(s): _____ Land Lot(s): _____ Block: _____ Parcel: _____

Zoning Classification: R-100 Commission District & Super District: TBD

CIRCLE TYPE OF HEARING REQUESTED

X • VARIANCE (From Development Standards causing undue hardship upon owners of property.)

• SPECIAL EXCEPTIONS (To reduce or waive off-street parking or loading space requirements.)

• OFFICIALS APPEALS OF ADMINISTRATIVE DECISIONS.

TO BE COMPLETED BY PLANNING AND SUSTAINABILITY DEPARTMENT

Date Received: _____

Fee Paid: _____

ZONING BOARD OF APPEALS APPLICATION

AUTHORIZATION OF THE PROPERTY OWNER

I hereby authorize the staff and members of the Zoning Board of Appeals
To inspect the premises of the Subject Property

I hereby certify that the information provided in the application is true and correct.

I hereby certify that I am the owner of the property subject to the application.

DATE: 3/25/25

Applicant: 
Signature

DATE: _____

Applicant: _____
Signature

ZONING BOARD OF APPEALS APPLICATION

AUTHORIZATION TO REPRESENT THE PROPERTY OWNER

I hereby authorize the staff and members of the Zoning Board of Appeals
to inspect the premises of the Subject Property

I hereby certify that the information provided in the application is true and correct.

I hereby certify that I am the owner of the property and that I authorize the applicant/agent to apply for a hearing to the Zoning
Board of Appeals for the requests as shown in this application

DATE: 3/25/25 Applicant/Agent: 
Signature


TO WHOM IT MAY CONCERN:

(I)/ (WE) Eric Halverson (Twisted Metal LLC)
(Name of Owners)

being (owner/owners) of the property described below or attached hereby delegate authority to:


Antone Fregeolle & Davis Engineering
(Name of Applicant or Representative)

To file an application on (my) / (our) behalf


Notary Public

Notary Public

Notary Public




Owner

Owner

Owner



DAVIS ENGINEERING
& SURVEYING

EST. 2009

July 23, 2024

RE: Letter of Intent – Variance Requests

To Whom It May Concern:

Thank you for taking the time to review our application. We are requesting a reduction of the 40' front setback to a 20' front setback at 2424 Nancy Lane NE, Atlanta, GA 30345. This is a request of variance from Chapter 27-4.2.2 to allow for the construction of a new single-family home. This request will work in conjunction with the stream buffer variance application, a variance through the EPD to allow for the removal of impervious surfaces from the 25' state waters buffer and a potential waiver of water quality requirements.

The property currently contains remnants of an existing residence, pool, shed, patio, concrete court and other impervious items installed prior to current buffer and stormwater ordinances. Our goal is to remove all existing improvements and construct a house as far as is reasonably practicable from the flood plain and state waters onsite. The front setback reduction allows the house to shift further up the hill away from state waters. The increase in elevation closer to Nancy Lane also allows the house to be constructed at a higher elevation than flood plain onsite. Without this variance, there is not enough usable area to redevelop this piece of property in disrepair.

We've determined that the 20' reduction is what is needed to safely allow for grading outside of the state waters buffer while still maintaining a reasonable distance from Nancy Lane. Any less, grading and proper erosion control measures during construction would become exceedingly difficult.

This variance allows this property to be redeveloped into its' original intended use which ultimately enhances the neighboring properties. It benefits the community in two main ways. First, it will increase the value of surrounding residences once a new home has been constructed. It's current condition currently has a negative impact on the neighborhood sitting in disrepair. Second, it provides more housing opportunities in a constricted market assisting in the housing shortage. We feel the proposed variances will have an added benefit to the neighborhood rather than retract from it.

The current buffers and setbacks onsite don't allow for a new residence to be constructed at 2424 Nancy Lane NE and it's zoned and sits in a neighborhood where its' only use can be to have a house on it. Without the variance, this lot is unbuildable which makes it virtually impossible to sell or use. We humbly request that you approve our request to reduce the 40' front setback to 20' as well as approve the stream buffer variance request.

As an aside, we'd like to discuss removing the existing 36" pipe that it is constricting water flow onsite. An 18" and 60" pipe choke down to this 36" which is potentially causing some of the floodplain on the property. Please reach out to discuss this measure and we can hopefully work with the EPD as will to come up with a good solution that helps the County.

Sincerely,

Nick Pesola, EIT (npesola@davisengineers.com)

COPYRIGHT © 2024. THESE DRAWINGS ARE PROTECTED BY FEDERAL COPYRIGHT PROTECTION. UNAUTHORIZED USE OF THESE DRAWINGS, INCLUDING ANY REPRODUCTION OR COPY OF IT, WHETHER IN WHOLE OR IN PART, MAY RESULT IN AN IMMEDIATE ACTION.

SITE INFORMATION

ADDRESS: 2424 NANCY LANE NE, ATLANTA, GA 30345
TOTAL AREA: 0.85 ACRE
ESTIMATED DISTURBANCE: 0.33± ACRE

ZONING:
JURISDICTION: DEKALB COUNTY
ZONING: R-100
SETBACKS:

FRONT: 40'
PROPOSED FRONT: 20'
SIDE: 10'
REAR: 40'
ADJACENT ZONING: R-100

BUILDING SUMMARY:
PROPOSED HEATED BUILDING: 3,487 S.F.
PROPOSED BUILDING FOOTPRINT: 2,777 S.F.
(INCLUDES DECKS, OVERHANG, STEPS)

REQUESTED ITEMS:
- VARIANCE FROM 40' FRONT SETBACK TO 20' FRONT SETBACK
- CONSTRUCTION WITHIN THE 75' AND 50' BUFFERS AS SHOWN ON SHEET 3 WITH CHART DISPLAYING AREA BREAKDOWN
- ALLOWANCE TO REMOVE EXISTING IMPERVIOUS FROM WITHIN 25' STATE WATERS BUFFER
- WATER QUALITY REQUIREMENT WAIVER DUE TO TOPOGRAPHY CONSTRAINTS AND ONSITE FLOODPLAIN

DEKALB COUNTY NOTES:
- EROSION AND SEDIMENT CONTROL MEASURES TO BE INSPECTED DAILY.
- CUT AND FILL SLOPES SHALL NOT EXCEED 3H:1V ON RESIDENTIAL PROJECTS AND LOTS, AND LOTS SHALL NOT EXCEED 2H:1V ON ALL OTHER PROJECTS.
- I CERTIFY THAT THE PERMITTEE'S EROSION, SEDIMENTATION AND POLLUTION CONTROL PLAN PROVIDES FOR AN APPROPRIATE AND COMPREHENSIVE SYSTEM OF BEST MANAGEMENT PRACTICES REQUIRED BY THE GEORGIA WATER QUALITY CONTROL ACT AND THE DOCUMENT "MANUAL FOR EROSION AND SEDIMENT CONTROL IN GEORGIA", PUBLISHED BY THE STATE SOIL AND WATER CONSERVATION COMMISSION AS OF THE JANUARY OF THE YEAR IN WHICH THE LAND DISTURBING ACTIVITY WAS PERMITTED., PROVIDES FOR THE SAMPLING OF THE RECEIVING WATER(S) OR THE SAMPLING OF STORM OUTFALLS AND THE DESIGNED SYSTEM OF BEST MANAGEMENT PRACTICES AND SAMPLING METHODS IS EXPECTED TO MEET THE REQUIREMENTS CONTAINED IN THE GENERAL NPDES PERMIT NO. GAR 10000(1,2 OR 3).
- I CERTIFY UNDER THE PENALTY OF LAW THAT THIS PLAN WAS PREPARED AFTER A SITE VISIT TO THE LOCATIONS DESCRIBED HEREIN BY MYSELF OR MY AUTHORIZED AGENT, UNDER MY DIRECT SUPERVISION.
- INSPECTIONS BY QUALIFIED PERSONNEL PROVIDED BY THE PRIMARY PERMITTEE AND THE ASSOCIATED RECORDS SHALL BE KEPT ON SITE IN COMPLIANCE WITH GAR. 10000 (1,2 OR 3).

SITE DEVELOPMENT PLANS FOR:

2424 NANCY LANE NE

ZONING: RESIDENTIAL MEDIUM LOT-100 (R-100)

PARCEL: 18-233-06-033

SITE ADDRESS: 2424 NANCY LANE NE

ATLANTA, GA 30345

LAND LOT 233



18th DISTRICT

DEKALB COUNTY, GA

TOTAL AREA: 0.85 ACRE

DISTURBED AREA: 0.33± ACRE

DES PROJECT NO. 24-135



PREPARED BY:

DES DAVIS
ENGINEERING & SURVEYING
24 DAWSON VILLAGE
WAY SOUTH
DAWSONVILLE, GA 30534
PHONE: (706) 265-1234
DAVISENGINEERS.COM

DEVELOPMENT TEAM

CURRENT PROPERTY OWNER

CHR HOMES LLC
2487 CEDARCREST RD #721
ACWORTH, GA 30101

DEVELOPER

ANTOINE FREGEOLLE
ADDRESS
PHONE NUMBER
EMAIL

SURVEYOR

SURVEY SYSTEMS ATLANTA
2156 W PARK CT STE D,
STONE MOUNTAIN, GA 30087
(678)- 591-6064

CIVIL ENGINEER

DAVS ENGINEERING AND SURVEYING, LLC
24 DAWSON VILLAGE WAY SOUTH
DAWSONVILLE, GA 30534
706-265-1234
npesola@davisengineers.com

SHEET INDEX

1	COVER SHEET
2	EXISTING CONDITIONS/DEMO PLAN
3	SITE/VARIANCE PLAN
4	GRADING, DRAINAGE PLAN
5	ES&PC PLAN
6	ES&PC DETAILS

OWNER
CHR HOMES LLC
2487 CEDARCREST RD #721
ACWORTH, GA 30101

24-HOUR CONTACT
ANTOINE FREGEOLLE
(770) 733-3691
antoinefregeolle@gmail.com

DES DAVIS
ENGINEERING & SURVEYING
24 DAWSON VILLAGE
WAY SOUTH
DAWSONVILLE, GA 30534
PHONE: (706) 265-1234
DAVISENGINEERS.COM



3/25/2025

REVISION	DATE	DESCRIPTION
1	3/25/2025	INITIAL SUBMITAL

COVERSHEET
2424 NANCY LANE
LAND LOT 233
18th DISTRICT
DEKALB COUNTY, GEORGIA

DRAWN BY:	NAP
CHECKED BY:	JKD
LAND LOT:	233
DISTRICT:	18th
SECTION:	-
CITY:	-
COUNTY:	DEKALB
DATE:	3/25/2025

SHEET NO.
1 OF 6
PROJECT NO.
24-135



IF ANY CONFLICTS, DISCREPANCIES, OR ANY OTHER UNSATISFACTORY CONDITIONS ARE DISCOVERED, EITHER ON THE CONSTRUCTION DOCUMENTS OR FIELD CONDITIONS, THE CONTRACTOR MUST NOTIFY THE ENGINEER IMMEDIATELY AND SHALL NOT COMMENCE FURTHER OPERATION UNTIL THE CONFLICTS, DISCREPANCIES, OR OTHER UNSATISFACTORY CONDITIONS ARE RESOLVED.

PROJECT INFORMATION:

CURRENTLY, THIS 0.85 ACRE PROPERTY CONTAINS CONCRETE REMNANTS OF A DEMOLISHED RESIDENCE WITH A CONCRETE PATIO AND POOL WHICH SITS WITHIN THE 25' STATE WATERS BUFFER. THE PROPOSED DEVELOPMENT CONSISTS OF A NEW RESIDENCE WITH A DRIVE, SEWER CONNECTION, GRADING AND ANY OTHER NECESSARY IMPROVEMENTS. A REQUEST TO VARY THE FRONT SETBACK TO 20' AND A REQUEST TO PLACE THE HOUSE WITHIN THE 75' AND 50' BUFFERS IS INCLUDED WITH THIS PLAN.

ADDRESS: 2424 NANCY LANE, ATLANTA, GA
PARCEL: 18-233-06-033
TOTAL AREA= 0.85 ACRE
DISTURBED AREA= 0.33± ACRE

ZONING:
BUILDING SETBACKS & BUFFERS:
EXISTING FRONT: 40'
PROPOSED FRONT: 20'
SIDE: 10'
REAR: 40'
BUFFERS ALONG STATE WATERS

BOUNDARY INFORMATION FROM PLAT OF SURVEY FOR 2424 NANCY LANE NE BY SURVEY SYSTEMS ATLANTA DATED 2/14/2024.

UTILITIES SHOWN HEREON ARE FROM EXISTING STRUCTURES AND ABOVE GROUND MARKS FOUND. DAVIS ENGINEERING AND SURVEYING, LLC IS NOT RESPONSIBLE FOR THE LOCATION OF UNDERGROUND UTILITIES.

TOPOGRAPHIC DATA OBTAINED FROM FIELD RUN DATA COMPLETED BY SURVEY SYSTEMS ATLANTA
CONTOUR INTERVAL = 2'

NO PORTION OF THIS SITE IS LOCATED WITHIN THE 100-YEAR FLOOD PRONE AREA AS PER FLOOD INSURANCE RATE MAP NO. 13089c0056k, DATED 8/15/2019.

GENERAL NOTES:

- ALL CONSTRUCTION WORK, MATERIALS, AND IMPROVEMENTS AT THIS SITE SHALL CONFORM WITH **DEKALB COUNTY**, GEORGIA REQUIREMENTS.
- ALL STRUCTURES WILL BE REQUIRED TO CONFORM TO THE STANDARD BUILDING CODES HORIZONTAL SEPARATION STANDARDS. APPROVAL OF THIS PERMIT WILL NOT JUSTIFY ANY DEVIATION IN HORIZONTAL SEPARATION STANDARDS AS ADOPTED AND AMENDED BY THE GEORGIA DEPARTMENT OF COMMUNITY AFFAIRS.
- CONTRACTORS SHALL CONDUCT ALL WORK IN ACCORDANCE WITH THE REQUIREMENTS OF APPLICABLE REGULATIONS OF THE OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION (OSHA) AND ALL LOCAL, STATE AND FEDERAL RULES AND REGULATIONS.
- ALL CONSTRUCTION STAKING ON THIS SITE SHALL BE PERFORMED UNDER THE DIRECT SUPERVISION OF A GEORGIA REGISTERED LAND SURVEYOR.
- MATTERS OF RECORD NOT SHOWN HEREON ARE EXCEPTED.
- THE UTILITIES AND STRUCTURES AS SHOWN ON THIS PLAN WERE FOUND PER ABOVE GROUND EXAMINATION OF THIS SITE, BASED ON VISIBLE INDICATIONS. IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL EXACT LOCATIONS AND ELEVATIONS OF ALL UNDERGROUND UTILITIES AND OTHER STRUCTURES BEFORE THE START OF CONSTRUCTION ON THIS PROJECT.
- IT SHALL BE THE GENERAL CONTRACTOR'S RESPONSIBILITY TO VERIFY THAT ALL UTILITIES ARE AS NOTED IN THE PLANS. ANY DISCREPANCIES SHALL BE REPORTED TO THE ENGINEER AS SOON AS POSSIBLE.
- TOILET FACILITIES SHALL BE MADE AVAILABLE TO CONSTRUCTION WORKERS WITHIN 300' OF SITE.
- NO MATERIAL CAN BE BURIED ONSITE WITHOUT THE APPROVAL OF THE OWNER AND GEOTECHNICAL ENGINEER.
- CONTRACTOR SHALL BE RESPONSIBLE FOR REMOVAL OF ALL DEBRIS AS ACCEPTABLE TO THE OWNER.
- CONTRACTOR IS TO REMOVE ALL ROCK, TOPSOIL, AND UNSUITABLE MATERIALS.
- MAXIMUM CUT OR FILL SLOPES SHALL BE 2 HORIZONTAL: 1 VERTICAL.
- THIS SITE **DOES NOT** CONTAIN WETLANDS.
- THIS SITE **DOES** HAVE STATE WATERS REQUIRING UNDISTURBED BUFFERS.
- EXISTING FEATURES SHOWN BY DASHED LINES OR SHADED. PROPOSED FEATURES SHOWN BY SOLID OR BOLD LINES.
- CONTRACTOR RESPONSIBLE FOR PROTECTING ADJACENT AREAS AND SHALL BE RESPONSIBLE TO REPAIR ANY DAMAGE TO A CONDITION EQUAL TO OR GREATER THAN THE ORIGINAL CONDITION.
- ALL HDPE PIPE TO CONFORM TO PIPE MANUFACTURER REQUIREMENTS AND GEOTECHNICAL RECOMMENDATIONS.
- CONTRACTOR SHALL COORDINATE BUILDING CONSTRUCTION WITH ARCHITECTURAL PLANS (BY OTHERS).
- ALL SIGNAGE AND STRIPING TO BE PROVIDED BY CONTRACTOR ACCORDING TO THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND OTHER GOVERNING MUNICIPAL STANDARDS AND SPECIFICATIONS, LATEST EDITIONS.
- PRIOR TO CONSTRUCTION, THE CONTRACTOR IS TO VERIFY ALL DIMENSIONS ON THESE DRAWINGS WITH ALL COORDINATING DOCUMENTS AND NOTIFY ENGINEER OF ANY DISCREPANCIES. IF DISCREPANCIES ARE FOUND DURING CONSTRUCTION, THE CONTRACTOR IS TO STOP WORK IMMEDIATELY AND NOTIFY THE ENGINEER.
- ALL EXISTING MANHOLE COVERS, METER BOXES, AND OTHER UTILITY APPURTENANCES LOCATED WITHIN THE LIMITS OF WORK SHALL BE ADJUSTED SO THAT THEIR TOP SURFACES WILL BE FLUSH WITH FINISHED GRADE.
- ALL TEMPORARY STRIPING AND SIGNAGE NECESSARY TO MAINTAIN SAFE VEHICULAR AND PEDESTRIAN TRAFFIC FLOW DURING CONSTRUCTION SHALL BE FURNISHED, INSTALLED, AND MAINTAINED BY THE CONTRACTOR.
- MUTCD SIGNAGE AND CERTIFIED FLAGGERS SHALL BE EMPLOYED DURING ANY ROAD CLOSURE OR TRAFFIC DISRUPTION.


DEMOLITION NOTES

- CONTRACTOR SHALL LOCATE AND IDENTIFY ALL EXISTING UTILITIES THAT ARE TO REMAIN AND PROTECT THEM FROM DAMAGE. ALL UTILITIES ARE ASSUMED TO REMAIN ACTIVE UNLESS SPECIFICALLY NOTED TO BE REMOVED OR ABANDONED.
- CONTRACTOR SHALL PROTECT BENCH MARKS, PROPERTY CORNERS, AND ALL OTHER SURVEY MONUMENTS FROM DAMAGE OR DISPLACEMENT.
- DEPRESSIONS OR VOID AREAS RESULTING FROM DEMOLITION ACTIVITIES ARE TO BE FILLED WITH SUITABLE MATERIAL TO AVOID WATER PONDING.
- ALL CONSTRUCTION/DEMOLITION DEBRIS SHALL BE DISPOSED OF OFFSITE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL REGULATIONS.
- SITE MAY CONTAIN OTHER DILAPIDATED STRUCTURES THAT ARE NOT SHOWN ON THE PLANS. CONTRACTOR SHALL BE RESPONSIBLE TO REMOVE ALL EXISTING ON-SITE STRUCTURES AS DEEMED NECESSARY BY THE OWNER.



DEMOLITION LIST

ALL EXISTING IMPROVEMENTS SHALL BE DEMOLISHED, INCLUDING BUT NOT LIMITED TO:
- HOUSE SLAB
- SHED
- POOL
- POOL PATIO
- STEPS, DECKS, WALLS
- TENNIS COURT
- EXISTING 36" PIPE

N/F MANGUM
ZONING: R-100
PARCEL: 18 233 06 032



LEGEND			
○	POWER POLE (PP)	C&G	CURB AND GUTTER
HP	HIGH POINT	IP	IRON PIN
DI	DROP INLET	P/L	PROPERTY LINE
JB	JUNCTION BOX	F.E.S.S.	FLARED END SAFETY SECTION
OCS	OUTLET CONTROL STRUCTURE	PT	POINT OF TANGENT
DWCB	DOUBLE WING CATCH BASIN	PC	POINT OF CURVATURE
HW	HEADWALL	OCS	OUTLET CONTROL STRUCTURE
RCP	REINFORCED CONCRETE PIPE	ELEV.	ELEVATION
CMP	CORRUGATED METAL PIPE	N/F	NOW OR FORMERLY
HDPE	HIGH DENSITY POLYETHYLENE	R/W	RIGHT OF WAY
UD	UNDERGROUND DETENTION	LLL	LAND LOT LINE
TBM	TEMPORARY BENCHMARK	CONC.	CONCRETE
EX.	EXISTING	INV	INVERT
PROP.	PROPOSED	EOP	EDGE OF PAVEMENT
FH	FIRE HYDRANT	TYP.	TYPICAL
WM	WATER METER	---	FENCE
LF	LINEAR FEET	---	SALT FENCE
DIP	DUCTILE IRON PIPE	---	OVERHEAD ELECTRIC
PVC	POLYVINYL CHLORIDE	---	SOILS
R	RADIUS	---	SANITARY SEWER LINE
SF	SQUARE FEET	---	BUILDING SETBACK LINE
FFE	FINISH FLOOR ELEVATION	---	VEGETATIVE BUFFER
		---	WATERLINE




OWNER
CHR HOMES LLC
2487 CEDARCREST RD #721
ACWORTH, GA 30101

24-HOUR CONTACT
ANTOINE FREGEOILLE
(770) 733-3691
antoinefregecolle@gmail.com



IF ANY CONFLICTS, DISCREPANCIES, OR ANY OTHER UNSATISFACTORY CONDITIONS ARE DISCOVERED, EITHER ON THE CONSTRUCTION DOCUMENTS OR FIELD CONDITIONS, THE CONTRACTOR MUST NOTIFY THE ENGINEER IMMEDIATELY AND SHALL NOT COMMENCE FURTHER OPERATION UNTIL THE CONFLICTS, DISCREPANCIES, OR OTHER UNSATISFACTORY CONDITIONS ARE RESOLVED.

GRAPHIC SCALE



DES DAVIS
ENGINEERING & SURVEYING
24 DAWSON VILLAGE
WAY SOUTH
DAWSONVILLE, GA 30534
PHONE: (706) 265-1234
DAVISENGINEERS.COM



REVISION	DATE	DESCRIPTION
INITIAL	SUBMITAL	
	3/25/2025	

EXISTING CONDITIONS/ DEMO PLAN

2424 NANCY LANE
LAND LOT 233
18th DISTRICT
DEKALB COUNTY, GEORGIA

DRAWN BY:	NAP
CHECKED BY:	JKD
LAND LOT:	233
DISTRICT:	18th
SECTION:	-
CITY:	-
COUNTY:	DEKALB
DATE:	3/25/2025

SHEET NO.

2 of 6

PROJECT NO.

24-135

CURRENTLY, THIS 0.85 ACRE PROPERTY CONTAINS CONCRETE REMNANTS OF A DEMOLISHED RESIDENCE WITH A CONCRETE PATIO AND POOL WHICH SITS WITHIN THE 25' STATE WATERS BUFFER. THE PROPOSED DEVELOPMENT CONSISTS OF A NEW RESIDENCE WITH A DRIVE, SEWER CONNECTION, GRADING AND ANY OTHER NECESSARY IMPROVEMENTS. A REQUEST TO VARY THE FRONT SETBACK TO 20' AND A REQUEST TO PLACE THE HOUSE WITHIN THE 75' AND 50' BUFFERS IS INCLUDED WITH THIS PLAN.

ZONING:
BUILDING SETBACKS & BUFFERS:
EXISTING FRONT: 40'
PROPOSED FRONT: 20'
SIDE: 10'
REAR: 40'
BUFFERS ALONG STATE WA

UTILITIES SHOWN HEREON ARE FROM EXISTING STRUCTURES AND ABOVE GROUND MARKS FOUND. DAVIS ENGINEERING AND SURVEYING, LLC IS NOT RESPONSIBLE FOR THE LOCATION OF UNDERGROUND UTILITIES.


NO PORTION OF THIS SITE IS LOCATED WITHIN THE 100-YEAR FLOOD PRONE AREA AS PER FLOOD INSURANCE RATE MAP NO. 13089c0056k, DATED 8/15/2019.

1. ALL CONSTRUCTION WORK, MATERIALS, AND IMPROVEMENTS AT THIS SITE SHALL CONFORM WITH **DEKALB COUNTY, GEORGIA** REQUIREMENTS.
2. ALL STRUCTURES WILL BE REQUIRED TO CONFORM TO THE STANDARD BUILDING CODE, HORIZONTAL SEPARATION STANDARDS. APPROVAL OF THIS PERMIT WILL NOT JUSTIFY ANY DEVIATION IN HORIZONTAL SEPARATION STANDARDS AS ADOPTED AND AMENDED BY THE GEORGIA DEPARTMENT OF COMMUNITY AFFAIRS.
3. CONTRACTORS SHALL CONDUCT ALL WORK IN ACCORDANCE WITH THE REQUIREMENTS OF APPLICABLE REGULATIONS OF THE OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION (OSHA) AND ALL LOCAL, STATE AND FEDERAL RULES AND REGULATIONS.
4. ALL CONSTRUCTION STAKING ON THIS SITE SHALL BE PERFORMED UNDER THE DIRECT SUPERVISION OF A GEORGIA REGISTERED LAND SURVEYOR.
5. MATTERS OF RECORD NOT SHOWN HEREON ARE EXCEPTED.
6. THE UTILITIES AND STRUCTURES AS SHOWN ON THIS PLAN WERE FOUND PER ABOVE GROUND EXAMINATION OF THIS SITE, BASED ON VISUAL INDICATIONS. IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL EXACT LOCATIONS AND ELEVATIONS OF ALL UNDERGROUND UTILITIES AND OTHER STRUCTURES BEFORE THE START OF CONSTRUCTION ON THIS PROJECT.
7. IT SHALL BE THE GENERAL CONTRACTOR'S RESPONSIBILITY TO VERIFY THAT ALL UTILITIES ARE AS NOTED IN THE PLANS; ANY DISCREPANCIES SHALL BE REPORTED TO THE ENGINEER AT SOON AS POSSIBLE.
8. TOILET FACILITIES SHALL BE MADE AVAILABLE TO CONSTRUCTION WORKERS WITHIN 300' OF SITE.
9. NO MATERIAL CAN BE BURIED ONSITE WITHOUT THE APPROVAL OF THE OWNER AND GEOTECHNICAL ENGINEER.
10. CONTRACTOR SHALL BE RESPONSIBLE FOR REMOVAL OF ALL DEBRIS AS ACCEPTABLE TO THE OWNER.
11. CONTRACTOR IS TO REMOVE ALL ROCK, TOPSOIL, AND UNSUITABLE MATERIALS. THERE SHALL BE NO FILL OR FILL SHALL BE 2 HORIZONTAL: 1 VERTICAL.
12. THIS SITE **DOES NOT** CONTAIN WETLANDS.
13. THIS SITE **DOES** HAVE STATE WATERS REQUIRING UNDISTURBED BUFFERS.
14. EXISTING FEATURES SHOWN BY DASHED LINES OR SHADED, PROPOSED FEATURES SHOWN BY SOLID OR BOLD LINES.
15. CONTRACTOR RESPONSIBLE FOR PROTECTING ADJACENT AREAS AND SHALL BE RESPONSIBLE TO REPAIR ANY DAMAGE TO A CONDITION EQUAL TO OR GREATER THAN ORIGINAL CONDITION.
16. ALL HOPE PIPE TO CONFORM TO PIPE MANUFACTURER REQUIREMENTS AND GEOTECHNICAL RECOMMENDATIONS.
17. CONTRACTOR SHALL COORDINATE BUILDING CONSTRUCTION WITH ARCHITECTURAL PLANS (BY OTHERS).
18. ALL SIGNAGE AND STRIPING TO BE PROVIDED BY CONTRACTOR ACCORDING TO THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND OTHER GOVERNING MUNICIPAL STANDARDS AND SPECIFICATIONS, LATEST EDITIONS.
19. PRIOR TO CONSTRUCTION, THE CONTRACTOR IS TO VERIFY ALL DIMENSIONS ON THE PLANS WITH ALL DIMENSIONS OF EXISTING STRUCTURES AND NOTIFY ENGINEER OF ANY DISCREPANCIES. IF DISCREPANCIES ARE FOUND DURING CONSTRUCTION, THE CONTRACTOR IS TO STOP WORK IMMEDIATELY AND NOTIFY THE ENGINEER.
20. ALL EXISTING MANHOLE COVERS, METER BOXES, AND OTHER UTILITY APPURTENANCES LOCATED WITHIN THE LIMITS OF WORK SHALL BE ADJUSTED SO THAT THEIR TOP SURFACES WILL BE FLUSH WITH FINISHED GRADE.
21. ALL TEMPORARY STRIPING AND SIGNAGE NECESSARY TO MAINTAIN SAFE VEHICULAR AND PEDESTRIAN TRAFFIC THROUGHOUT CONSTRUCTION SHALL BE FURNISHED, INSTALLED, AND MAINTAINED BY THE CONTRACTOR.
22. MUTCD SIGNAGE AND CERTIFIED FLAGGERS SHALL BE EMPLOYED DURING ANY ROAD CLOSURE OR TRAFFIC DISRUPTION.

	<u>EXISTING IMPERVIOUS (S.F.)</u>	<u>PROPOSED IMPERVIOUS (S.F.)</u>
<u>TOTAL</u>	<u>9,244 S.F.</u>	<u>3,539 S.F.</u>
<u>BUFFER TOTAL</u>	<u>3,701 S.F.</u>	<u>1,571 S.F.</u>
<u>75' BUFFER</u>	<u>1,574 S.F.</u>	<u>1,112 S.F.</u>
<u>50' BUFFER</u>	<u>981 S.F.</u>	<u>459 S.F.</u>
<u>25' STATE BUFFER</u>	<u>1,146 S.F.</u>	<u>0 S.F.</u>

O	POWER POLE (PP)	C&G	CURB AND GUTTER
HP	HIGH POINT	IP	IRON PIN
J	JUNCTION	P/L	PROPERTY LINE
DI	DRIP INLET BOX	F.S.S.	FLARED END SAFETY SECTION
OC	OUTLET CONTROL STRUCTURE	P	POINT OF TANGENT
WC	DOUBLE WINGS CATCH BASIN	PC	POINT OF CURVATURE
HW	HEADWALL	OC	OUTLET CONTROL STRUCTURE
RCF	REINFORCED CONCRETE PIPE	ELEV.	ELEVATION
CM	CORRUGATED METAL PIPE	N/F	NOW OR FORMERLY
HDPE	HIGH DENSITY POLYETHYLENE	R/W	RIGHT OF WAY
UG	UNDERGROUND DUTENTION	LL	LAND LOT LINE
BM	TEMPORARY BENCHMARK	CONC.	CONCRETE
EX	EXISTING	INV	INVERT
PROP.	PROPOSED	EOP	EDGE OF PAVEMENT
FM	FIRE HYDRANT	TYP.	TYPICAL
WH	WATER METER	— +	FENCE
LF	LINEAR FENCE	— x	SILT FENCE
DIP	DUCTILE IRON PIPE	— —	OVERHEAD ELECTRIC
PVC	POLYVINYL CHLORIDE	—	SOILS
R	RADIUS	— — —	SANITARY SEWER LINE
FF	SQUARE FEET	— — — —	SEWER SETBACK LINE
FE	FINISH FLOOR ELEVATION	— ■	VEGETATIVE BUFFER
		— ■	WATERLINE


GRID NORTH (GA WEST ZONE)
(PER REF. SURVEY)



LOCATION MAP
N.T.S.

OWNER
CHR HOMES LLC
2487 CEDARCREST RD #721
ACWORTH, GA 30101

24-HOUR CONTACT
ANTOINE FREGEOLLE
 (770) 733-3691
 antoinefregeolle@gmail.com



GEORGIA811
www.Georgia811.com

IF ANY CONFLICTS, DISCREPANCIES, OR ANY OTHER UNSATISFACTORY CONDITIONS ARE DISCOVERED, EITHER ON THE CONSTRUCTION DOCUMENTS OR FIELD CONDITIONS, THE CONTRACTOR MUST NOTIFY THE ENGINEER IMMEDIATELY AND SHALL NOT COMMENCE FURTHER OPERATION UNTIL THE CONFLICTS, DISCREPANCIES, OR OTHER UNSATISFACTORY CONDITIONS ARE RESOLVED.

GRAPHIC SCALE



(IN FEET)
1 inch = 20 ft

**DES
DAVIS**
ENGINEERING & SURVEYING
24 DAWSON VILLAGE
WAY SOUTH
DAWSONVILLE, GA 30534
PHONE: (706) 265-1234
DAVISENGINEERS.COM



3/25/2025

REVISION	DATE	DESCRIPTION
-	3/25/2025	INITIAL SUBMITAL

VARIANCE PLAN

2424 NANCY LANE
LAND LOT 233
18th DISTRICT
DEKALB COUNTY, GEORGIA

<u>DRAWN BY:</u>	<i>NAP</i>
<u>CHECKED BY:</u>	<i>JKD</i>
<u>LAND LOT:</u>	<i>233</i>
<u>DISTRICT:</u>	<i>18th</i>
<u>SECTION:</u>	<i>-</i>
<u>CITY:</u>	<i>-</i>
<u>COUNTY:</u>	<i>DEKALB</i>
<u>DATE:</u>	<i>3/25/2025</i>

SHEET NO.

3 OF 6

PROJECT NG

24-135

CURRENTLY, THIS 0.85 ACRE PROPERTY CONTAINS CONCRETE REMNANTS OF A DILAPIDATED RESIDENCE WITH A CONCRETE PATIO AND POOL, WHICH SITS WITHIN THE 25' STATE WATERS BUFFER. THE PROPOSED DEVELOPMENT CONSISTS OF A NEW RESIDENCE WITH A DRIVE, SEWER CONNECTION, GRADING AND ANY OTHER NECESSARY IMPROVEMENTS. A REQUEST TO VARY THE FRONT SETBACK TO 20' AND A REQUEST TO PLACE THE HOUSE WITHIN THE 75' AND 50' BUFFERS IS INCLUDED WITH THIS PLAN.

ZONING:
BUILDING SETBACKS & BUFFERS:
EXISTING FRONT: 40'
PROPOSED FRONT: 20'
SIDE: 10'
REAR: 40'
BUFFERS ALONG STATE WATERS

UTILITIES SHOWN HEREON ARE FROM EXISTING STRUCTURES AND ABOVE GROUND MARKS FOUND. DAVIS ENGINEERING AND SURVEYING, LLC IS NOT RESPONSIBLE FOR THE LOCATION OF UNDERGROUND UTILITIES.

NO PORTION OF THIS SITE IS LOCATED WITHIN THE 100-YEAR FLOOD PRONE AREA AS PER FLOOD INSURANCE RATE MAP NO. 13089c0056k, DATED 8/15/2019.

1. ALL CONSTRUCTION WORK, MATERIALS, AND IMPROVEMENTS AT THIS SITE SHALL CONFORM WITH **DEKALB COUNTY, GEORGIA** REQUIREMENTS.
2. ALL STRUCTURES WILL BE REQUIRED TO CONFORM TO THE STANDARD BUILDING CODE HORIZONTAL SEPARATION STANDARDS. APPROVAL OF THIS PERMIT WILL NOT JUSTIFY ANY DEVIATION IN HORIZONTAL SEPARATION STANDARDS AS ADOPTED AND AMENDED BY THE GEORGIA DEPARTMENT OF COMMUNITY AFFAIRS.
3. CONTRACTORS SHALL CONDUCT ALL WORK IN ACCORDANCE WITH THE REQUIREMENTS OF APPLICABLE REGULATIONS OF THE OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION (OSHA) AND ALL LOCAL, STATE AND FEDERAL RULES AND REGULATIONS.
4. ALL CONSTRUCTION STAKING ON THIS SITE SHALL BE PERFORMED UNDER THE DIRECTION AND SUPERVISION OF A GEORGIA REGISTERED LAND SURVEYOR.
5. MATTERS OF RECORD NOT SHOWN HEREON ARE EXCEPTED.
6. THE UTILITIES AND STRUCTURES AS SHOWN ON THIS PLAN WERE FOUND PER ABOVE GROUND EXAMINATION OF THIS SITE, BASED ON VISUAL INDICATIONS, IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL EXACT LOCATIONS AND ELEVATIONS OF ALL UNDERGROUND UTILITIES AND OTHER STRUCTURES BEFORE THE START OF CONSTRUCTION ON THIS PROJECT.
7. IT SHALL BE THE GENERAL CONTRACTOR'S RESPONSIBILITY TO VERIFY THAT ALL UTILITIES ARE AS NOTED. ANY DISCREPANCIES SHALL BE REPORTED TO THE ENGINEER AS SOON AS POSSIBLE.
8. TOILET FACILITIES SHALL BE MADE AVAILABLE TO CONSTRUCTION WORKERS WITHIN 300' OF SITE.
9. NO MATERIAL CAN BE BURIED ONSITE WITHOUT THE APPROVAL OF THE OWNER AND GEOTECHNICAL ENGINEER.
10. CONTRACTOR SHALL BE RESPONSIBLE FOR REMOVAL OF ALL DEBRIS AS ACCEPTABLE TO THE OWNER.
11. CONTRACTOR IS REQUIRED TO REMOVE ALL ROCK, TOPSOIL, AND UNSUITABLE MATERIALS.
12. MAXIMUM CUT OR FILL SLOPES SHALL BE 2 HORIZONTAL: 1 VERTICAL.
13. THIS SITE **DONES** NOT CONTAIN WETLANDS.
14. THIS SITE **DONES** HAVE STATE WATERS REQUIRING UNDISTURBED BUFFERS.
15. EXISTING FEATURES SHOWN BY DASHED LINES OR SHADED, PROPOSED FEATURES SHOWN BY SOLID OR BOLD LINES.
16. CONTRACTOR RESPONSIBLE FOR PROTECTING ADJACENT AREAS AND SHALL BE RESPONSIBLE TO REPAIR ANY DAMAGE TO A CONDITION EQUAL TO OR GREATER THAN THE ORIGINAL CONDITION.
17. ALL HOPE PIPE TO CONFORM TO PIPE MANUFACTURER REQUIREMENTS AND GEOTECHNICAL RECOMMENDATIONS.
18. CONTRACTOR SHALL COORDINATE BUILDING CONSTRUCTION WITH ARCHITECTURAL PLANS (BY OTHERS).
19. ALL SIGNAGE AND STRIPING TO BE PROVIDED BY CONTRACTOR ACCORDING TO THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND OTHER GOVERNING MUNICIPAL STANDARDS AND SPECIFICATIONS, LATEST EDITIONS.
20. PRIOR TO CONSTRUCTION, THE CONTRACTOR IS TO VERIFY ALL DIMENSIONS ON THESE DRAWINGS WITH ALL COORDINATING DOCUMENTS, AND NOTIFY ENGINEER OF ANY DISCREPANCIES. IF DISCREPANCIES ARE FOUND DURING CONSTRUCTION, THE CONTRACTOR IS TO STOP WORK IMMEDIATELY AND NOTIFY THE ENGINEER.
21. ALL EXISTING MANHOLE COVERS, METEOR BOXES, AND OTHER UTILITY APPURTENANCES LOCATED WITHIN THE LIMITS OF WORK SHALL BE ADJUSTED SO THAT THEIR TOP SURFACES WILL BE FLUSH WITH FINISHED GRADE.
22. ALL EXISTING STRIPING AND SIGNAGE NECESSARY TO MAINTAIN SAFE VEHICULAR AND PEDESTRIAN TRAFFIC FLOW DURING CONSTRUCTION SHALL BE FURNISHED, INSTALLED, AND MAINTAINED BY THE CONTRACTOR.
23. MUTCD SIGNAGE AND CERTIFIED FLAGGERS SHALL BE EMPLOYED DURING ANY ROAD CLOSURE OR TRAFFIC DISRUPTION.


1. DIRT FOR FILL SHALL BE CLEAN, COHESIVE CLAY OR SANDY CLAY FREE OF DEBRIS, ORGANICS, AND DELETERIOUS MATERIAL.
2. NO CUT OR FILL SLOPES STEEPER THAN 2H:1V ARE ALLOWED.
3. ALL REINFORCED CONCRETE PIPE (RCP) SHALL BE CLASS III UNLESS OTHERWISE NOTED. ALL CORRUGATED METAL PIPE (CMP) SHALL BE 16 GAUGE MINIMUM AND ASPHALT OR ALUMINUM COATED.
4. ALL MANHOLE TOPS SHALL BE SET FLUSH WITH FINISHED GRADE.
5. TRENCH BACKFILL MATERIAL SHALL BE COMPACTED TO NO LESS THAN 95% OF THE OPTIMUM COMPACTION FOR ANY SOIL CLASSIFICATION AS DETERMINED BY THE STANDARD PROCTOR TEST (ASTM 7-180 METHOD A). BACKFILL MATERIAL SHALL BE CLEAN AND FREE OF ROOTS, ROCK, OR DELETERIOUS MATERIAL. CONTRACTOR SHALL CORRECT ANY DAMAGE TO CURBING OR PAVING CAUSED BY TRENCH SETTLEMENT THAT OCCURS WITHIN 12 MONTHS OF PROJECT ACCEPTANCE.
6. AREAS INTENDED TO SUPPORT PAVEMENT OR NEW FILL SHALL BE PROOF ROLLED WITH A 20 TO 30 TON LOADED TRUCK OR OTHER PNEUMATIC-TIRED VEHICLE OF SIMILAR SIZE AND WEIGHT IN THE PRESENCE OF A GEOTECHNICAL ENGINEER TO LOCATE WEAK, SOFT, OR EXCESSIVELY WET MATERIALS. AREAS WHICH PUMP WHILE PROOF ROLLED SHALL BE UNDERCUT AND BACK-FILLED AS SPECIFIED BY THE GEOTECHNICAL ENGINEER.
7. CRUSHED STONE AGGREGATE (GAB) IN ROADWAY/PARKING AREAS SHALL CONFORM WITH SECTION 815 OF THE STATE OF GEORGIA, DEPARTMENT OF TRANSPORTATION, STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION. ALL ASPHALT MATERIAL AND PAVING OPERATIONS SHALL MEET APPLICABLE SPECIFICATIONS OF THE ASPHALT INSTITUTE, IN GEORGIA DEPARTMENT OF TRANSPORTATION.
8. ALL STORM DRAIN PIPES ARE TO BE COMPLETELY CLEANED OF ALL SILT AND DEBRIS AT THE COMPLETION OF CONSTRUCTION.
9. NOI MUST BE SUBMITTED BY THE CONTRACTOR 14 DAYS MINIMUM PRIOR TO THE BEGINNING OF CONSTRUCTION.
10. CONTRACTOR SHALL CLEARLY MARK AND MAINTAIN PROPERTY CORNER MONUMENTS AND BENCHMARKS AND IS RESPONSIBLE FOR THE COST OF REPAIRS TO ANY DISTURBED. THE CONTRACTOR IS ALSO ADVISED TO PROTECT ALL ADJACENT LANDS FROM DAMAGE AND WILL BE RESPONSIBLE TO RETURN ANY DISTURBED OFF-SITE AREAS TO A CONDITION EQUAL TO OR BETTER THAN THE EXISTING CONDITION.
11. ALL VEGETATION, ROOT SYSTEMS, TOPSOIL, REFUSE, AND OTHER DELETERIOUS, NON-SOIL MATERIAL SHALL BE STRIPPED FROM THE PROPOSED CONSTRUCTION AREAS. CLEAN TOPSOIL MAY BE STOCKPILED AND REUSED LATER AT THE OWNER'S DISCRETION.
12. ALL NECESSARY PERMITS FOR DEMOLITION SHALL BE OBTAINED BY THE CONTRACTOR PRIOR TO BEGINNING WORK.
13. ALL STRUCTURES TO BE DEMOLISHED SHALL BE COMPLETELY REMOVED ABOVE AND BELOW GRADE INCLUDING APPLICABLE SERVICE LINES. STRUCTURES TO REMAIN SHALL BE PROTECTED FROM DAMAGE DURING ALL PHASES OF CONSTRUCTION.

LEGEND			
○	POWER POLE (PP)	C&G	CURB AND GUTTER
HP	DRIP	IP	IRON PIN
DI	DRIP INLET	P/L	PROPERTY LINE
J	JUNCTION BOX	F.E.S.S.	PLAID END SAFETY SECTION
OCS	OUTLET CONTROL STRUCTURE	PT	POINT OF TANGENT
DWCB	DOUBLE WING CATCH BASIN	PC	POINT OF CURVATURE
HW	HEADWALL	OCS	OUTLET CONTROL STRUCTURE
RCP	REINFORCED CONCRETE PIPE	ELEV.	ELEVATION
CMP	CORRUGATED METAL PIPE	N/C	NOW OR FORMERLY
HDP	HIGH DENSITY POLYETHYLENE	R/W	RIGHT OF WAY
USD	UNDERGROUND DETENTION	LL	LOW LOT LINE
TBM	TEMPORARY BENCHMARK	C.C.	CONCRETE
EX.	EXISTING	INV	INVERT
PRO.P.	PROPOSED	EOP	EDGE OF PAVEMENT
TH	HYD TANK	TYR.	TYPICAL
WM	WATER METER	—	FENCE
LF	LINEAR FEET	—	SILT FENCE
DU	DUCTILE IRON PIPE	—	OVERHEAD ELECTRIC
PVC	POLYVINYL CHLORIDE	—	SOILS
R	RADIUS	—	SEWER SEWER LINE
SF	SQUARE FEET	—	SEWER SETBACK LINE
FFE	FINISH FLOOR ELEVATION	—	VEGETATIVE BUFFER
		—	WATERLINE

GRID NORTH (GA WEST ZONE)
(PER REF. SURVEY)



24-HOUR CONTACT
ANTOINE FREGEOLLE
 (770) 733-3691
antoinefregeolle@gmail.com



GEORGIA811
www.Georgia811.com

IF ANY CONFLICTS, DISCREPANCIES, OR ANY OTHER UNSATISFACTORY CONDITIONS ARE DISCOVERED, EITHER ON THE CONSTRUCTION DOCUMENTS OR FIELD CONDITIONS, THE CONTRACTOR MUST NOTIFY THE ENGINEER IMMEDIATELY AND SHALL NOT COMMENCE FURTHER OPERATION UNTIL THE CONFLICTS, DISCREPANCIES, OR OTHER UNSATISFACTORY CONDITIONS ARE RESOLVED.

(IN FEET)
1 inch = 20 ft.



3/25/2025

REVISION	DATE	DESCRIPTION
-	3/25/2025	INITIAL SUBMITTAL

GRADING PLAN

2424 NANCY LANE
LAND LOT 233
18th DISTRICT
DEKALB COUNTY, GEORGIA

DRAWN BY:	NAP
CHECKED BY:	JKD
LAND LOT:	233
DISTRICT:	18th
SECTION:	-
CITY:	-
COUNTY:	DEKALB
DATE:	3/25/2025

SHEET NO.

4 OF 6

PROJECT NO.

24-135

PROJECT INFORMATION:

CURRENTLY, THIS 0.85 ACRE PROPERTY CONTAINS CONCRETE REMNANTS OF A DEMOLISHED RESIDENCE WITH A CONCRETE PATIO AND POOL WHICH SITS WITHIN THE 25' STATE WATERS BUFFER. THE PROPOSED DEVELOPMENT CONSISTS OF A NEW RESIDENCE WITH A DRIVE, SEWER CONNECTION, GRADING AND ANY OTHER NECESSARY IMPROVEMENTS. A REQUEST TO VARY THE FRONT SETBACK TO 20' AND A REQUEST TO PLACE THE HOUSE WITHIN THE 75' AND 50' BUFFERS IS INCLUDED WITH THIS PLAN.

ADDRESS: 2424 NANCY LANE, ATLANTA, GA
PARCEL: 18-233-06-033
TOTAL AREA= 0.85 ACRE
DISTURBED AREA= 0.33± ACRE

ZONING:
BUILDING SETBACKS & BUFFERS:
EXISTING FRONT: 40'
PROPOSED FRONT: 20'
SIDE: 10'
REAR: 40'
BUFFERS ALONG STATE WATERS

BOUNDARY INFORMATION FROM PLAT OF SURVEY FOR 2424 NANCY LANE NE BY SURVEY SYSTEMS ATLANTA DATED 2/14/2024.

UTILITIES SHOWN HEREON ARE FROM EXISTING STRUCTURES AND ABOVE GROUND MARKS FOUND. DAVIS ENGINEERING AND SURVEYING, LLC IS NOT RESPONSIBLE FOR THE LOCATION OF UNDERGROUND UTILITIES.

TOPOGRAPHIC DATA OBTAINED FROM FIELD RUN DATA COMPLETED BY SURVEY SYSTEMS ATLANTA.
CONTOUR INTERVAL = 2'

NO PORTION OF THIS SITE IS LOCATED WITHIN THE 100-YEAR FLOOD PRONE AREA AS PER FLOOD INSURANCE RATE MAP NO. 13089c0056k, DATED 8/15/2019.

GENERAL NOTES:

- ALL CONSTRUCTION WORK, MATERIALS, AND IMPROVEMENTS AT THIS SITE SHALL CONFORM WITH **DEKALB COUNTY**, GEORGIA REQUIREMENTS.
- ALL STRUCTURES WILL BE REQUIRED TO CONFORM TO THE STANDARD BUILDING CODES HORIZONTAL SEPARATION STANDARDS. APPROVAL OF THIS PERMIT WILL NOT JUSTIFY ANY DEVIATION IN HORIZONTAL SEPARATION STANDARDS AS ADOPTED AND AMENDED BY THE GEORGIA DEPARTMENT OF COMMUNITY AFFAIRS.
- CONTRACTORS SHALL CONDUCT ALL WORK IN ACCORDANCE WITH THE REQUIREMENTS OF APPLICABLE REGULATIONS OF THE OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION (OSHA) AND ALL LOCAL, STATE AND FEDERAL RULES AND REGULATIONS.
- ALL CONSTRUCTION STAKING ON THIS SITE SHALL BE PERFORMED UNDER THE DIRECT SUPERVISION OF A GEORGIA REGISTERED LAND SURVEYOR.
- MATTERS OF RECORD NOT SHOWN HEREON ARE EXCEPTED.
- THE UTILITIES AND STRUCTURES AS SHOWN ON THIS PLAN WERE FOUND PER ABOVE GROUND EXAMINATION OF THIS SITE, BASED ON VISIBLE INDICATIONS. IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL EXACT LOCATIONS AND ELEVATIONS OF ALL UNDERGROUND UTILITIES AND OTHER STRUCTURES BEFORE THE START OF CONSTRUCTION ON THIS PROJECT.
- IT SHALL BE THE GENERAL CONTRACTOR'S RESPONSIBILITY TO VERIFY THAT ALL UTILITIES ARE AS NOTED IN THE PLANS. ANY DISCREPANCIES SHALL BE REPORTED TO THE ENGINEER AS SOON AS POSSIBLE.
- TOILET FACILITIES SHALL BE MADE AVAILABLE TO CONSTRUCTION WORKERS WITHIN 300' OF SITE.
- NO MATERIAL CAN BE BURIED ONSITE WITHOUT THE APPROVAL OF THE OWNER AND GEOTECHNICAL ENGINEER.
- CONTRACTOR SHALL BE RESPONSIBLE FOR REMOVAL OF ALL DEBRIS AS ACCEPTABLE TO THE OWNER.
- CONTRACTOR IS TO REMOVE ALL ROCK, TOPSOIL, AND UNSUITABLE MATERIALS.
- MAXIMUM CUT OR FILL SLOPES SHALL BE 2 HORIZONTAL: 1 VERTICAL.
- THIS SITE **DOES NOT** CONTAIN WETLANDS.
- THIS SITE **DOES** HAVE STATE WATERS REQUIRING UNDISTURBED BUFFERS.
- EXISTING FEATURES SHOWN BY DASHED LINES OR SHADED. PROPOSED FEATURES SHOWN BY SOLID OR BOLD LINES.
- CONTRACTOR RESPONSIBLE FOR PROTECTING ADJACENT AREAS AND SHALL BE RESPONSIBLE TO REPAIR ANY DAMAGE TO A CONDITION EQUAL TO OR GREATER THAN THE ORIGINAL CONDITION.
- ALL HDPE PIPE TO CONFORM TO PIPE MANUFACTURER REQUIREMENTS AND GEOTECHNICAL RECOMMENDATIONS.
- CONTRACTOR SHALL COORDINATE BUILDING CONSTRUCTION WITH ARCHITECTURAL PLANS (BY OTHERS).
- ALL SIGNAGE AND STRIPING TO BE PROVIDED BY CONTRACTOR ACCORDING TO THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND OTHER GOVERNING MUNICIPAL STANDARDS AND SPECIFICATIONS, LATEST EDITIONS.
- PRIOR TO CONSTRUCTION, THE CONTRACTOR IS TO VERIFY ALL DIMENSIONS ON THESE DRAWINGS WITH ALL COORDINATING DOCUMENTS AND NOTIFY ENGINEER OF ANY DISCREPANCIES. IF DISCREPANCIES ARE FOUND DURING CONSTRUCTION, THE CONTRACTOR IS TO STOP WORK IMMEDIATELY AND NOTIFY THE ENGINEER.
- ALL EXISTING MANHOLE COVERS, METER BOXES, AND OTHER UTILITY APPURTENANCES LOCATED WITHIN THE LIMITS OF WORK SHALL BE ADJUSTED SO THAT THEIR TOP SURFACES WILL BE FLUSH WITH FINISHED GRADE.
- ALL TEMPORARY STRIPING AND SIGNAGE NECESSARY TO MAINTAIN SAFE VEHICULAR AND PEDESTRIAN TRAFFIC FLOW DURING CONSTRUCTION SHALL BE FURNISHED, INSTALLED, AND MAINTAINED BY THE CONTRACTOR.
- MUTCD SIGNAGE AND CERTIFIED FLAGGERS SHALL BE EMPLOYED DURING ANY ROAD CLOSURE OR TRAFFIC DISRUPTION.

EROSION & SEDIMENT CONTROL CHECKLIST:

- SEE SHEET 6.
- SEE SHEETS 5-6.
- LIMITS OF DISTURBANCE DOES NOT EXCEED 50 ACRES. 0.40± ACRES ARE DISTURBED FOR THIS PROJECT.
- 24-HOUR CONTACT: ANTOINE FREGEOILLE (770) 733-3691
- OWNER: CHR HOMES, LLC
ADDRESS: 2487 CEDARCREST RD #721 ACWORTH, GA 30101
- THE PROPOSED PROJECT IS LOCATED ON A TOTAL OF 0.85 ACRES AND WILL CONSIST OF A DISTURBED AREA OF 0.40± ACRES.
- CONSTRUCTION EXIT COORDINATES: LAT: 34.856002 LONG: -84.286176
- SEE THIS SHEET.
- THE PROPOSED CONSTRUCTION INCLUDES THE CONSTRUCTION OF A HOUSE, DRIVE, GRADING AND ANY OTHER NECESSARY IMPROVEMENTS.
- SEE SHEETS 1-5.
- THE INITIAL RECEIVING WATERS IS A DRAINAGE DITCH FOLLOWING DIRECTLY INTO NORTH FORK PEACHTREE CREEK.
- I CERTIFY UNDER PENALTY OF LAW THAT THIS PLAN WAS PREPARED AFTER A SITE VISIT TO THE LOCATIONS DESCRIBED HEREIN BY MYSELF OR MY AUTHORIZED AGENT, UNDER MY SUPERVISION.

Jason K. Davis 3/25/2025 DATE

- E.E. 34135; GSWCC CERTIFICATION #59573
- N/A
- N/A
- NON-EXEMPT ACTIVITIES SHALL NOT BE CONDUCTED WITHIN THE 25 OR 50-FOOT UNDISTURBED STREAM BUFFER AS MEASURED FROM THE POINT OF WRESTED VEGETATION OR WITHIN 25-FEET OF THE COASTAL MARSHLAND BUFFER AS MEASURED FROM THE JURISDICTIONAL DETERMINATION LINE WITHOUT FIRST ACQUIRING THE NECESSARY VARIANCES AND PERMITS.
- THIS SITE DOES HAVE STATE WATERS REQUIRING AN UNDISTURBED BUFFER. THIS SITE DOES NOT CONTAIN WETLANDS. THERE ARE BUFFER ENHANCEMENTS FOR THIS SITE.
- N/A
- N/A

- THE ESCAPE OF SEDIMENT FROM THE SITE SHALL BE PREVENTED BY THE INSTALLATION OF EROSION AND SEDIMENT CONTROL MEASURES AND PRACTICES PRIOR TO LAND-DISTURBING ACTIVITIES.
- EROSION CONTROL MEASURES WILL BE MAINTAINED AT ALL TIMES. IF FULL IMPLEMENTATION OF THE APPROVED PLAN DOES NOT PROVIDE FOR EFFECTIVE EROSION CONTROL, ADDITIONAL EROSION CONTROL AND SEDIMENT CONTROL MEASURES SHALL BE IMPLEMENTED TO CONTROL OR TREAT THE SEDIMENT SOURCE.
- ANY DISTURBED AREA LEFT EXPOSED FOR A PERIOD GREATER THAN 14 DAYS SHALL BE STABILIZED WITH MULCH OR TEMPORARY SEEDING.
- N/A
- N/A
- N/A
- SOIL CLEANUP AND CONTROL PRACTICES:
LOCAL, STATE AND MANUFACTURERS' RECOMMENDED METHODS FOR SOIL CLEANUP WILL BE CLEARLY POSTED AND PROCEDURES WILL BE MADE AVAILABLE TO SITE PERSONNEL. MATERIAL AND EQUIPMENT NECESSARY FOR SPILL CLEANUP WILL BE KEPT IN THIS MATERIAL STORAGE AREA. TYPICAL MATERIALS AND EQUIPMENT INCLUDES, BUT IS NOT LIMITED TO, BROOMS, DUSTPANS, MOPS, RAGS, GLOVES, GOGGLES, CAT LITTER, SAND, SAWDUST, AND PROPERLY LABELED PLASTIC AND METAL WASTE CONTAINERS. SPILL PREVENTION PRACTICES AND PROCEDURES WILL BE REVIEWED AFTER A SPILL AND ADJUSTED AS NECESSARY TO PREVENT FUTURE SPILLS. ALL SPILLS WILL BE CLEANED UP IMMEDIATELY UPON DISCOVERY. ALL SPILLS WILL BE REPORTED AS REQUIRED BY LOCAL, STATE, AND FEDERAL REGULATIONS. FOR SPILLS THAT IMPACT SURFACE WATER (LEAVE A SHEEN ON SURFACE WATER), THE NATIONAL RESPONSE CENTER (NRC) WILL BE CONTACTED AS REQUIRED. THE CONTRACTOR SHALL NOTIFY THE LICENSED PROFESSIONAL WHO PREPARED THIS PLAN, IF MORE THAN 1320 GALLONS OF PETROLEUM IS STORED ON SITE (THIS INCLUDES CAPACITIES OF EQUIPMENT) OR IF ANY ONE PIECE OF EQUIPMENT HAS A CAPACITY GREATER THAN 660 GALLONS. THE CONTRACTOR WILL NEED A SPILL PREVENTION CONTAINMENT AND COUNTER-MEASURES PLAN PREPARED BY THAT LICENSED ENGINEER.
- N/A
- N/A
- N/A
- SEE CHART BELOW.

- N/A
- N/A
- N/A
- N/A
- N/A
- SEE SHEETS 2-5
- SEE SHEETS 2-5
- NO ALTERNATIVE BMPs PROPOSED.
- N/A
- SEE SHEETS 2-5
- THIS SITE DOES HAVE STATE WATERS REQUIRING AN UNDISTURBED BUFFER. THIS SITE DOES NOT CONTAIN WETLANDS.
- SEE SHEET 4.
- N/A
- SEE SHEETS 4-5
- SEE SHEETS 4-5
- SEE THIS SHEET.
- 0.40± ACRES SEE THIS SHEET.
- TD
- SEE SHEETS 5-6
- SEE SHEET 6
- SEE SHEETS 5-6

LEGEND			
HP	POWER POLE (PP)	C&G	CURB AND GUTTER
DI	HIGH POINT	IP	IRON PIN
JB	DROP INLET	P/L	PROPERTY LINE
OC	JUNCTION BOX	F.E.S.S.	FLARED END SAFETY SECTION
DWCB	OUTLET CONTROL STRUCTURE	PT	POINT OF TANGENT
HW	DOUBLE WING CATCH BASIN	PC	POINT OF CURVATURE
RCP	HEADWALL	OC	OUTLET CONTROL STRUCTURE
CMP	REINFORCED CONCRETE PIPE	ELEV.	ELEVATION
HDPE	CORRUGATED METAL PIPE	N/F	NOW OR FORMERLY
UD	HIGH DENSITY POLYETHYLENE	R/W	RIGHT OF WAY
TBM	UNDERGROUND DETENTION	LLL	LAND LOT LINE
EX	TEMPORARY BENCHMARK	CONC.	CONCRETE
PROP.	EXISTING	INV	INVERT
WM	PROPOSED	EOP	EDGE OF PAVEMENT
LF	FIRE HYDRANT	TYP.	TYPICAL
DIP	WATER METER	---	FENCE
R	LINEAR FEET	---	SALT FENCE
SF	SQUARE FEET	---	OVERHEAD ELECTRIC
FFE	FINISH FLOOR ELEVATION	---	SOILS
		---	SANITARY SEWER LINE
		---	BUILDING SETBACK LINE
		---	VEGETATIVE BUFFER
		---	WATERLINE

EROSION CONTROL LEGEND


TEMPORARY CONSTRUCTION EXIT	Co
SEDIMENT BARRIER - SENSITIVE	Sd1-5
TEMPORARY MULCHING	Ds1
TEMPORARY GRASSING	Ds2
PERMANENT GRASSING	Ds3
DUST CONTROL	Du

SITE VISIT CERTIFICATION:

I CERTIFY THAT A QUALIFIED PERSON FROM DAVIS ENGINEERING & SURVEYING, LLC, EITHER THE PLAN PREPARER OR THE DESIGNER, HAS VISITED THE SUBJECT SITE PRIOR TO THE CREATION OF THIS PLAN.


Jason K. Davis

JASON K. DAVIS, P.E. GSWCC CERTIFICATION
REG. GA. 034135 NO. 0000059573
EXP. DATE: 12/14/2024



GEORGIA811
www.Georgia811.com

IF ANY CONFLICTS, DISCREPANCIES, OR ANY OTHER UNSATISFACTORY CONDITIONS ARE DISCOVERED, EITHER ON THE CONSTRUCTION DOCUMENTS OR FIELD CONDITIONS, THE CONTRACTOR MUST NOTIFY THE ENGINEER IMMEDIATELY AND SHALL NOT COMMENCE FURTHER OPERATION UNTIL THE CONFLICTS, DISCREPANCIES, OR OTHER UNSATISFACTORY CONDITIONS ARE RESOLVED.



EROSION CONTROL PLAN

2424 NANCY LANE
LAND LOT 233
18th DISTRICT
DEKALB COUNTY, GEORGIA

DRAWN BY:	NAP
CHECKED BY:	JKD
LAND LOT:	233
DISTRICT:	18th
SECTION:	-
CITY:	-
COUNTY:	DEKALB
DATE:	3/25/2025

SHEET NO.
5 of 6
PROJECT NO.
24-135

COPYRIGHT © 2024. THESE DRAWINGS ARE PROTECTED BY FEDERAL COPYRIGHT PROTECTION. UNAUTHORIZED USE OF THESE DRAWINGS, INCLUDING ANY REPRODUCTION OR COPY OF IT, WHETHER IN WHOLE OR IN PART, MAY RESULT IN AN IMMEDIATE ACTION.

Ds3 DISTURBED AREA STABILIZATION
(WITH PERMANENT VEGETATION)

SPECIES	RATE PER 1,000 SQ. FT.	RATE PER ACRE ¹	PLANTING DATES			YEARS TO APPLY FERTILIZER	FERTILIZER ANALYSIS			N TOP- DRESSING RATE *
			Mts.-L'stone	Piedmont	Coastal		N	P	K	
WEeping LOVEGRASS AND VIRGATA OR SERICEA LESPEDEZA	0.1 lbs. 1.4 lbs.	4 lbs. 40 lbs.	3/15-6/15 3/15-6/15	3/1-6/15 3/1-6/15	2/1-6/15 2/15-6/1	FIRST SECOND	6 0	12 10	12 10	1500 1000
SERICEA LESPEDEZA SEEDBEARING HAY WITH OVERSEEDED WEeping LOVEGRASS	138 lbs. 0.05 lbs.	3 tons 2 lbs.	10/1-3/1 3/15-6/15	10/1-3/1 3/1-6/15	10/15-2/1 2/1-6/15	FIRST SECOND	6 0	12 10	12 10	1500 1000
HULLED COMMON BERMUDAGRASS AND SERICEA LESPEDEZA	0.2 lbs. 1.4 lbs.	10 lbs. 60 lbs.	3/1-7/1 3/15-6/15	2/15-7/1 3/1-6/15	2/15-6/15	FIRST SECOND	6 0	12 10	12 10	1500 1000
UNHULLED COMMON BERMUDAGRASS AND VIRGATA OR SERICEA LESPEDEZA SEED HAY	0.2 lbs. 1.4 lbs. 140 lbs.	10 lbs. 40 lbs. 3 tons	10/1-3/1 3/15-6/15 10/1-3/1	11/1-2/1 3/1-6/15 10/1-3/1	2/15-6/1 10/15-2/1	FIRST SECOND	6 0	12 10	12 10	1500 1000
TALL FESCUEGRASS AND CLEAN COMBINE RUN VIRGATA OR SERICEA LESPEDEZA	1.1 lbs. 1.4 lbs.	50 lbs. 40 lbs.	8/1-11/1 3/1-4/15 3/15-6/15	8/15-11/1 3/1-6/15	2/15-6/1	FIRST SECOND	6 0	12 10	12 10	1500 1000
HULLED COMMON BERMUDAGRASS	0.2 lbs.	10 lbs.	3/1-7/1	2/15-7/1		FIRST SECOND	6 10	12 10	12 10	1500 800

1. REDUCE SEEDING RATES BY 50% WHEN DRILLED.
* FERTILIZER/N TOP-DRESSING RATES INDICATED ARE IN LBS/ACRE.

NOTE: GRAIN STRAW OR GRASS HAY SHALL BE SPREAD AS A BEDDING MATERIAL FOR ALL PERMANENTLY GRASSED AREAS AT A MINIMUM DEPTH OF 4" TO 6". PINE NEEDLES MAY BE SUBSTITUTED AT A MINIMUM DEPTH OF 3" TO 5".

NOTE: AGRICULTURAL LIME IS REQUIRED FOR ALL GRADED AREAS AT THE RATE OF ONE TO TWO TONS PER ACRE UNLESS SOIL TESTS DETERMINE OTHERWISE.



Ds1 DISTURBED AREA STABILIZATION
(WITH MULCHING ONLY)
MATERIALS AND RATES:

MATERIAL	RATE
STRAW OR HAY	2-4" DEEP
WOOD WASTE, CHIPS, SAW DUST OR BARK	2-3" DEEP(ABOUT 6-9 TONS/ACRE
MATting OR NETting	ACCORDING TO MANUFACTURERS RECOMMENDATIONS
CUTBACK ASPHALT	1200 GALLONS/ACRE (1/4 GAL./SQ. YD)
POLYETHYLENE FILM	COMPLETELY COVER AREA


Ds2 DISTURBED AREA STABILIZATION
(WITH TEMPORARY SEEDINGS)
SEEDING RATES FOR TEMPORARY SEEDINGS¹

SPECIES	RATE PER 1,000 SQ. FT.	RATE PER ACRE ²	PLANTING DATES		
			Mts.-L'stone	Piedmont	Coastal
RYE (ALONE)	3.9 POUNDS	3 bu.	7/15-12/1	8/15-1/1	9/1-3/1
(IN MIXTURES)	0.6 POUNDS	1/2 bu.			
ANNUAL RYEGRASS	0.9 POUND	40 lbs.	8/1-5/1	8/1-4/15	8/15-4/1
ANNUAL LESPEDEZA (ALONE)	0.9 POUNDS	40 lbs.	2/1-5/1	2/15-5/1	1/15-3/15
(IN MIXTURES)	0.2 POUNDS	10 lbs.			
WEeping LOVEGRASS (ALONE)	0.1 POUNDS	4 lbs.	3/15-6/15	3/15-6/15	2/15-6/15
(IN MIXTURES)	0.05 POUNDS	2 lbs.			
SUDANGRASS	1.4 POUND	60 lbs.	4/1-9/1	4/1-9/1	3/1-8/1
BROWNTOP (ALONE)	0.9 POUNDS	40 lbs.	4/1-7/1	4/1-7/15	4/1-7/15
MILLET (IN MIXTURES)	0.2 POUNDS	10 lbs.			
WHEAT (ALONE)	4.1 POUNDS	3 bu.	9/1-1/1	9/1-1/1	9/15-2/1
(IN MIXTURES)	0.7 POUNDS	1/2 bu.			


¹TEMPORARY COVER CROPS ARE VERY COMPETITIVE AND WILL CROWN OUT PERENNIALS IF SEEDED TOO HEAVILY.
²REDUCE SEEDING RATES BY 50% WHEN DRILLED.



NOTES:
1. USE STEEL OR WOOD POSTS OR AS SPECIFIED BY THE EROSION, SEDIMENTATION, AND POLLUTION CONTROL PLAN.




© - TEMPORARY CONSTRUCTION EXIT DETAIL



NOTES
1. ACTUAL LAYOUT DETERMINED IN FIELD.
2. THE CONCRETE WASHOUT SIGN SHALL BE INSTALLED WITHIN 30 FT. OF THE TEMPORARY CONCRETE WASHOUT FACILITY.

DES DAVIS
ENGINEERING & SURVEYING
24 DAWSON VILLAGE
WAY SOUTH
DAWSONVILLE, GA 30534
PHONE: (706) 265-1234
DAVISENGINEERS.COM



REVISION	DATE	DESCRIPTION
INITIAL	3/25/2025	SUBMITAL

ES&PC DETAILS
2424 NANCY LANE
LAND LOT 233
18th DISTRICT
DEKALB COUNTY, GEORGIA

DRAWN BY:	NAP
CHECKED BY:	JKD
LAND LOT:	233
DISTRICT:	18th
SECTION:	-
CITY:	-
COUNTY:	DEKALB
DATE:	3/25/2025

SHEET NO.	6 OF 6
PROJECT NO.	24-135