# SECTION 01550 TRAFFIC REGULATION

#### **PART 1 - GENERAL**

# 1.01 **SCOPE**

The Work specified in this section includes the provision of products, permits, services, procedures, and personnel by the **Contractor** to effect traffic control during the Work.

#### 1.02 TRAFFIC CONTROL MANAGER REQUIREMENTS

- A. The **Contractor** shall designate a qualified individual as the Traffic Control Manager (TCM) who shall be responsible for selecting, installing, and maintaining traffic control devices in accordance with the Plans and Specifications and the Manual of Uniform Traffic Control Devices (MUTCD). A written resume documenting the experience and credentials of the TCM shall be submitted and accepted by the **County** prior to beginning any Work that involves traffic control. The TCM shall be available on a 24-hour basis to perform his or her duties. If the Work requires traffic control activities to be performed during the daylight and nighttime hours, it shall be necessary for the **Contractor** to designate an alternate TCM. An alternate TCM shall meet the same requirements and qualifications as the primary TCM and be accepted by the **County** prior to beginning any traffic control duties. The TCM's traffic control responsibilities shall have priority over other assigned duties.
- B. As the representative of the Contractor, the TCM shall have full authority to act on behalf of the Contractor in administering the Traffic Control Plan. The TCM shall have appropriate training in safe traffic control practices in accordance with Part VI of the MUTCD. In addition to the TCM, other individuals making decisions regarding traffic control shall meet the training requirements of Part VI of the MUTCD. The TCMs shall supervise the initial installation of traffic control devices. The County, prior to the beginning of construction, will review the initial installation. Modifications to traffic control devices as required by sequence of operations or staged construction shall be reviewed by the TCMs.

#### **PART 2 - PRODUCTS**

# 2.01 SIGNS, SIGNALS, AND DEVICES

- A. The **Contractor** shall provide post-mounted and wall-mounted traffic control and informational signs as specified and required by local jurisdictions.
- B. The **Contractor** shall provide automatic traffic control signals as approved by local jurisdictions.
- C. The **Contractor** shall provide traffic cones and drums, and flashing lights as approved by local jurisdictions.
- D. The **Contractor** shall provide flagmen equipment as required by local jurisdictions.

# **PART 3 - EXECUTION**

# 3.01 PERMITS

- A. The **Contractor** shall obtain permits from authorities having jurisdiction over road closures before closing any road. The **Contractor** shall use forms provided by authorities having jurisdiction (DeKalb County Department of Public Works, Georgia Department of Transportation, etc.).
- B. The **Contractor** shall either fax or hand carry any permit applications to the DeKalb County Department of Public Works. Permit applications shall indicate the time (in days); length (in feet); the number of lanes; and the purpose of the closure.
- C. All permits are approved for operations during off-peak hours, 9:00 a.m. to 4:00 p.m., unless special approval is received from the **County**.
- D. Operations between the hours of 6:00 p.m. and 10:00 p.m. and Saturdays, and Sundays shall require approval by the **County.**
- E. Full street closure permits shall require 96 hours' advance notice prior to road closure. The following additional information shall be provided by the **Contractor** prior to approval:
  - 1. The recommended detour route with signage and Traffic Management Plan as per the MUTCD.
  - 2. A copy of the resident and/or business notification letters about the closure. The residents/businesses located between the detour routes shall be notified about the closure at least 5 business days prior to the proposed closure.
- F. The DeKalb County Department of Public Works will return full road closure permit applications to the **Contractor**. The Fire Chief, Chief of Police, DeKalb Hospital, MARTA, and the DeKalb County Board of Education shall be notified in writing at least 72 hours before commencing road closure activities.

Lane closure permits are issued during operating hours Mondays through Fridays. The DeKalb County Department of Public Works will return lane closure permit applications to the **Contractor**. The **Contractor** shall provide a minimum of 48-hour notice prior to closure. The **Contractor** shall continuously maintain the safety of the traveling public during lane closures in accordance with the requirements of the MUTCD and as stipulated by public officers.

# 3.02 PREPARATION OF TRAFFIC CONTROL PLANS

The Traffic Control Plan drawings included with the Contract Documents shall only be considered as a guide and are not intended to contain the traffic regulation details that shall be required by the specifications, permitting agencies, and the MUTCD. The **Contractor** shall develop detailed staging and traffic control plans for performing specific areas of the Work including, but not limited to: requirements for certified flagmen, additional traffic control devices, traffic shifts, detours, paces, lane closures, or other activities that disrupt traffic flow. The **Contractor** shall submit these plans in accordance with the Specifications to receive final approvals from permitting agencies and provide required traffic control devices as required by both the permitting agencies and these specifications at no additional cost to the **County**.

# 3.03 CONSTRUCTION PARKING CONTROL

- A. The **Contractor** shall control vehicular parking to prevent interference with public traffic and parking, access by emergency vehicles, and **County's** operations.
- B. The **Contractor** shall monitor parking of construction personnel's vehicles in existing facilities and maintain vehicular access to and through parking areas.
- C. The **Contractor** shall prevent parking on or adjacent to access roads or in non-designated areas.

# 3.04 MAINTENANCE OF TRAFFIC

- A. Whenever and wherever, in the **County's** opinion, traffic is sufficiently congested or public safety is endangered, the **Contractor** shall furnish uniformed officers to direct traffic and to keep traffic off the highway area affected by construction operations.
- B. When the Contract requires the maintenance of vehicular traffic on an existing road, street, or highway during the **Contractor's** performance of Work that is otherwise provided for in the Plans and these Specifications, the **Contractor** shall keep such road, street, or highway open to traffic and shall provide such maintenance as may be required to safely accommodate traffic. The **Contractor** shall furnish, erect, and maintain barricades, warning signs, flagmen, and other traffic control devices in conformity with the requirements of the Georgia Department of Transportation and other local jurisdictions. The **Contractor** shall also construct and maintain in a safe condition any temporary connections necessary to ingress to and egress from abutting property or intersecting roads, streets, or highways. The **Contractor** shall maintain traffic in accordance with any traffic control plans furnished with and made a part of the Plan assembly.
- C. The **Contractor** shall make its own estimate of labor, materials, equipment, and incidentals necessary for providing the maintenance of traffic as specified in this section.
- D. Unless specified in the Plans or these Specifications, and subject to the approval of the **County**, the cost of maintaining traffic specified in this section shall be considered incidental to the Work and no separate measurement or payment shall be made.
- E. Contractor shall comply with DeKalb County Steel Plate For Residential Specification (See Section A).
- F. Contractor shall provide a pilot car or an escort vehicle when heavy equipment must be moved from one location to another by use of the roads, streets and through DeKalb County.

#### 3.05 UNIFORMED POLICE OFFICER FOR TRAFFIC CONTROL

A. The **Contractor** shall provide uniformed police officers to regulate traffic when construction operations encroach on public traffic lanes, as approved by the **County**.

ITB No. 18-100944

Decatur Water Storage Demolition

Revised 12/03/18

B. Officers shall be currently employed by a local jurisdiction, be in full uniform and have full arrest power while working.

- C. Officers shall be employed and paid by the **Contractor**.
- D. Officers' shall be responsible for directing traffic within the construction site.
- E. Only a uniformed police officer can direct traffic when the contractor's operation interfere with or impede the operation of a traffic signal light.

#### 3.06 FLAGMEN

- A. The **Contractor** shall provide trained and equipped flagmen to regulate traffic when construction operations or traffic encroaches into public traffic lanes.
- B. The contractor flagmen shall have 7' Stop/Slow paddles onsite during all operations involving traffic control.

#### 3.07 FLASHING LIGHTS

The **Contractor** shall use flashing lights during hours of low visibility to delineate traffic lanes and to guide traffic.

# 3.08 HAUL ROUTES

- A. The **Contractor** shall consult with authorities and establish public thoroughfares to be used for haul routes and site access.
- B. The **Contractor** shall confine construction traffic to designated haul routes.
- C. The **Contractor** shall provide traffic control at critical areas of haul routes to regulate traffic and minimize interference with public traffic.

#### 3.09 ROAD CLOSURES ON COUNTY ROADS

- A. No street, road, or highway shall be closed without the permission of the owner of any street, road, or highway and the fire department having jurisdiction. Prior to closing a street, road, or highway, signs shall be posted for a minimum of <u>7 days</u> prior to actual closing, forewarning of the imminent closing. The **County** shall determine the information to be placed upon the signs by the **Contractor**. Where traffic is diverted from the Work, the **Contractor** shall provide materials and perform Work for the construction and maintenance of required temporary roadways, structures, barricades, signs, and signalization.
- B. To obtain approval to close a road or street maintained by the **County**, the **Contractor** shall proceed as follows:
  - The Contractor shall obtain approval of the traffic plan from the County. The traffic plan shall be in accordance with the requirements of the Georgia Department of Transportation and DeKalb County.
  - 2. The **Contractor** shall obtain a utility permit.

- 3. The **Contractor** shall apply in writing to the **County** and obtain a permit to close the road on a specific date.
- 4. The **Contractor** shall obtain a permit from the **County** before posting closure signs. Signs shall be posted for <u>7 days</u> prior to the first day of closure. Signs shall be acceptable to the **County**.
- 5. The **County** will handle emergency road closures.


#### 3.10 PROCEDURES FOR TRAFFIC DETOUR ROUTE PLAN

- A. The **Contractor** shall provide a sketch map to the **County**, showing the traffic detour route plan The sketch map need not be drawn to scale, but should resemble, as closely as possible, the actual location. The sketch map shall be drawn in a manner so as to provide emergency agencies a better understanding of the detour for quick response. The sketch map shall include directional arrows showing the flow of traffic.
- B. The **Contractor** shall erect "Road Closed Ahead" signs before the start point of the detour indicating the name of the street closed.
- C. The **Contractor** shall erect "Detour" signs with appropriate directional arrows at intersection along the detour route until the end of the detour, when the traffic is back to the original street.
- D. The **Contractor** shall erect an "End Detour" sign at the end of the detour.
- E. The **Contractor** shall erect an accessory plate indicating the name of the street being detoured to accompany each "Detour" and "End Detour" sign.
- F. The **Contractor** shall apply appropriate traffic control measures in accordance with the requirements of the MUTCD and **County** codes.

#### 3.10 BARRICADES AND WARNING SIGNS

- A. The **Contractor** shall furnish, erect, and maintain barricades and warning signs for hazards necessary to protect the public and the Work. When used during periods of darkness, such barricades, warning signs, and hazard markings shall be suitably illuminated or reflectorized.
- B. For vehicular and pedestrian traffic, the **Contractor** shall furnish, erect, and maintain barricades, warning signs, lights, and other traffic control devices in conformity with the requirements of the Georgia Department of Transportation and DeKalb County.
- C. The **Contractor** shall furnish and erect barricades and warning signs for hazards prior to commencing Work that requires such erection and shall maintain the barricades and warning signs for hazards until their dismantling is directed by the **County**.

Section A
Steel Plate Installation Urban and Residential



# Notes:

- 1. Installation shall be used in areas where backfilling operations of an excavation in the roadway cannot meet the minimum compaction requirements and permanent patching placement within the same day.
- 2. All excavations shall be backfilled within the roadway.
- 3. Each plate is to overlap existing pavement 12" minimum in every direction and multiple plates shall abut and be secured to each other.
- 4. Each steel plate shall be anchored securely to prevent movement.
- 5. Temporary paving with a cold asphalt mix or approved equal shall be used to feather edges of the plate to form a wedged taper to cover the edges of the steel plate.
- 6. The steel plate shall be removed within 30 days of placement with the excavation meeting the minimum compaction requirements and permanent patching installed.
- 7. Any ditch line needing a steel plate longer than 30 days should have permanent patching.
- 8. Warning signs advising motorist that they should expect to encounter steel plates shall be placed approximately 100 feet in advance of the steel plate location. The signs shall meet MUTCD sign size requirements, shall state steel plate ahead, and shall be visible to motorist.