

(Revised July 5, 2021)

SECTION 01210 MEASUREMENT AND PAYMENT

PART 1 – GENERAL

1.01 SCOPE

- A. Work includes furnishing labor, equipment, tools, materials, and performing operations required to complete the Work satisfactorily, in-place, as specified, and as indicated on the Drawings.
- B. The costs of required items of work and incidentals necessary for the satisfactory completion of the Work shall be considered as included in the Total Bid. The cost of work not directly covered by the pay items shall be considered incidental to the contract and no additional compensation shall be allowed.
- C. The **Contractor** shall take no advantage of any apparent error or omission on the Drawings or Specifications, and the **County** shall be permitted to make corrections and interpretations as may be deemed necessary for fulfillment of the intent of the Contract Documents.

1.02 SUBMITTALS

- A. The **Contractor** shall submit to the **County** for approval, in the form directed or acceptable to the **County**, a complete schedule of values of the portions of the Work, including quantities and unit prices, aggregating the Contract Price. The **County** shall not approve an unbalanced breakdown providing for overpayment to the **Contractor** on items of Work that would be performed first.
- B. The **Contractor** shall submit application for payment on a form approved by the **County** showing allowances, lump sum schedule of value items, and unit price items in accordance with Section 01210.

1.03 UNIT PRICE ITEMS

- A. Payment for Work shall be in accordance with the unit price bid items in the Bid Schedule and shall be full compensation for labor, materials, and equipment required to furnish, install, construct, and test the Work covered under the unit price bid item. Work for which there is no price schedule item shall be considered incidental to the Work and no additional compensation shall be allowed.
- B. Any Lump Sum item in the unit price bid for payment will only be made for actual portion of the actual portion of the Lump Sum item completed.
- C. Payment shall be made only for the actual quantities of work performed in compliance with the Drawings and Specifications. The **Contractor** shall be paid an amount equal to the approved quantity times the applicable unit price. Any unused balance of the unit price work shall revert to the **County** upon completion of the project.

(Revised July 5, 2021)

- D. All unit price work shall be considered as part of the Work to be performed within the time limits specified elsewhere for Substantial Completion and Project Completion. No increase in contract time shall be allowed for increases in quantities of unit price work performed beyond the quantities shown in the Bid Schedule, unless it can be demonstrated that the additional Work performed under the unit price item is on the critical path of the Project Schedule and has produced an increase in time to the Contract.

1.04 MEASUREMENT OF QUANTITIES

- A. Final payment quantities shall be determined from the record drawings. The As-Built Drawings lengths, dimensions, quantities, etc. shall be determined by a survey after completion of the required Work. The precision of final payment quantities shall match the precision shown for that item in the Bid Schedule. Measurements shall be taken according to the United States standard measurements and in the manner as specified in these Specifications.
- B. Measurement Devices
1. Scales shall be inspected, tested, and certified by the applicable weights and measures department within the past year, and shall be of sufficient size.
 2. Metering devices shall be inspected, tested, and certified by the applicable department within the past year.
 3. Volume shall be determined by cubic dimension by multiplying mean length by mean width by mean height or thickness.
 4. Area shall be determined by square dimension by multiplying mean length by mean width or height.
 5. Linear measurement shall be measured by linear dimension, along the item centerline or mean chord.
 6. Stipulated price measurement shall include items measured by number, weight, volume area, length, or combination thereof as appropriate.

Item	Method of Measurement
AC	Acre - Field Measure
AL	Allowance
CY	Cubic Yard - Field Measure within limits specified or shown, or measured in vehicle by volume, as specified
EA	Each - Field Count
GAL	Gallon - Field Measure
HR	Hour
LB	Pound(s) - Weight Measure by Scale
LF	Linear Foot - Field Measure
LS	Lump Sum - Unit is one; no measurement will be made
SF	Square Foot
SY	Square Yard

(Revised July 5, 2021)

<u>Item</u>	<u>Method of Measurement</u>
TON	Ton - Weight Measure by Scale (2,000 pounds)
VF	Vertical Foot - Field Measure

SECTION 1 – UNIT PRICE BID ITEMS

1.01 MOBILIZATION AND DEMOBILIZATION

- A. Measurement and payment for moving-in of equipment required for the project and moving out of the same after final acceptance of the work including cleaning-up shall be measured and paid for on a lump sum basis. Fifty percent (50%) of the total amount shall be payable after mobilization activity while the remaining fifty percent (50%) payable after final acceptance of the completed project.

1.02 MAINTENANCE OF TRAFFIC

- A. Measurement and payment for maintenance of traffic shall be on a lump sum basis and shall include all materials, labor, permits and permitting fees, and equipment required to maintain traffic lanes in accordance with all local, regional and State requirements. The Contractor shall not impede vehicular travel without approval from the Owner. Payment will be based on the percent complete of the anticipated maintenance of traffic for the project.

1.03 NPDES MONITORING AND REPORTING

- A. Measurement and payment for NPDES monitoring and reporting shall be on a lump sum basis and shall include all labor, equipment, and materials necessary for monitoring, sampling, reporting, and retention of records while complying with local and state guidelines. Payment will be based on the percent complete of the project.

1.04 ORANGE BARRIER FENCE (Tr)

- A. Measurement and payment for orange barrier fence shall be on a per linear foot complete in place and shall include all labor, equipment, and materials necessary for furnishing, placing, maintenance, inspection, monitoring, reporting, and removal of the orange barrier fence as specified in the contract documents. No additional payment shall be made for maintenance or replacement of orange barrier fence.

1.05 CONSTRUCTION EXIT (Co)

- A. Measurement and payment for construction exit shall be on a per each complete in place and shall include all labor, equipment, and materials necessary for furnishing, placing, maintenance, inspection, monitoring, reporting, and removal of all construction exits as specified in the contract documents. No additional payment shall be made for re-application or maintenance of construction exits.

(Revised July 5, 2021)

1.06 SILT FENCE – (Sd1-S and Sd1-NS)

- A. Measurement and payment for silt fence shall be on a per linear foot complete in place and shall include all labor, equipment, and materials necessary for furnishing, placing, maintenance, inspection, monitoring, reporting, and removal of temporary silt fence as specified in the contract documents. No additional payment shall be made for maintenance or replacement of silt fence.

1.07 ROCK FILTER DAM

- A. Measurement and payment for rock filter dam shall be on a per each complete in place and shall include all labor, equipment, and materials necessary for furnishing, placing, maintenance, inspection, monitoring, reporting, and removal of filter rings as specified in the contract documents. No additional payment shall be made for maintenance or replacement of rock filter dam.

1.08 STONE RIPRAP TYPE I/III

- A. Measurement and payment for stone riprap shall be on a per cubic yard complete in place as required in the contract documents or otherwise directed by the Owner and shall include excavation and preparation of ground surface to the correct elevation, furnishing and placing rip rap to the specified depth and all other labor, materials, equipment, and incidentals required to complete the Work.

1.09 STRAW BALES

- A. Measurement and payment for straw bales shall be on a per check dam complete in place and shall include all labor, equipment, and materials necessary for furnishing, placing, maintenance, inspection, monitoring, reporting, and removal of straw bales as specified in the contract documents. No additional payment shall be made for maintenance or replacement of straw bales.

1.10 INLET SEDIMENT TRAP (Sd2-P)

- A. Measurement and payment for inlet sediment traps shall be on a per each complete in place and shall include all labor, equipment, and materials necessary for furnishing, placing, maintenance, inspection, monitoring, reporting, and removal of inlet sediment traps as specified in the contract documents. No additional payment shall be made for maintenance or replacement of inlet sediment traps.

1.11 COMPOST SOCKS FOR CHECK DAM (Cd-Fs)

- A. Measurement and payment for compost socks for check dam shall be on a per each check dam complete in place and shall include all labor, equipment, and materials necessary for furnishing, placing, maintenance, inspection, monitoring, reporting, and removal of compost socks for check dam as specified in the contract documents. No additional payment shall be made for maintenance or replacement of compost socks.

(Revised July 5, 2021)

1.12 ROLLED EROSION CONTROL BLANKET AND MATTING (RECP)

- A. Measurement and payment for erosion control blanket and matting shall be on a per square yard complete in place and shall include all labor, equipment, materials necessary for furnishing, placing, maintenance, inspection, monitoring, and reporting of rolled erosion control blanket and matting in the contract documents. No additional payment shall be made for maintenance or replacement of rolled erosion control blanket and matting.

1.13 MULCHING AND PERMANENT SEEDING/VEGETATION – DISTURBED AREA STABILIZATION (Ds-1 and Ds-3)

- A. Measurement and payment for mulching shall be on a per square yard basis in locations approved in writing by the Owner and shall include all labor, equipment, materials necessary for furnishing, placing, watering, maintenance, inspection, monitoring, and reporting of mulching. No additional payment shall be made for maintenance or replacement of mulching.
- B. Measurement and payment for permanent seeding/vegetation (final stabilization) shall be on a square yard basis and shall include all labor, equipment, materials necessary for furnishing, placing, maintenance, inspection, watering, monitoring, and reporting of permanent seeding / vegetation as required to meet local and state erosion control guidelines and regulations and per contract documents. Contractor shall be responsible for replacing all grass / vegetation destroyed during construction. Grassing / vegetation shall be restored with like kind.

1.14 SOD – FINAL STABILIZATION (Ds-4) WHERE DIRECTED BY OWNER

- A. Measurement and payment for sod shall be on a per square yard basis in locations approved in writing by the Owner and shall include all labor, equipment, materials necessary for furnishing, placing, watering, maintenance, inspection, monitoring, and reporting of sod. No additional payment shall be made for maintenance or replacement of sod.

1.15 SIDEWALK RESTORATION

- A. Measurement and payment for Sidewalk removed and replaced shall be measured in place and paid for at the unit price bid per square yard. Concrete sidewalks shall be replaced with a minimum thickness of 4" and of a matching width, unless directed otherwise by the Owner. The unit price shall include all labor, equipment, materials necessary for saw cutting and removing the existing sidewalk, and pouring / installing a new sidewalk in its place per County standards and contract documents. No additional payment shall be made for re-installations of new sidewalk.

1.16 COMBINATION CURB AND GUTTER RESTORATION

- A. Measurement and payment for curb and gutter removed and replaced shall be measured in place and paid for at the unit price bid per linear foot installed. The unit price shall include all labor, equipment, materials necessary for saw cutting and

(Revised July 5, 2021)

removing the existing curb and gutter, and pouring / installing a new curb and gutter in its place per County standards and contract documents. No additional payment shall be made for re-installations of new curb and gutter.

1.17 GRANITE CURB REMOVAL AND REPLACEMENT

- A. Measurement and payment for granite curb removed and replaced shall be measured in place and paid for at the unit price bid per linear foot of existing granite curb re-installed. The unit price shall include all labor, equipment, materials necessary for saw cutting and removing the existing granite curb, and re-installing the existing granite curb after construction in the area is complete. No additional payment shall be made for damage to existing granite curb or for replacement granite curb if existing granite curb is damaged.

1.18 FREE BORE

- A. Measurement and payment for free bore of driveways or other locations designated by the Owner shall be measured in place and paid for at the unit price bid per linear foot of pipe installed via free bore. The unit price shall include all labor, equipment, materials necessary to use a special auger machine to bore a controlled hole to line and grade and installation of the pipe in the bore hole, access and receiving shafts; shaft support, shoring, and bracing removal; groundwater control, and other associated material; surface settlement monitoring; on-site storage, delivery to the work areas, site preparation, backfill, complete restoration; and cleanup. No additional payment shall be made for damage to existing driveways caused by the contractor or for pumping of flowable fill or pressure grout for an annular space between the earthen hole and carrier pipe exceeding six inches.

1.19 ROADWAY RESTORATION

- A. Measurement and payment for roadway restoration shall be measured in place and paid for at the unit price bid per square yard. Measurement shall be the length of the pavement replaced, measured along the centerline of the pipe multiplied by a limited trench width of 6 feet. The unit price shall include all labor, equipment, materials necessary for saw cutting and removing the existing roadway, and installing the new roadway restoration (Base, GAB, Binder, Top), including tack coat, per GA DOT standards or County standards as applicable and contract documents. No additional payment shall be made for re-paving of newly paved roadways. Pavement damaged or removed due to contractor error or negligence will not be paid for.

1.20 PAINTING TRAFFIC STRIPE/ARROWS/MARKINGS

- A. Measurement and payment for roadway restoration shall be paid as lump sum and shall include all labor, equipment, materials, protection of traffic stripe against traffic and weather and any incidentals necessary for the painting of traffic stripes / arrows / markings as required. The lump sum bid shall be for solid and skip traffic stripe of any size and color as required per GA DOT standards or County standards as applicable and per contract documents.

(Revised July 5, 2021)

1.21 8" AND 16" CLASS 350 DUCTILE IRON PIPE (DIP) AND RESTRAINED JOINT (RJ) DIP, COMPLETE IN PLACE, ALL DEPTHS

- A. Measurement for payment of furnishing and open cut installation of 8" and 16" Class 350 ductile iron pipe and 1.5" copper tubing type K shall be on a linear foot basis as determined by measurement along the centerline of the pipe in place. Payment shall constitute full compensation for work necessary for installation of ductile iron pipe, including but not limited to furnishing, transporting, storing, and installing the pipe; ground penetrating radar pipe location along the pipeline route; clearing and grubbing, temporary stabilization, saw cutting asphalt pavement, excavation, removal, and disposal of asphalt or concrete pavements, and excavated material; excavation support system, utility support system, dewatering, temporary water service, restrained joints, fittings, thrust blocks, tie rods, backfilling, and compaction, cleaning, treating, disinfection and testing; site restoration; and other specified work, and all other incidentals for complete installation of the pipeline. No deduction in the length of pipe will be made for space occupied by valves and fittings.

1.22 TAPPING SLEEVE & VALVE ASSEMBLY (ALL SIZES)

- A. Measurement for payment of furnishing and installing tapping sleeve & valve assembly shall be on a per each basis and shall include furnishing and installation of tapping sleeve & valve assembly, including but not limited to furnishing, transporting, storing, clearing and grubbing, temporary stabilization, saw cutting asphalt pavement, excavation, removal and disposal of asphalt or concrete pavements, and excavated material; excavation support system, utility support system, dewatering, restrained joints, fittings, thrust blocks, tie rods, backfilling, and compaction, concrete valve markers, cleaning, treating, disinfection and testing; site restoration; and other specified work, and all other incidentals for complete installation.

1.23 GROUT-FILL EXISTING WATERLINE (ALL SIZES)

- A. Measurement and payment for grout fill and abandonment of existing waterline is on a cubic yard basis. This price will be full compensation for the removing of the content within the pipe, cleaning, grouting, plugging, capping and abandoning all pipe, pipe bend section and all other appurtenance, and of dewatering, trenching, excavation and backfill, removal, transportation and disposal and all material or work necessary to properly abandon the pipe and must include all materials, labor, equipment, tools and incidentals necessary to complete the work.

1.24 CUT AND PLUG EXISTING WATER MAIN

- A. Measurement and payment for cut and plug is on a per each basis for all sizes of water main. The unit price bid shall include the cost of cutting and removing a section of the existing water main; dewatering and cleaning existing water main; furnishing and using all plugs and disinfection to prevent contamination of the existing water main and new fittings; furnishing and placing plug or cap, mechanical restraints and appurtenances; protective coating; constructing the concrete thrust block; plugging the abandoned water main with concrete; pavement saw cutting; pressure testing; and furnishing all labor, material and equipment necessary to complete the work.

(Revised July 5, 2021)

1.25 JACK & BORE – 8” CARRIER PIPE IN 18” STEEL CASING AND 16” CARRIER PIPE IN 30” STEEL CASING

- A. Measurement for payment for jack & bore installation of casing and carrier pipe shall be on a linear foot basis. Payment shall constitute full compensation for work necessary for a complete installation, including, but not limited to: labor, materials and supplies; equipment required for the handling and installation of the casing and carrier pipe, access, and receiving shafts; shaft support, shoring, and bracing removal; groundwater control, annular space fill, spacers, casing end plugs, and other associated material; surface settlement monitoring; on-site storage, delivery to the work areas, site preparation, backfill, complete restoration; and cleanup.

1.26 8-MIL POLYETHYLENE SLEEVE FOR 8” AND 16” DIP

- A. Measurement for payment of furnishing and installing 8-mil polyethylene sleeve shall be on a linear foot basis as determined by measurement along the centerline of the pipe in place as called for in the contract documents or where directed by the Owner and shall include all tools, labor, equipment, materials and all other incidentals necessary for complete installation of 8-mil polyethylene sleeve for DIP.

1.27 CONNECTION TO EXISTING WATER MAIN

- A. Measurement for payment for connecting to existing water mains shall be per each connection and shall include all tools, labor, equipment, materials and all other incidentals necessary for locating, cutting-in or tapping, and connecting to the existing facilities and removal of existing piping as necessary to complete the connection. Pipe, special fittings, tapping sleeves, new valve at cut-in or tap, and any other incidentals used in making the connection shall be included in the unit price.

1.28 FURNISH AND INSTALL GATE AND BUTTERFLY VALVES WITH VALVE BOX AND EXTENSION

- A. Measurement for payment to furnish and install gate and butterfly valves shall be on a per each basis. Payment shall be based upon actual quantity of each valve furnished and installed, in accordance with the requirements of the Contract Documents. Payment shall constitute full compensation for work necessary to install the valves, including, but not limited to: the purchase, delivery to the Work Site, on-site storage, delivery to the work areas, surface preparation, saw cutting asphalt pavement, excavation, removal, and disposal of asphalt or concrete pavements and excavated material; excavation support system, utility support system, dewatering, temporary water service, placement, backfilling and compaction; concrete valve markers, cleaning, treating and testing; cleanup, including valve box, extension, concrete collar, if required; and other specified work.

1.29 RELOCATE EXISTING FIRE HYDRANT ASSEMBLY AND VALVE

- A. Measurement for payment for removing and relocating an existing fire hydrant assembly and valve shall be at the unit price bid per each and shall include, but is not limited to removing the hydrant assembly and valve from existing water main, relocating

(Revised July 5, 2021)

and installing on the new water main. Payment shall constitute full compensation for the relocation of existing fire hydrant assemblies, installed complete, including fire hydrant, fire hydrant extensions, fire hydrant tee, required linear feet of 6-inch restrained joint ductile iron piping, restrained valves, and valve boxes; concrete collars and thrust blocks; gravel pockets, and fittings. A backflow preventer may be required based on distance from the main line with approval from the **County**. This also includes surface preparation, saw cutting asphalt pavement, excavation, removal, and disposal of asphalt or concrete pavements and excavated material; excavation support system, utility support system, dewatering, temporary water service, placement, backfilling and compaction; cleaning, treating and testing; cleanup, including valve box, extension; concrete collar, if required; and other specified work.

1.30 NEW FIRE HYDRANT ASSEMBLY

- A. Measurement for payment for furnishing and installing fire hydrant assemblies shall be at the unit price bid per each and shall include, but is not limited to transporting, storing, furnishing, and installing. Payment for furnishing and installing fire hydrant assemblies shall be made at the unit price per each and shall constitute full compensation for the construction of fire hydrant assemblies, installed complete, including fire hydrant, fire hydrant extensions, fire hydrant tee, required linear feet of 6-inch restrained joint ductile iron piping, restrained valves, and valve boxes; concrete collars and thrust blocks; gravel pockets, and fittings. A backflow preventer may be required based on distance from the main line with approval from the **County**. This also includes surface preparation, saw cutting asphalt pavement, excavation, removal, and disposal of asphalt or concrete pavements and excavated material; excavation support system, utility support system, dewatering, temporary water service, placement, backfilling and compaction; cleaning, treating and testing; cleanup, including valve box, extension; concrete collar, if required; and other specified work.

1.31 TRANSFER WATER SERVICE

- A. Measurement for payment for water service transfer shall be on a per each basis for the actual number of water services transferred from an existing water main to a new, relocated water main. Payment for water service transfer shall constitute full compensation for the complete transfer of the water service from the main to the meter; the meter shall not be relocated. This item shall include fittings, piping, and restoration to transfer the service, including pressure testing and disinfection, and connection to the meter. Work shall be performed by a licensed plumber. This includes surface preparation, saw cutting asphalt pavement, excavation, removal, and disposal of asphalt or concrete pavements and excavated material; excavation support system, utility support system, dewatering, temporary water service, placement, backfilling and compaction; cleanup; and other specified work.

1.32 REPLACE EXISTING WATER METER AND METER BOX

- A. Measurement for payment for water meter and meter box replacement shall be on a per each basis for the actual number of water meters and meters boxes designated for replacement by the Owner. Payment for new water meter and meter box shall constitute full compensation for the complete addition or replacement of the existing water meter and meter box with a water meter and meter box which complies with

(Revised July 5, 2021)

County Standards. This item shall include fittings, piping, pressure testing and disinfection, and connection to the meter. Work shall be performed by a licensed plumber. This includes surface preparation, saw cutting asphalt pavement, excavation, removal, and disposal of asphalt or concrete pavements and excavated material; excavation support system, utility support system, dewatering, temporary water service, placement, backfilling and compaction; cleanup; and other specified work.

1.33 RELOCATION OF EXISTING WATER SERVICE

- A. Measurement for payment for water service relocation is on a per each basis. Payment shall constitute full compensation for work necessary to relocate the service, including relocation of the water meter. This includes, but is not limited to: the purchase, delivery to the work site, on-site storage, delivery to the work areas, surface preparation, placement, and cleanup required for the complete relocation of the water service from the main to the property line. The existing meter and appurtenances shall be reset as directed by the **County**. This item shall include devices, fittings, piping, and restoration to relocate the service, and includes removal of the existing service, pressure testing and disinfection, including connection to the relocated meter. Work shall be performed by a licensed plumber. This includes surface preparation, saw cutting asphalt pavement, excavation, removal, and disposal of asphalt or concrete pavements and excavated material; excavation support system, utility support system, dewatering, temporary water service, placement, backfilling and compaction; and other specified work.

1.34 REMOVAL OF UNSUITABLE SOIL AND REPLACEMENT WITH SUITABLE SOIL

- A. Measurement for payment for removal of unsuitable soil and replacement with suitable soil is on a per cubic yard basis as approved by the **County**. Payment shall constitute full compensation for work necessary to remove and dispose of unsuitable soil and replace with suitable soil including but not limited to furnishing, transporting, storing, and installing the suitable soil; excavation, removal, and disposal of unsuitable soil, backfilling and compaction of suitable soil, site restoration; and other specified work, and all other incidentals for complete installation of the suitable soil.

1.35 ROCK EXCAVATION AND REPLACEMENT WITH SUITABLE SOIL

- A. Measurement for payment for rock excavation and replacement with suitable soil is on a per cubic yard basis as approved by the **County**. Payment shall constitute full compensation for work necessary to excavate, remove and dispose of rock encountered and replace with suitable soil including but not limited to furnishing, transporting, storing, and installing the suitable soil; excavation, removal, and disposal of rock, backfilling and compaction of suitable soil, site restoration; and other specified work, and all other incidentals for complete installation of the suitable soil.

1.36 TESTING LABORATORY SERVICES

- A. Measurement for payment for testing laboratory services shall be on a lump sum basis. Payment shall constitute full compensation for compaction testing, asphalt testing, concrete testing and other material testing services required by the contract documents

(Revised July 5, 2021)

or called for by the Owner. Retesting of failed test results shall be at the contractor's expense.

1.37 TREE REMOVAL

- A. Measurement for payment for tree removal services shall be on a per each basis for trees larger than or equal to 12-inch DBH. Trees smaller than 12-inch DBH are included in clearing and grubbing. Payment shall compensation in full for clearing the work area of trees, shrubs, undergrowth, grubbing the work area, all handling, on-site hauling, removal and disposal of all cleared materials from the site, and all other labor, materials, equipment, and other incidentals required to complete the Work.

1.38 FURNISH AND INSTALL AIR RELEASE VALVE WITH VAULT

- A. Measurement for payment to furnish and install air release valves shall be on a per each basis. Payment shall be based upon actual quantity of each valve furnished and installed, in accordance with the requirements of the Contract Documents. Payment shall constitute full compensation for work necessary to install the valves, including, but not limited to: the purchase, delivery to the Work Site, on-site storage, delivery to the work areas, surface preparation, saw cutting asphalt pavement, excavation, removal, and disposal of asphalt or concrete pavements and excavated material; excavation support system, utility support system, dewatering, temporary water service, placement, backfilling and compaction; cleaning, treating and testing; cleanup, including concrete vault, extension, concrete collar, if required; and other specified work.

SECTION 2 – ALLOWANCES

2.01 ALLOWANCES

- A. The allowances specified in the Bid Schedule are to establish a fund to pay the cost of items for which the **County** could not establish accurate quantities and/or detailed scope of work. The **Contractor** shall submit for review and approval by the **County** a proposed cost of services prior to performance of the Work. This Work shall be completed only at the written direction of the **County** after the cost of such Work has been approved.
- B. The **Contractor** shall be responsible for the payment for these services to the appropriate payee providing such service, and shall submit evidence of payments to the **County** prior to their inclusion in the progress payments.
- C. The **County** shall make payment for invoices submitted by the **Contractor** subject to the Contract Documents. **Contractor** shall not receive any additional compensation for bond or insurance costs for work executed using allowance funding.
- D. Allowance allocations shall only be paid to the **Contractor** for completed work authorized by the **County**. Allowance dollar amounts not expended shall revert to the **County** at the completion of the project. Should the final allowance costs be less than the specified amount of the allowance, the Contract shall be adjusted accordingly by

(Revised July 5, 2021)

change order. The amount of change order shall not recognize any changes in handling costs at the site, labor, overhead, profit, and other expenses caused by the adjustment to the allowance item.

PART 2 – PRODUCTS (NOT USED)

PART 3 – EXECUTION (NOT USED)

+++END OF SECTION 01210+++

THIS PAGE LEFT INTENTIONALLY BLANK